



BE SURE. BUILD SURE.

Page 1/8

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 24.02.2024

Version number 31

Revision: 24.02.2024

### 1 Identification of the hazardous chemical and of the supplier

- **Product identifier**
- **Trade name** **EXZELLENT STP 540**
- **Recommended use of the chemical and restrictions on use** *No further relevant information available.*
- **Application of the substance / the mixture** *dry mortar*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** *MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de*  
  
*MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533*
- **Informing department:** *msds@mc-bauchemie.de*

### 2 Hazard identification

- **Classification of the substance or mixture**  
*Skin Irrit. 2 H315 Causes skin irritation.  
Eye Dam. 1 H318 Causes serious eye damage.*
- **Label elements**
- **GHS label elements** *The product is classified and labelled according to the Globally Harmonised System (GHS).*
- **Hazard pictograms**  
  
GHS05
- **Signal word** *Danger*
- **Hazard-determining components of labelling:** *Portland cement  
calcium dihydroxide*
- **Hazard statements** *Causes skin irritation.  
Causes serious eye damage.*
- **Precautionary statements** *Wear protective gloves / eye protection / face protection.  
IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.*

(Contd. on page 2)

MY



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 24.02.2024

Version number 31

Revision: 24.02.2024

Trade name **EXZELLENT STP 540**

(Contd. of page 1)

Specific treatment (see on this label).  
If skin irritation occurs: Get medical advice/attention.  
Take off contaminated clothing and wash before reuse.

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition and information of the ingredients of the hazardous chemical

- **CAS No. Designation:** Void
- **Identification number(s):** Void
- **Chemical characterisation: Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

|                 |   |          |
|-----------------|---|----------|
| CAS: 1317-65-3  | Calcium carbonate   | 60-80%   |
| CAS: 65997-15-1 | Portland cement<br>Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335     | ≥10-<20% |
| CAS: 1305-62-0  | calcium dihydroxide<br>Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335 | ≥3-<10%  |

### 4 First-aid measures

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Void
- **After skin contact** The product is not skin irritating.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Rinse out mouth and then drink plenty of water.  
In case of persistent symptoms consult doctor.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Void
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.

(Contd. on page 3)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 24.02.2024

Version number 31

Revision: 24.02.2024

Trade name **EXZELLENT STP 540**

(Contd. of page 2)

- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Collect mechanically.
- **Reference to other sections** No dangerous materials are released.

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling** Prevent formation of dust.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class** 13

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

**CAS: 1317-65-3 Calcium carbonate**

PEL (Malaysia) Long-term value: 10 mg/m<sup>3</sup>

**CAS: 65997-15-1 Portland cement**

PEL (Malaysia) Long-term value: 10 mg/m<sup>3</sup>

**CAS: 1305-62-0 calcium dihydroxide**

PEL (Malaysia) Long-term value: 5 mg/m<sup>3</sup>

· **DNELs**

**CAS: 1317-65-3 Calcium carbonate**

Oral DNEL 6.1 mg/kg bw/Tag (ArL)

Inhalative DNEL 10 mg/m<sup>3</sup> (ArL)

**CAS: 65997-15-1 Portland cement**

Inhalative DNEL 1 mg/m<sup>3</sup> (ArL)

**CAS: 1305-62-0 calcium dihydroxide**

Inhalative DNEL 1 mg/m<sup>3</sup> (ArL)

(Contd. on page 4)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 24.02.2024

Version number 31

Revision: 24.02.2024

Trade name **EXZELLENT STP 540**

(Contd. of page 3)

**· PNECs**

**CAS: 1317-65-3 Calcium carbonate**

PNEC 100 mg/l (Sewage Treatment Plant)

**CAS: 1305-62-0 calcium dihydroxide**

PNEC 3 mg/l (BEL)

0.32 mg/l (Mew)

0.49 mg/l (Freshwater)

PNEC 1080 mg/kg dwt (Bod)

**· Additional information:** *The lists that were valid during the compilation were used as basis.*

**· Exposure controls**

**· Personal protective equipment**

**· General protective and hygienic measures**

*The usual precautionary measures should be adhered to in handling the chemicals.*

**· Breathing equipment:**

*Wear respiratory protection in case of insufficient ventilation.*

*The selection of respirators (EN 14387) must be based on the known or anticipated exposure concentrations, the hazards of the product and the occupational exposure limits (section 8.1) of the respirator in question.*

*Particle filter PP1: Inert substance; P2, P3: Hazardous substances  
Provide adequate ventilation. This can be achieved by local exhaust ventilation or general exhaust ventilation.*

*(EN 689 - Methods for determining inhalation exposure)*

*This applies especially at the mixing or stirring place.*

*If this is not sufficient to keep the concentration below the occupational exposure limit, provide respiratory protection.*

**· Protection of hands:**

*Protective gloves.*

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

*After use of gloves apply skin-cleaning agents and skin cosmetics.*

**· Material of gloves**

*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

**· Penetration time of glove material**

*The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.*

**· Eye protection:**

*Not required.*

**· Body protection:**

*Protective work clothing.*

MY

(Contd. on page 5)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 24.02.2024

Version number 31

Revision: 24.02.2024

Trade name **EXZELLENT STP 540**

(Contd. of page 4)

#### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

|                  |                                    |
|------------------|------------------------------------|
| · <b>Form:</b>   | Powder                             |
| · <b>Colour:</b> | According to product specification |
| · <b>Smell:</b>  | Odourless                          |

· **pH-value at 20 °C:** 11

· **Change in condition**

|  |                |
|--|----------------|
| · <b>Melting point/freezing point</b>            | Not determined |
| · <b>Initial boiling point and boiling range</b> | Not applicable |
|  | Not determined |

· **Flash point:** Not applicable

· **Flammability (solid, gas)** Product is not inflammable.

· **Explosive properties:** Product is not explosive.

· **Steam pressure:** Not applicable.

· **Density** Not determined

· **Settled apparent density** 1 kg/m<sup>3</sup>

· **Solubility in / Miscibility with Water:** Insoluble

|                     |                 |
|---------------------|-----------------|
| · <b>Viscosity:</b> |                 |
| · <b>dynamic:</b>   | Not applicable. |
| · <b>kinematic:</b> | Not applicable. |

· **Other information**

No further relevant information available.

#### 10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

(Contd. on page 6)

MY



BE SURE. BUILD SURE.

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 24.02.2024

Version number 31

Revision: 24.02.2024

**Trade name EXZELLENT STP 540**

(Contd. of page 5)

· **Hazardous decomposition products:**

No dangerous decomposition products known

### 11 Toxicological information

· **Information on toxicological effects**  
· **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

**CAS: 1317-65-3 Calcium carbonate**

|      |      |                   |
|------|------|-------------------|
| Oral | LD50 | >2000 mg/kg (rat) |
|------|------|-------------------|

|        |      |                   |
|--------|------|-------------------|
| Dermal | LD50 | >2000 mg/kg (rat) |
|--------|------|-------------------|

**CAS: 65997-15-1 Portland cement**

|        |      |                     |
|--------|------|---------------------|
| Dermal | LD50 | 2000 mg/kg (rabbit) |
|--------|------|---------------------|

|            |          |              |
|------------|----------|--------------|
| Inhalative | LC50/4 h | 5 mg/l (rat) |
|------------|----------|--------------|

**CAS: 1305-62-0 calcium dihydroxide**

|      |      |                  |
|------|------|------------------|
| Oral | LD50 | 7340 mg/kg (rat) |
|------|------|------------------|

· **Primary irritant effect:**

· **Skin corrosion or irritation** Irritant for skin and mucous membranes.

· **Serious eye damage or eye irritation** Strong irritant with the danger of severe eye injury.

· **Respiratory / skin sensitization** No sensitizing effect known.

· **Additional toxicological information:**  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.  
The material is not subject to classification according to EC lists in the last version.

### 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

**CAS: 1317-65-3 Calcium carbonate**

|          |                                    |
|----------|------------------------------------|
| EC50/72h | >14 mg/l (Desmodesmus subspicatus) |
|----------|------------------------------------|

|          |                                   |
|----------|-----------------------------------|
| LC50/96h | >10000 mg/l (Oncorhynchus mykiss) |
|----------|-----------------------------------|

|          |                            |
|----------|----------------------------|
| LC50/48h | >1000 mg/l (Daphnia magna) |
|----------|----------------------------|

|          |                            |
|----------|----------------------------|
| EC50/48h | >1000 mg/l (Daphnia magna) |
|----------|----------------------------|

· **Persistence and degradability** No further relevant information available.

· **Behaviour in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

(Contd. on page 7)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 24.02.2024

Version number 31

Revision: 24.02.2024

Trade name **EXZELLENT STP 540**

(Contd. of page 6)

- **Additional ecological information:**
- **General notes:** *Not known to be hazardous to water.  
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

### 13 Disposal information

- **Waste treatment methods**
- **Recommendation** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Packaging can be reused or recycled after cleaning.*

### 14 Transportation information

- |   |                 |
|---|-----------------|
| · <b>UN-Number</b>  |                 |
| · <b>ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>UN proper shipping name</b>  |                 |
| · <b>ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>Transport hazard class(es)</b>   |                 |
| · <b>ADR, ADN, IMDG, IATA</b>   |                 |
| · <b>Class</b>  | Void            |
| · <b>Packing group</b>  |                 |
| · <b>ADR, IMDG, IATA</b>  | Void            |
| · <b>Environmental hazards:</b>   |                 |
| · <b>Marine pollutant:</b>  | No              |
| · <b>Special precautions for user</b>                                       | Not applicable. |
| · <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>   | Void            |

MY

(Contd. on page 8)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 24.02.2024

Version number 31

Revision: 24.02.2024

Trade name **EXZELLENT STP 540**

(Contd. of page 7)

#### 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **EHS reference list**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous**

**substances - ANNEX I**

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing data specification sheet:**

Environment protection department.

· **Contact:**

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion or irritation – Category 2

Eye Dam. 1: Serious eye damage or eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**