

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

Page 1/8

Product identifier	
Trade name Recommended use of the chemical and restrictions on use	<i>Emcefix Haftbrücke</i> No further relevant information available.
Application of the substance / the mixture	Mineral coating
<i>Details of the supplier of the s</i> <i>Manufacturer/Supplier:</i>	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon
Informing department:	Tel.: +44-7400510 Fax : +44-7400533 msds@mc-bauchemie.de
Classification of the substand Skin Irrit. 2 H315 Causes skin	
Eye Dam. 1 H318 Causes serie	ous eye damage.
STOT SE 3 H335 May cause re	espiratory irritation.
Label elements GHS label elements	The product is classified and labelled according to the Globall
Label elements GHS label elements	
Label elements	The product is classified and labelled according to the Globall Harmonised System (GHS).
Label elements GHS label elements Hazard pictograms	The product is classified and labelled according to the Globall Harmonised System (GHS). GHS05 GHS07 Danger Portland cement
Label elements GHS label elements Hazard pictograms Signal word Hazard-determining	The product is classified and labelled according to the Globall Harmonised System (GHS). GHS05 GHS07 Danger Portland cement Fly ash Portland cement H315 Causes skin irritation. H318 Causes serious eye damage.
Label elements GHS label elements Hazard pictograms Signal word Hazard-determining components of labelling:	The product is classified and labelled according to the Globally Harmonised System (GHS). GHS05 GHS07 Danger Portland cement Fly ash Portland cement H315 Causes skin irritation.



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

Trade name Emcefix Haftbrücke

	P280	(Contd. of page 1) Wear protective gloves / eye protection / face protection.
	P305+P351+P338	F IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
· Other hazards		5)
 Results of PBT and vPvB ass 	sessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

3 Composition and information of the ingredients of the hazardous chemical

Chemical characterisation: Mixtures

 Chemical charac Description: 	terisation: Mixtures Mixture consisting of the following components.	
Dangerous comp	ponents:	
CAS: 14808-60-7	Quartz (SiO2)	30-60%
CAS: 65997-15-1		30-60%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 1317-65-3	Calcium carbonate	<10%
CAS: 68475-76-3	Fly ash Portland cement	≥1-<2.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 69012-64-2	amorphous silica (fume)	<2.5%
· Additional inforn	nation For the wording of the listed hazard phrases refer to s	ection 16.

4 First-aid measures

 Description of first aid me General information 	easures For all first aid measures: observe self-protection and consult a doctor!
· After inhalation	Remove people from the dusty area.
· After skin contact	Remove heavily soiled clothing. Clean with plenty of soap and water.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist!
· After swallowing	Do NOT induce vomiting. Rinse mouth with water. Medical attention required.
	MY -

(Contd. on page 3)

Page 2/8



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

Trade name Emcefix Haftbrücke

(Contd. of page 2)

Page 3/8

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from
- the substance or mixture • Advice for firefighters
- Advice for firefighters
 Protective equipment: No sp
 - No special measures required.

No further relevant information available.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures
 Environmental precautions:
 Methods and material for containment and cleaning up: Collect mechanically.
 Reference to other sections
 See Section 7 for information on safe handling See Section 8 for information on disposal.

7 Handling and storage

- · Handling
- **Precautions for safe handling** Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!
- · Conditions for safe storage, including any incompatibilities
- · Storage

Requirements to be met by	
storerooms and containers:	Store bags tightly closed; protect from moisture and water!
	Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel.
	Do not store in break rooms, recreation rooms or sanitary facilities
	or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.
 Information about storage in 	
one common storage facility:	Combined storage bans apply from a total storage quantity of 200 kg.
	Do not store together with substances of the following LGK: 1; 6.2; 7
	Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C
	(Contd. on page 4)



· Breathing equipment:

Protection of hands:

Page 4/8

Safety Data Sheet according to P.U.(A) 310/2013

according to P.U.(A) 310/2013 Printing date 17.01.2025 Version number 24 Revision: 17.01.2025 Trade name Emcefix Haftbrücke (Contd. of page 3) · Further information about storage conditions: Store in a dry and frost-free place. Storage class 13 8 Exposure controls and personal protection · Additional information about design of technical systems: No further data; see section 7. · Control parameters · Components with critical values that require monitoring at the workplace: CAS: 14808-60-7 Quartz (SiO2) PEL (Malaysia) Long-term value: 0.1* mg/m³ *Pecahan ternafaskan CAS: 65997-15-1 Portland cement PEL (Malaysia) Long-term value: 10 mg/m³ CAS: 1317-65-3 Calcium carbonate PEL (Malaysia) Long-term value: 10 mg/m³ CAS: 69012-64-2 amorphous silica (fume) PEL (Malaysia) Long-term value: 2* mg/m³ wasap; *Pecahan ternafaskan DNELs CAS: 65997-15-1 Portland cement Inhalative DNEL 1 mg/m³ (ArL) CAS: 1317-65-3 Calcium carbonate Oral DNEL 6.1 mg/kg bw/Tag (ArL) Inhalative DNEL 10 mg/m³ (ArL) PNECs CAS: 1317-65-3 Calcium carbonate PNEC 100 mg/l (Sewage Treatment Plant) · Additional information: The lists that were valid during the compilation were used as basis. · Exposure controls · Personal protective equipment · General protective and hygienic measures Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after every break.

on page 5) —— MY



Page 5/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

Trade name Emcefix Haftbrücke

 Material of gloves Penetration time of glove 	(Contd. of page 4) (Contd. of page 4)
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
· Eye protection:	Safety glasses
· Body protection:	Protective work clothing.

9 Physical and chemical properties

 Information on basic physical and General Information 	cnemical properties	
· Appearance:	- /	
Form:	Powder	
Colour: · Smell:	Grey Odourless	
· Smen:	Odouness	
· pH-value:	Not applicable.	
 Change in condition Melting point/freezing point Initial boiling point and boiling ratio 	Not determined ange 2230 °C	
· Flash point:	Not applicable	
· Auto-ignition temperature	Product is not selfigniting.	
· Explosive properties:	Product is not explosive.	
· Steam pressure at 1732 °C:	13.5 hPa	
· Density	Not determined	
 Solubility in / Miscibility with Water: 	Unsoluble	
· Viscosity:		
dynamic:	Not applicable.	
kinematic:	Not applicable.	
· Other information	No further relevant information available.	

10 Stability and reactivity		
· Reactivity · Chemical stability	No further relevant information available.	
 Thermal decomposition / 		
conditions to be avoided: • Possibility of hazardous	No decomposition if used according to specifications.	
reactions	No dangerous reactions known	
Conditions to avoid	No further relevant information available.	
 Incompatible materials: 	No further relevant information available.	

(Contd. on page 6)

⁻ MY



Page 6/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

(Contd. of page 5)

M

Trade name Emcefix Haftbrücke

 Hazardous decomposition products:

No dangerous decomposition products known

11 Toxicol					
	· Information on toxicological effects · Acute toxicity				
· LD/LC50	values tha	t are relev	ant for classification:		
CAS: 659	97-15-1 Po	ortland cen	nent		
Dermal	LD50	2000 mg/k	g (rabbit)		
Inhalative	LC50/4 h	5 mg/l (rat,)		
CAS: 131	7-65-3 Cal	cium carbo	onate		
Oral	LD50	>2000 mg/	/kg (rat)		
Dermal	LD50	>2000 mg/	/kg (rat)		
Skin corr Serious e irritation Respirate sensitiza	tion al toxicolo	rritation e or eye	Irritant for skin and mucous membranes. Strong irritant with the danger of severe eye injury. No sensitizing effect known. The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant		

12 Ecological information

· Toxicity	· Toxicity		
· Aquatic te	· Aquatic toxicity:		
CAS: 131	7-65-3 Calcium carb	onate	
EC50/72h	EC50/72h >14 mg/l (Desmodesmus subspicatus)		
LC50/96h	>10000 mg/l (Oncor	hynchus mykiss)	
LC50/48h	>1000 mg/l (Daphnia magna)		
EC50/48h	>1000 mg/l (Daphni	a magna)	
CAS: 690	12-64-2 amorphous	silica (fume)	
EC50/24h	C50/24h >1002 mg/l (Daphnia magna)		
NOEC	319 mg/l (Daphnia magna)		
· Behaviou · Bioaccun	Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. (Contd. on page 7)		
			(Conta. on page 7)



Page 7/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

Trade name Emcefix Haftbrücke

General notes:	Do not allow undiluted product or large quantities of it to reac ground water, water bodies or sewage system.
Results of PBT and vPvB	
PBT:	Not applicable.
vPvB:	Not applicable.
Other adverse effects	No further relevant information available.

13 Disposal information

·	Waste	treatment	methods
---	-------	-----------	---------

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings: • Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

(Contd. on page 8)



Page 8/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

Trade name Emcefix Haftbrücke

(Contd. of page 7)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data specification sheet: Contact:	Environment protection department.
Abbreviations and acronyms: * Data compared to the previous version altered.	 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PD51: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion or irritation – Category 2 Eye Dam. 1: Serious eye damage or eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3