



BE SURE. BUILD SURE.

Page 1/10

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.04.2025

Version number 48

Revision: 25.04.2025

### 1 Identification of the hazardous chemical and of the supplier

- **Product identifier**
- **Trade name** Konudur 102 - Komponente B
- **Recommended use of the chemical and restrictions on use** No further relevant information available.
- **Application of the substance / the mixture** Epoxy sealing  
Hardening agent/ Curing agent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de  
  
MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de

### 2 Hazard identification

- **Classification of the substance or mixture**  
Acute Tox. 4 H302 Harmful if swallowed.  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Dam. 1 H318 Causes serious eye damage.  
Skin Sens. 1 H317 May cause allergic skin reaction.  
Carc. 2 H351 Suspected of causing cancer.  
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Label elements**

- **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

- **Hazard pictograms**



GHS05 GHS07 GHS08

- **Signal word**

Danger

- **Hazard-determining components of labelling:**

2-Ethyl-4-methylimidazole  
4-Methylimidazole  
Hydrocarbons, C9-unsaturated, polymerised  
Phenol, mono- and distyrolised

(Contd. on page 2)

MY



BE SURE. BUILD SURE.

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.04.2025

Version number 48

Revision: 25.04.2025

**Trade name Konudur 102 - Komponente B**

(Contd. of page 1)

- **Hazard statements**
  - H302 Harmful if swallowed.
  - H315 Causes skin irritation.
  - H318 Causes serious eye damage.
  - H317 May cause allergic skin reaction.
  - H351 Suspected of causing cancer.
  - H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
  - P261 Avoid breathing dust/fume/ gas/mist/vapours/spray.
  - P280 Wear protective gloves / eye protection / face protection.
  - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P310 Immediately call a POISON CENTER/doctor.
  - P321 Specific treatment (see on this label).
  - P330 Rinse mouth.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition and information of the ingredients of the hazardous chemical

- **Chemical characterisation: Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

CAS: 931-36-2	2-Ethyl-4-methylimidazole Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	30-60%
CAS: 71302-83-5	Hydrocarbons, C9-unsaturated, polymerised Asp. Haz., H304; Skin Sens. 1, H317; Aquatic Chronic 3, H412	≥25-≤30%
	Phenol, mono- and distyrolised Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥10-<25%
CAS: 822-36-6	4-Methylimidazole Acute Tox. 3, H311; Carc. 2, H351; Skin Corr. 1, H314; Eye Dam. 1, H318; Acute Tox. 4, H302	≥3-<5%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- **Description of first aid measures**
- **General information** Remove contaminated clothing immediately. Consult a doctor if symptoms occur. Move affected person to fresh air.
- **After inhalation** Supply fresh air; seek medical advice if symptoms occur. If unconscious, place in recovery position and seek medical advice.
- **After skin contact** In case of contact with skin, wash carefully with plenty of soap and water. Consult a doctor in case of skin reactions.

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/10

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.04.2025

Version number 48

Revision: 25.04.2025

**Trade name Konudur 102 - Komponente B**

(Contd. of page 2)

- **After eye contact** Rinse opened eye for several minutes under running water.  
Call a doctor immediately
- **After swallowing** Rinse mouth with water. Never give anything by mouth to an unconscious person. DO NOT induce vomiting. If symptoms persist, consult a doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** Advice for the doctor: Elementary aid, decontamination, symptomatic treatment.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **Special hazards arising from the substance or mixture** Can be released in case of fire  
Carbon monoxide (CO)
- **Advice for firefighters**
- **Protective equipment:** Put on breathing apparatus.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling** Open and handle containers with care.  
Ventilation measures are required in rooms without sufficient air exchange (e.g. closed rooms), because the occupational exposure limit values (see chapter 8) could be exceeded. This must be avoided.  
Wear suitable personal protective equipment (see section 8). Avoid contact with eyes, skin and clothing. Change contaminated or damaged gloves and contaminated clothing immediately and wash skin immediately. Mix slowly, partially covering the mixing

(Contd. on page 4)

MY



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.04.2025

Version number 48

Revision: 25.04.2025

**Trade name Konudur 102 - Komponente B**

(Contd. of page 3)

container. Pour carefully and slowly when repotting. Observe the BGBau technical data sheet and practical guide for handling epoxy resins.

- **Information about protection against explosions and fires:** Ensure sufficient air exchange and/or extraction in the working areas. Take precautionary measures to avoid electrostatic discharges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Further information about storage conditions:** None.
- **Storage class** 10

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· <b>DNELs</b>		
<b>CAS: 931-36-2 2-Ethyl-4-methylimidazole</b>		
Dermal	DNEL	4 mg/kg bw/day (ArL)
Inhalative	DNEL	7 mg/m <sup>3</sup> (ArL)

· <b>PNECs</b>	
<b>CAS: 931-36-2 2-Ethyl-4-methylimidazole</b>	
PNEC	65 mg/l (Kla) 0.00681 mg/l (Mew) 0.0681 mg/l (Freshwater)
PNEC	6.91 mg/kg dwt (Bod) 3.49 mg/kg dwt (Sediment) 34.9 mg/kg dwt (Fresh water sediment)

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** Keep away from food, drink and animal feed.  
Remove soiled, soaked clothing immediately.  
Wash hands before breaks and at the end of work.  
Avoid contact with eyes and skin.

(Contd. on page 5)



BE SURE. BUILD SURE.

Page 5/10

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.04.2025

Version number 48

Revision: 25.04.2025

### Trade name Konudur 102 - Komponente B

(Contd. of page 4)

- **Breathing equipment:** *If workplace limit values cannot be complied with by ventilation measures or if rooms cannot be technically ventilated, respiratory protection must be worn: Use combination filter A1-P2 (brown/white) in rooms that cannot be ventilated. If oxygen deficiency is expected, use self-contained breathing apparatus. Observe wearing time limits according to §9 (3) GefStoffV in conjunction with BGR 190.*
- **Protection of hands:** *Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*
- **Material of gloves** *You can find help with choosing gloves on the website <https://www.bgbau.de/fileadmin/Gisbau/Projekte.pdf>  
For example, we recommend the Sol-vex 37-900 protective gloves from Ansell GmbH. The breakthrough time of the protective gloves can be found under point 8 "Penetration time of the glove material". The selection of a suitable glove depends not only on the material, but also on other quality features and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use.  
Nitrile rubber  
Recommended material thickness:  $\geq 0.4$  mm*
- **Penetration time of glove material** *The breakthrough times of the Sol-vex 37-900 protective gloves are around 8 hours.  
The following applies to all other gloves:  
The exact breakthrough time must be obtained from the protective glove manufacturer and adhered to.  
Nitrile rubber  
Material thickness:  $\geq 0.40$  mm  
Penetration time:  $\geq 480$  min  
Butyl rubber:  
Material thickness:  $\geq 0.5$  mm  
Penetration time:  $\geq 480$  min*
- **Eye protection:** *Tight-fitting safety goggles.  
Safety goggles.*
- **Body protection:** *Protective clothing  
Suitable protective clothing should be worn when working with epoxy resins. In addition to normal work clothing (long trousers, long-sleeved shirt or T-shirt), disposable overalls, aprons, overshoes, sleeve protectors etc. may be necessary depending on the activity. Uncovered areas of skin should be avoided as far as possible, even in hot weather. If the work involves kneeling, the lower leg area should be protected by protective trousers.*

MY

(Contd. on page 6)



BE SURE. BUILD SURE.

Page 6/10

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.04.2025

Version number 48

Revision: 25.04.2025

Trade name Konudur 102 - Komponente B

(Contd. of page 5)

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Fluid
· <b>Colour:</b>	Light yellow
· <b>Smell:</b>	Characteristic

· **pH-value:** Not determined.

· **Change in condition**

· <b>Melting point/freezing point</b>	Not determined
· <b>Initial boiling point and boiling range</b>	255 °C

· **Flash point:** 101 °C

· **Ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Steam pressure:** Not determined.

· **Density at 20 °C** 0.99 g/cm<sup>3</sup>

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix

· **Viscosity:**

· <b>dynamic at 20 °C:</b>	200 mPas
· <b>kinematic:</b>	Not determined.

· **Other information** No further relevant information available.

### 10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions**

No dangerous reactions known

· **Conditions to avoid**

No further relevant information available.

· **Incompatible materials:**

No further relevant information available.

· **Hazardous decomposition products:**

No dangerous decomposition products known

MY

(Contd. on page 7)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.04.2025

Version number 48

Revision: 25.04.2025

Trade name **Konudur 102 - Komponente B**

(Contd. of page 6)

#### 11 Toxicological information

- Information on toxicological effects
- Acute toxicity

· LD/LC50 values that are relevant for classification:

**CAS: 931-36-2 2-Ethyl-4-methylimidazole**

Oral	LD50	731 mg/kg (rat)
------	------	-----------------

· Primary irritant effect:

· Serious eye damage or eye irritation

No irritant effect.

· Respiratory / skin sensitization

No sensitizing effect known.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Harmful  
Irritant

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carc. 2

#### 12 Ecological information

· Toxicity

· Aquatic toxicity:

**CAS: 931-36-2 2-Ethyl-4-methylimidazole**

EC50/72h	124.8 mg/l (Scenedesmus subspicatus)
LC50/96h	68.1 mg/l (Leucidus idus)
EC50/48h	297 mg/l (Daphnia magna)

· Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

MY

(Contd. on page 8)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.04.2025

Version number 48

Revision: 25.04.2025

**Trade name Konudur 102 - Komponente B**

(Contd. of page 7)

#### 13 Disposal information

- **Waste treatment methods**
- **Recommendation** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.*

#### 14 Transportation information

· <b>UN-Number</b>	
· <b>ADR, IMDG, IATA</b>	UN3082
· <b>UN proper shipping name</b>	<i>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropylnaphthalin-Isomere, 2,4,6-Tris-(1-Phenyl-Ethyl) carboic acid)</i>
· <b>ADR, IATA</b>	
· <b>IMDG</b>	<i>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropylnaphthalin-Isomere, 2,4,6-Tris-(1-Phenyl-Ethyl) carboic acid), MARINE POLLUTANT</i>
· <b>Transport hazard class(es)</b>	
· <b>ADR</b>	<i>9 (M6) Miscellaneous dangerous substances and articles.</i>
· <b>Class</b>	
· <b>Label</b>	
· <b>Label</b>	<i>9</i>
· <b>IMDG, IATA</b>	<i>9 Miscellaneous dangerous substances and articles.</i>
· <b>Class</b>	
· <b>Label</b>	
· <b>Label</b>	<i>9</i>
· <b>Packing group</b>	<i>III</i>
· <b>ADR, IMDG, IATA</b>	
· <b>Environmental hazards:</b>	<i>Yes</i>
· <b>Marine pollutant:</b>	
· <b>Special marking (ADR):</b>	
· <b>Special marking (IATA):</b>	<i>Symbol (fish and tree)</i>
· <b>Special marking (ADR):</b>	<i>Symbol (fish and tree)</i>
· <b>Special marking (IATA):</b>	<i>Symbol (fish and tree)</i>
· <b>Special precautions for user</b>	<i>Warning: Miscellaneous dangerous substances and articles.</i>
· <b>Kemler Number:</b>	<i>90</i>
· <b>EMS Number:</b>	<i>F-A,S-F</i>
· <b>Stowage Category</b>	<i>A</i>

(Contd. on page 9)





BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.04.2025

Version number 48

Revision: 25.04.2025

**Trade name Konudur 102 - Komponente B**

(Contd. of page 8)

· <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	(-)
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N. O. S. (DIISOPROPYLNAPHTHALIN-ISOMERE, 2,4,6-TRIS-(1-PHENYL-ETHYL) CARBOLIC ACID), 9, III

#### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category** E2 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing data specification sheet:** Environment protection department.

(Contd. on page 10)



BE SURE. BUILD SURE.

Page 10/10

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.04.2025

Version number 48

Revision: 25.04.2025

**Trade name Konudur 102 - Komponente B**

(Contd. of page 9)

· **Contact:**

· **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 4: Acute toxicity - oral – Category 4  
Acute Tox. 3: Acute toxicity - oral – Category 3  
Skin Corr. 1: Skin corrosion or irritation – Category 1  
Skin Irrit. 2: Skin corrosion or irritation – Category 2  
Eye Dam. 1: Serious eye damage or eye irritation – Category 1  
Skin Sens. 1: Skin sensitization – Category 1  
Carc. 2: Carcinogenicity – Category 2  
Asp. Haz.: Aspiration hazard – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - chronic hazard – Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - chronic hazard – Category 3

· \* Data compared to the previous version altered.

MY