

Page 1/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.04.2025 Version number 39 Revision: 12.04.2025

1 Identification of the hazardous chemical and of the supplier

· Product identifier

• Trade name MC-Color Flair vision T - Komponente A

Recommended use of the chemical and restrictions on

use No further relevant information available.

· Application of the substance
/ the mixture Coating material

Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: msds@mc-bauchemie.de

2 Hazard identification

· Classification of the substance or mixture

Skin Sens. 1 H317 May cause allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms





GHS07 GHS08

· Signal word Warning

· Hazard-determining

components of labelling: Titanium dioxide

2-Methyl-2H-isothiazol-3-one

· Hazard statements H317 May cause allergic skin reaction.

H351 Suspected of causing cancer. Route of exposure: Inhalation.

• Precautionary statements P261 Avoid breathing dust/fume/ gas/mist/vapours/spray.

P280 Wear protective gloves.

P281 Use personal protective equipment as required.

P308+P313 IF exposed or concerned: Get medical advice/

attention.

(Contd. on page 2)



Page 2/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.04.2025 Version number 39 Revision: 12.04.2025

Trade name MC-Color Flair vision T - Komponente A

(Contd. of page 1)

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:				
	Polyacrylate	≥10-<25%		
	Aquatic Chronic 3, H412			
CAS: 13463-67-7	Titanium dioxide	10-30%		
	Carc. 2, H351			
CAS: 77-99-6	Trimethylolpropane	<0.5%		
	Repr. 2, H361			
CAS: 2682-20-4	2-Methyl-2H-isothiazol-3-one	<i>≥</i> 0.0015-<0.025%		
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317			

• Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

General information Remove soiled, soaked clothing immediately.

• After inhalation Remove person to fresh air, keep warm, allow to rest; if breathing

is difficult, seek medical attention.

· After skin contact In case of contact with skin, wash carefully with plenty of soap and

water. Consult a doctor in case of skin reactions.

· After eye contact Rinse the eyes with open eyelids for a sufficiently long time (at

least 10 minutes) with water that is as lukewarm as possible.

Consult an ophthalmologist.

After swallowing Do NOT induce vomiting. Rinse mouth with water. Medical

attention required.

· Information for doctor

· Most important symptoms and effects, both acute and

delayed Advice for the doctor: Elementary aid, decontamination,

symptomatic treatment.

(Contd. on page 3)



Page 3/9

Safety Data Sheet according to P.U.(A) 310/2013

Version number 39 Revision: 12.04.2025 Printing date 12.04.2025

Trade name MC-Color Flair vision T - Komponente A

(Contd. of page 2)

· Indication of any immediate medical attention and special

treatment needed Therapeutic measures: No information available.

5 Fire-fighting measures

Extinguishing media

· Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with

water jet or alcohol-resistant foam.

· Special hazards arising from

the substance or mixture

No further relevant information available.

Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and

emergency procedures Not required.

· Environmental precautions: Dilute with much water.

· Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· Reference to other sections No dangerous materials are released.

7 Handling and storage

· Handling

· Precautions for safe handling Ensure sufficient air exchange and/or extraction in the work areas.

Air extraction is required for spray application.

For solid products: Avoid dust formation and dust deposits. Air limit values mentioned in section 8 must be monitored.

At workplaces where isocyanate aerosols and/or vapours can occur in higher concentrations, targeted air extraction must be used to prevent the occupational hygiene limit value from being exceeded. The air must be moved away from people.

For products containing solvents: Explosion protection required. The personal protective measures described in section 8 must be observed. The protective measures required when handling isocyanates must be observed. Avoid contact with skin and eyes and inhalation of vapours.

Keep away from food and beverages. Wash hands before breaks and at the end of work and apply skin protection ointment. Store work clothes separately. Remove soiled, soaked clothing immediately.

(Contd. on page 4)



Page 4/9

Safety Data Sheet according to P.U.(A) 310/2013

Revision: 12.04.2025 Printing date 12.04.2025 Version number 39

Trade name MC-Color Flair vision T - Komponente A

(Contd. of page 3)

· Information about protection

against explosions and fires: Keep ignition sources away - do not smoke.

Protect from heat.

Do not store near heat sources.

Conditions for safe storage,

including any incompatibilities

Keep container dry and tightly closed. Further information on the storage conditions that must be observed for quality assurance

reasons can be found in our technical data sheet.

· Storage

Requirements to be met by

storerooms and containers: Keep tightly closed in original packaging. Ventilate storage rooms

well. Carefully close opened containers and store upright to

prevent any leakage.

Storage temperature >5°C and <30°C

Information about storage in

one common storage facility: May be stored together with hazardous substances of other

classes up to 200 kg.

· Further information about

storage conditions: None. · Storage class

· Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about

design of technical systems: No further data; see section 7.

· Control parameters

· Components with critical values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

Personal protective equipment

· General protective and

hygienic measures Do not smoke, eat or drink while working. Have eye wash

equipment ready.

Do not inhale gases/vapours/aerosols. Avoid contact with eyes and

Do not store food in the work area. Wash hands before breaks and

at the end of work.

Respiratory protection required at insufficiently ventilated Breathing equipment:

> workplaces and when working with splashes. Fresh air masks or combination filters A2-P2 (EN529) are recommended for short-

term work.

If applicable, further recommendations for respiratory protection

(Contd. on page 5)





Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.04.2025 Version number 39 Revision: 12.04.2025

Trade name MC-Color Flair vision T - Komponente A

(Contd. of page 4)

can be found in the appendix.

In case of hypersensitivity of the respiratory tract (asthma, chronic

bronchitis), handling of the product is not recommended.

• Protection of hands: Suitable materials for protective gloves; EN 374:

Butyl rubber - IIR: thickness \ge 0.5mm; breakthrough time \ge 480min. Fluororubber - FKM: thickness \ge 0.4mm; breakthrough time

*≥*480min.

Multi-layer glove - PE/EVAL/PE; Breakthrough time ≥480 min.

Recommendation: Dispose of contaminated gloves.

• Material of gloves The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from

manufacturer to manufacturer.

· Penetration time of glove

material

Butyl rubber - IIR: thickness \geq 0.5mm; breakthrough time \geq 480min. Fluoro rubber - FKM: thickness \geq 0.4mm; breakthrough time

≥480min.

Multi-layer glove - PE/EVAL/PE; Breakthrough time ≥480 min.

· Eye protection:

Wear safety goggles/face protection.

· Body protection: Wear suitable protective clothing when working.

In case of hypersensitivity of the skin, handling of the product is not

recommended.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid

Colour: According to product specification

· Smell: Characteristic

· pH-value at 20 °C: 7-8

· Change in condition

Melting point/freezing point Not determined

Initial boiling point and boiling range 100 °C

· Flash point: >100 °C

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Steam pressure at 20 °C: 23.4 hPa

Density at 20 °C 1.21 g/cm³

· Solubility in / Miscibility with

Water: Fully miscible

· Viscosity:

dynamic at 20 °C: 7 mPas

(Contd. on page 6)



Page 6/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.04.2025 Version number 39 Revision: 12.04.2025

Trade name MC-Color Flair vision T - Komponente A

(Contd. of page 5)

kinematic:Not determined.Other informationNo further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided:

Possibility of hazardous

reactions

· Conditions to avoid · Incompatible materials:

· Hazardous decomposition products:

No decomposition if used according to specifications.

No dangerous reactions known
No further relevant information available.

No further relevant information available.

No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 v	· LD/LC50 values that are relevant for classification:				
CAS: 134	CAS: 13463-67-7 Titanium dioxide				
Oral	LD50	>5000 mg/kg (rat)			
Dermal	LD50	>10000 mg/kg (rabbit)			
Inhalative	LC50/4 h	>6.8 mg/l (rat)			
CAS: 77-9	CAS: 77-99-6 Trimethylolpropane				
Oral	LD50	14700 mg/kg (rat)			
Dermal	LD50	>10000 mg/kg (rabbit)			
CAS: 268	CAS: 2682-20-4 2-Methyl-2H-isothiazol-3-one				
Oral	LD50	50-300 mg/kg (rat)			
Inhalative	LC50/4 h	0.11 mg/l (rat)			

- Primary irritant effect:
- Serious eye damage or eye

irritation

Respiratory / skin

sensitization

· Additional toxicological information:

No irritant effect.

No sensitizing effect known.

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

(Contd. on page 7)



Page 7/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.04.2025 Version number 39 Revision: 12.04.2025

Trade name MC-Color Flair vision T - Komponente A

(Contd. of page 6)

 CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carc. 2

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 2682-20-4 2-Methyl-2H-isothiazol-3-one

EC50/72h 0.157 mg/l (Pseudokirchneriella subcapitata)

LC50/96h 6 mg/l (Oncorhynchus mykiss)

EC50/48h 1.68 mg/l (Daphnies)

· Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal information

· Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning

agent: Water, if necessary with cleaning agent.

14 Transportation information

· UN-Number

· ADR, ADN, IMDG, IATA Void

· UN proper shipping name

· ADR, ADN, IMDG, IATA Void

(Contd. on page 8)



Page 8/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.04.2025 Version number 39 Revision: 12.04.2025

Trade name MC-Color Flair vision T - Komponente A

(Contd. of page 7)

	(Conta. or page
Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
Packing group ADR, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex	II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications
UN "Model Regulation":	Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Qualifying quantity (tonnes) for the application of lower-

tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-

tier requirements 500 t

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 9)



Page 9/9

Safety Data Sheet according to P.U.(A) 310/2013

Revision: 12.04.2025 Printing date 12.04.2025 Version number 39

Trade name MC-Color Flair vision T - Komponente A

(Contd. of page 8)

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - oral - Category 3 Acute Tox. 2: Acute toxicity - oral - Category 2 Skin Corr. 1: Skin corrosion or irritation - Category 1

Eye Dam. 1: Serious eye damage or eye irritation – Category 1 Skin Sens. 1: Skin sensitization – Category 1 Carc. 2: Carcinogenicity - Category 2 Repr. 2: Reproductive toxicity - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard - Category

Aquatic Chronic 1: Hazardous to the aquatic environment - chronic hazard -

Aquatic Chronic 3: Hazardous to the aquatic environment - chronic hazard -Category 3

^{* *} Data compared to the previous version altered.