



BE SURE. BUILD SURE.

Page 1/7

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 26.02.2023



Version number 17

Revision: 26.02.2023

### 1 Identification of the hazardous chemical and of the supplier

- **Product identifier**
- **Trade name** MC-Color Flex pro
- **Recommended use of the chemical and restrictions on use** No further relevant information available.
- **Application of the substance / the mixture** Dispersion paint/ Latex paint  
Surface protection
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de  
  
MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de

### 2 Hazard identification

- **Classification of the substance or mixture**  
Skin Sens. 1 H317 May cause allergic skin reaction.  
Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**  
  
GHS07 GHS08
- **Signal word** Warning
- **Hazard-determining components of labelling:** titanium dioxide  
2-methyl-2H-isothiazol-3-one
- **Hazard statements** May cause allergic skin reaction.  
Suspected of causing cancer. Route of exposure: Inhalation.
- **Precautionary statements** Avoid breathing dust/fume/ gas/mist/vapours/spray.  
Wear protective gloves.  
Use personal protective equipment as required.  
IF exposed or concerned: Get medical advice/attention.

(Contd. on page 2)

MY



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 26.02.2023

Version number 17

Revision: 26.02.2023

Trade name MC-Color Flex pro

(Contd. of page 1)

Wash contaminated clothing before reuse.  
Store locked up.

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition and information of the ingredients of the hazardous chemical

- **Chemical characterisation: Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

13463-67-7	titanium dioxide Carc. 2, H351	10-30%
2682-20-4	2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	≥0.0015-<0.025%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air.
- **After skin contact** The product is not skin irritating.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Rinse out mouth and then drink plenty of water.  
Seek medical treatment.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/7

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 26.02.2023

Version number 17

Revision: 26.02.2023

Trade name MC-Color Flex pro

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Dilute with much water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** No dangerous materials are released.

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class** 12
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the compilation were used as basis.

(Contd. on page 4)

MY



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 26.02.2023

Version number 17

Revision: 26.02.2023

Trade name MC-Color Flex pro

(Contd. of page 3)

- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**      *The usual precautionary measures should be adhered to in handling the chemicals.*
- **Breathing equipment:**      *Not required.*
- **Protection of hands:**      *Not required.*
- **Material of gloves**      *-*
- **Penetration time of glove material**      *-*
- **Eye protection:**      *Safety glasses*

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
  - **Form:**      *Pasty*
  - **Colour:**      *According to product specification*
  - **Smell:**      *Characteristic*
- **pH-value at 20 °C:**      *8*
- **Change in condition**
  - **Melting point/freezing point**      *Not determined*
  - **Initial boiling point and boiling range 100 °C**
- **Flash point:**      *Not applicable*
- **Auto-ignition temperature**      *Product is not selfigniting.*
- **Explosive properties:**      *Product is not explosive.*
- **Steam pressure at 20 °C:**      *23 hPa*
- **Density at 20 °C**      *1.42 g/cm<sup>3</sup>*
- **Relative density**      *Not determined.*
- **Solubility in / Miscibility with Water:**      *Fully miscible*
- **Viscosity:**
  - **dynamic at 20 °C:**      *32500 mPas*
  - **kinematic:**      *Not determined.*
- **Other information**      *No further relevant information available.*

## 10 Stability and reactivity

- **Reactivity**      *No further relevant information available.*

(Contd. on page 5)

MY



BE SURE. BUILD SURE.

**Safety Data Sheet**  
according to P.U.(A) 310/2013

Printing date 26.02.2023

Version number 17

Revision: 26.02.2023

Trade name MC-Color Flex pro

(Contd. of page 4)

- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

**13463-67-7 titanium dioxide**

Oral	LD50	>10000 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.8 mg/l (rat)

**2682-20-4 2-methyl-2H-isothiazol-3-one**

Oral	LD50	50-300 mg/kg (rat)
------	------	--------------------

- **Primary irritant effect:**
- **Serious eye damage or eye irritation** No irritant effect.
- **Respiratory / skin sensitization** No sensitizing effect known.
- **Additional toxicological information:** The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)** Carc. 2

**12 Ecological information**

- **Toxicity**

· **Aquatic toxicity:**

**2682-20-4 2-methyl-2H-isothiazol-3-one**

EC50/72h	0.157 mg/l (Pseudokirchneriella subcapitata)
LC50/96h	6 mg/l (Oncorhynchus mykiss)
EC50/48h	1.68 mg/l (Daphnies)

(Contd. on page 6)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 26.02.2023

Version number 17

Revision: 26.02.2023

Trade name MC-Color Flex pro

(Contd. of page 5)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

#### 13 Disposal information

- **Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

#### 14 Transportation information

· <b>UN-Number</b>	Void
· <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>UN proper shipping name</b>	Void
· <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>Transport hazard class(es)</b>	Void
· <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>Class</b>	Void
· <b>Packing group</b>	Void
· <b>ADR, IMDG, IATA</b>	Void
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.

(Contd. on page 7)

MY



BE SURE. BUILD SURE.

Page 7/7

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 26.02.2023

Version number 17

Revision: 26.02.2023

Trade name MC-Color Flex pro

(Contd. of page 6)

· UN "Model Regulation": Void

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing data specification sheet:** Environment protection department.
- **Contact:**
- **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 3: Acute toxicity - oral – Category 3  
Acute Tox. 2: Acute toxicity - oral – Category 2  
Skin Corr. 1: Skin corrosion or irritation – Category 1  
Eye Dam. 1: Serious eye damage or eye irritation – Category 1  
Skin Sens. 1: Skin sensitization – Category 1  
Carc. 2: Carcinogenicity – Category 2  
Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - chronic hazard – Category 1

- \* Data compared to the previous version altered.

MY