

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

Page 1/8

Product identifier	
Trade name Recommended use of the	MC-Color Flex pure
chemical and restrictions on use Application of the substance / the mixture	No further relevant information available.
	Dispersion paint/ Latex paint Surface protection
Details of the supplier of the s Manufacturer/Supplier:	safety data sheet MC-Bauchemie Müller GmbH & Co. KG
Manufacturer/Supplier.	Am Kruppwald 1-8
	D-46238 Bottrop
	Tel.: +49(0)2041-101-0
	Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10
	CH-8953 Dietikon Tel.: +44-7400510
	Fax : +44-7400533
Informing department:	msds@mc-bauchemie.de
Hazard identification	
Hazard identification Classification of the substand	ce or mixture
Hazard identification	ce or mixture
Hazard identification Classification of the substand Skin Sens. 1 H317 May cause	ce or mixture
Hazard identification Classification of the substand Skin Sens. 1 H317 May cause Carc. 2 H351 Suspected of Label elements	ce or mixture allergic skin reaction. of causing cancer. Route of exposure: Inhalation. The product is classified and labelled according to the Globa
Hazard identification Classification of the substand Skin Sens. 1 H317 May cause Carc. 2 H351 Suspected of Label elements GHS label elements	ce or mixture allergic skin reaction. of causing cancer. Route of exposure: Inhalation.
Hazard identification Classification of the substand Skin Sens. 1 H317 May cause Carc. 2 H351 Suspected of Label elements	ce or mixture allergic skin reaction. of causing cancer. Route of exposure: Inhalation. The product is classified and labelled according to the Globa
Hazard identification Classification of the substand Skin Sens. 1 H317 May cause Carc. 2 H351 Suspected of Label elements GHS label elements	ce or mixture allergic skin reaction. of causing cancer. Route of exposure: Inhalation. The product is classified and labelled according to the Globa
Hazard identification Classification of the substand Skin Sens. 1 H317 May cause Carc. 2 H351 Suspected of Label elements GHS label elements	ce or mixture allergic skin reaction. of causing cancer. Route of exposure: Inhalation. The product is classified and labelled according to the Globa Harmonised System (GHS).
Hazard identification Classification of the substand Skin Sens. 1 H317 May cause Carc. 2 H351 Suspected of Label elements GHS label elements Hazard pictograms	ce or mixture allergic skin reaction. of causing cancer. Route of exposure: Inhalation. The product is classified and labelled according to the Globa Harmonised System (GHS). GHS07 GHS08 Warning Titanium Dioxide
Hazard identification Classification of the substand Skin Sens. 1 H317 May cause Carc. 2 H351 Suspected of Label elements GHS label elements Hazard pictograms Signal word Hazard-determining	ce or mixture allergic skin reaction. of causing cancer. Route of exposure: Inhalation. The product is classified and labelled according to the Globa Harmonised System (GHS). GHS07 GHS08 Warning Titanium Dioxide 2-methyl-2H-isothiazol-3-one H317 May cause allergic skin reaction.
Hazard identification Classification of the substand Skin Sens. 1 H317 May cause Carc. 2 H351 Suspected of Label elements GHS label elements Hazard pictograms Signal word Hazard-determining components of labelling: Hazard statements	ce or mixture allergic skin reaction. of causing cancer. Route of exposure: Inhalation. The product is classified and labelled according to the Globa Harmonised System (GHS). GHS07 GHS08 Warning Titanium Dioxide 2-methyl-2H-isothiazol-3-one H317 May cause allergic skin reaction. H351 Suspected of causing cancer. Route of exposure: Inhalation
Hazard identification Classification of the substand Skin Sens. 1 H317 May cause Carc. 2 H351 Suspected of Label elements GHS label elements Hazard pictograms Signal word Hazard-determining components of labelling:	ce or mixture allergic skin reaction. of causing cancer. Route of exposure: Inhalation. The product is classified and labelled according to the Globa Harmonised System (GHS). GHS07 GHS08 Warning Titanium Dioxide 2-methyl-2H-isothiazol-3-one



Page 2/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

Trade name MC-Color Flex pure

(Contd. of page 1) P308+P313 IF exposed or concerned: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. P405 Store locked up.

- · Other hazards
- Results of PBT and vPvB assessment

· PBT:

Not applicable.

vPvB: Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:			
CAS: 1317-65-3	Calcium carbonate	10-30%	
CAS: 13463-67-7		10-30%	
	Carc. 2, H351		
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	≥0.0015-<0.025%	
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317		
· Additional inforn	nation For the wording of the listed hazard phrases ref	er to section 16.	

4 First-aid measures

• Description of first aid measures

· General information	For all first aid measures: observe self-protection and consult a
	doctor!
· After inhalation	Take the person out into the fresh air.
· After skin contact	Remove heavily soiled clothing.
	Clean with plenty of water.
	Do not use thinner or similar.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!
· After swallowing	Do not induce vomiting. Drink plenty of water in small sips.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents Use fire fighting measures that suit the environment.

· Special hazards arising from

the substance or mixture No further relevant information available.

(Contd. on page 3)

MY



Page 3/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

Trade name MC-Color Flex pure

· Advice for firefighters · Protective equipment:

No special measures required.

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures • Environmental precautions:
- Not required. Dilute with much water.
- · Methods and material for
 - containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). No dangerous materials are released.
- · Reference to other sections

7 Handling and storage

- ·Handling
- · Precautions for safe handling No special measures required.

No special precautions necessary if used correctly.

- · Conditions for safe storage, including any incompatibilities
- · Storage

Requirements to be met by	
storerooms and containers:	Protect containers from frost!
	Only store in the original container or in containers recommended by the manufacturer.
	After decanting, label containers as original containers.
	Do not store in break rooms, recreation rooms or sanitary facilities as well as in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.
 Further information about 	
storage conditions:	None.
· Storage class	12

8 Exposure controls and personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- Control parameters

· Components with critical values that require monitoring at the workplace:

- CAS: 1317-65-3 Calcium carbonate
- PEL (Malaysia) Long-term value: 10 mg/m³

(Contd. on page 4)

MV



Page 4/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

Trade name MC-Color Flex pure

	(Contd. of page 3
DNELs	
CAS: 1317-65-3 Calcium ca	arbonate
Oral DNEL 6.1 mg/kg	bw/Tag (ArL)
Inhalative DNEL 10 mg/m ³	(ArL)
PNECs	
CAS: 1317-65-3 Calcium ca	arbonate
PNEC 100 mg/l (Sewage Tr	eatment Plant)
Additional information:	The lists that were valid during the compilation were used as basis
Exposure controls	
Personal protective equipr	nent
· General protective and	
hygienic measures	Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!
	Avoid contact with eyes and skin!
	Preventively apply skin protection ointment to facilitate ski
	cleansing.
	Remove product residues from the skin!
	Clean hands thoroughly at the end of work and before cleaning!
	Remove product residues from the skin with a suitable cleaning
	agent - never use solvents or thinners to clean the skin! Use skin care products after work (moisturising cream).
Breathing equipment:	For spraying processes:
Breathing equipment.	Particle filter P2 (white)
Protection of hands:	Gloves made of: Natural latex, polychloroprene, nitrile rubber.
	(Category 3 chemical protective gloves, recognisable by the Cl
	mark with four-digit test number).
	When wearing protective gloves, cotton undergloves ar
	recommended.
Material of gloves	Natural latex, polychloroprene, nitrile rubber.
Penetration time of glove	The event by although time proved by ablained from the survey of
material	The exact breakthrough time must be obtained from the protective
Evo protoction:	glove manufacturer and must be observed. Frame glasses
Eye protection: Body protection:	Protective work clothing.

Information on basic physica	al and chemical properties	
General Information		
Appearance:		
Form:	Pasty	
Colour:	According to product specification	
Smell:	Characteristic	
pH-value at 20 °C:	8	

MY



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

Trade name MC-Color Flex pure

	(Contd. of page
 Change in condition Melting point/freezing point Initial boiling point and boiling r 	Not determined range 100 °C
· Flash point:	Not applicable
· Auto-ignition temperature	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Steam pressure at 20 °C:	23 hPa
· Density at 20 °C · Relative density	1.42 g/cm³ Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible
[·] Viscosity: dynamic at 20 °C: kinematic:	32500 mPas Not determined.
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity · Chemical stability	No further relevant information available.
 Thermal decomposition / conditions to be avoided: Possibility of hazardous 	No decomposition if used according to specifications.
reactions	No dangerous reactions known
 Conditions to avoid 	No further relevant information available.
 Incompatible materials: 	No further relevant information available.
· Hazardous decomposition	
products:	No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50	· LD/LC50 values that are relevant for classification:			
CAS: 131	7-65-3 Cal	lcium carbonate		
Oral	LD50	>2000 mg/kg (rat)		
Dermal	Dermal LD50 >2000 mg/kg (rat)			
CAS: 134	63-67-7 Ti	itanium Dioxide		
Oral	LD50	>5000 mg/kg (rat)		
			(Contd. on page 6)	
			MY	

Page 5/8



Page 6/8

MY

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

Trade name MC-Color Flex pure

			(Contd. of page 5)	
Dermal	LD50	>10000 mg	g/kg (rabbit)	
Inhalative	LC50/4 h	>6.8 mg/l ((rat)	
CAS: 2682	2-20-4 2-m	nethyl-2H-is	sothiazol-3-one	
Oral	LD50	50-300 mg/kg (rat)		
Inhalative	LC50/4 h	0.11 mg/l (rat)		
· Primary ir				
· Serious e irritation · Respirato		e or eye	No irritant effect.	
sensitizat · Additiona	ion	gical	No sensitizing effect known.	
informatio	on:	-	The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.	
· CMR effec mutagenic	city and to			
reproduct	1011)		Carc. 2	

12 Ecological information

· Toxicity			
· Aquatic toxicity:			
CAS: 1317-65-3 Calcium ca	rbonate		
EC50/72h >14 mg/l (Desmo	desmus subspicatus)		
LC50/96h >10000 mg/l (Onc	>10000 mg/l (Oncorhynchus mykiss)		
LC50/48h >1000 mg/l (Daph			
EC50/48h >1000 mg/l (Daph	>1000 mg/l (Daphnia magna)		
CAS: 2682-20-4 2-methyl-21	I-isothiazol-3-one		
EC50/72h 0.157 mg/l (Pseud	lokirchneriella subcapitata)		
LC50/96h 6 mg/l (Oncorhyne	6 mg/l (Oncorhynchus mykiss)		
EC50/48h 1.68 mg/l (Daphni			
Persistence and degradabi Behaviour in environmenta	l ity No further relevant information available. I systems:		
· Bioaccumulative potential	No further relevant information available.		
· Mobility in soil	No further relevant information available.		
• Additional ecological information			
· General notes:	Do not allow undiluted product or large quantities of it to reach		
	ground water, water bodies or sewage system.		
• Results of PBT and vPvB a			
· PBT:	Not applicable.		
· vPvB:	Not applicable.		
	(Contd. on page 7)		



Page 7/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

(Contd. of page 6)

Trade name MC-Color Flex pure

• Other adverse effects No further relevant information available.

13 Disposal information

 Waste treatment methods Recommendation 	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
 Recommended cleaning agent: 	Water, if necessary with cleaning agent.

14 Transportation information

r r r r anoportation information	
· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex II of Marpol and the IBC Code 	o f Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances - ANNEX I
- None of the ingredients is listed.

(Contd. on page 8)

⁻ MY



Page 8/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

Trade name MC-Color Flex pure

(Contd. of page 7)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data specification sheet: Contact:	Environment protection department.
Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - oral – Category 3 Acute Tox. 2: Acute toxicity - oral – Category 1 Eye Dam. 1: Skin sensitization – Category 1 Skin Corr. 1: Skin sensitization – Category 1 Carc. 2: Carcinogenicity – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - chronic hazard – Category 1
previous version altered.	