



BE SURE. BUILD SURE.

Page 1/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

1 Identification of the hazardous chemical and of the supplier

- **Product identifier**
- **Trade name** MC-Color Flex vision
- **Recommended use of the chemical and restrictions on use** No further relevant information available.
- **Application of the substance / the mixture** Dispersion paint/ Latex paint
Surface protection
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de

2 Hazard identification

- **Classification of the substance or mixture**
Skin Sens. 1 H317 May cause allergic skin reaction.
Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**

GHS07 GHS08
- **Signal word** Warning
- **Hazard-determining components of labelling:** Titanium Dioxide
2-methyl-2H-isothiazol-3-one
- **Hazard statements** H317 May cause allergic skin reaction.
H351 Suspected of causing cancer. Route of exposure: Inhalation.
- **Precautionary statements** P261 Avoid breathing dust/fume/ gas/mist/vapours/spray.
P280 Wear protective gloves.
P281 Use personal protective equipment as required.

(Contd. on page 2)

MY



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

Trade name MC-Color Flex vision

(Contd. of page 1)

P308+P313 IF exposed or concerned: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

· Description: Mixture consisting of the following components.

· Dangerous components:

CAS: 1317-65-3	Calcium carbonate	10-30%
CAS: 13463-67-7	Titanium Dioxide Carc. 2, H351	10-30%
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	≥0.0015-<0.025%

· Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

· General information For all first aid measures: observe self-protection and consult a doctor!

· After inhalation Take the person out into the fresh air.

· After skin contact Remove heavily soiled clothing.

Clean with plenty of water.

Do not use thinner or similar.

· After eye contact Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!

· After swallowing Do not induce vomiting.

Drink plenty of water in small sips.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

Trade name MC-Color Flex vision

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Dilute with much water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** No dangerous materials are released.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.
No special precautions necessary if used correctly.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Protect containers from frost!
Only store in the original container or in containers recommended by the manufacturer.
After decanting, label containers as original containers.
Do not store in break rooms, recreation rooms or sanitary facilities as well as in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.
- **Further information about storage conditions:** None.
- **Storage class** 12

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

CAS: 1317-65-3 Calcium carbonate

PEL (Malaysia) Long-term value: 10 mg/m³

(Contd. on page 4)

MY



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

Trade name MC-Color Flex vision

(Contd. of page 3)

· **DNELs**

CAS: 1317-65-3 Calcium carbonate

Oral DNEL 6.1 mg/kg bw/Tag (ArL)

Inhalative DNEL 10 mg/m³ (ArL)

· **PNECs**

CAS: 1317-65-3 Calcium carbonate

PNEC 100 mg/l (Sewage Treatment Plant)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!

Avoid contact with eyes and skin!

Preventively apply skin protection ointment to facilitate skin cleansing.

Remove product residues from the skin!

Clean hands thoroughly at the end of work and before cleaning!

Remove product residues from the skin with a suitable cleaning agent - never use solvents or thinners to clean the skin!

Use skin care products after work (moisturising cream).

· **Breathing equipment:**

For spraying processes:

Particle filter P2 (white)

· **Protection of hands:**

Gloves made of: Natural latex, polychloroprene, nitrile rubber.

(Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number).

When wearing protective gloves, cotton undergloves are recommended.

· **Material of gloves**

Natural latex, polychloroprene, nitrile rubber.

· **Penetration time of glove material**

The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

· **Eye protection:**

Frame glasses

· **Body protection:**

Protective work clothing.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Pasty

Colour: According to product specification

· **Smell:** Characteristic

· **pH-value at 20 °C:** 8

(Contd. on page 5)



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

Trade name MC-Color Flex vision

(Contd. of page 4)

· Change in condition Melting point/freezing point Initial boiling point and boiling range	Not determined 100 °C
· Flash point:	Not applicable
· Auto-ignition temperature	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Steam pressure at 20 °C:	23 hPa
· Density at 20 °C · Relative density	1.42 g/cm ³ Not determined.
· Solubility in / Miscibility with Water:	Fully miscible
· Viscosity: dynamic at 20 °C: kinematic:	32500 mPas Not determined.
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity	No further relevant information available.
· Chemical stability	
· Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
· Possibility of hazardous reactions	No dangerous reactions known
· Conditions to avoid	No further relevant information available.
· Incompatible materials:	No further relevant information available.
· Hazardous decomposition products:	No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**
- **LD/LC50 values that are relevant for classification:**

CAS: 1317-65-3 Calcium carbonate

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

CAS: 13463-67-7 Titanium Dioxide

Oral	LD50	>5000 mg/kg (rat)
------	------	-------------------

(Contd. on page 6)



BE SURE. BUILD SURE.

Safety Data Sheet
according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

Trade name MC-Color Flex vision

(Contd. of page 5)

Dermal	LD50	>10000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.8 mg/l (rat)
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one		
Oral	LD50	50-300 mg/kg (rat)
Inhalative	LC50/4 h	0.11 mg/l (rat)

- **Primary irritant effect:**
- **Serious eye damage or eye irritation** No irritant effect.
- **Respiratory / skin sensitization** No sensitizing effect known.
- **Additional toxicological information:** The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)** Carc. 2

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

CAS: 1317-65-3 Calcium carbonate

EC50/72h	>14 mg/l (Desmodesmus subspicatus)
LC50/96h	>10000 mg/l (Oncorhynchus mykiss)
LC50/48h	>1000 mg/l (Daphnia magna)
EC50/48h	>1000 mg/l (Daphnia magna)

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

EC50/72h	0.157 mg/l (Pseudokirchneriella subcapitata)
LC50/96h	6 mg/l (Oncorhynchus mykiss)
EC50/48h	1.68 mg/l (Daphnies)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

MY



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

Trade name MC-Color Flex vision

· Other adverse effects

No further relevant information available.

(Contd. of page 6)

13 Disposal information

· Waste treatment methods
· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:
· Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

· Recommended cleaning agent:

Water, if necessary with cleaning agent.

14 Transportation information

· UN-Number

· ADR, ADN, IMDG, IATA

Void

· UN proper shipping name

· ADR, ADN, IMDG, IATA

Void

· Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class

Void

· Packing group

· ADR, IMDG, IATA

Void

· Environmental hazards:

· Marine pollutant:

No

· Special precautions for user

Not applicable.

· Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

· Transport/Additional information:

Not dangerous according to the above specifications.

· UN "Model Regulation":

Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I

None of the ingredients is listed.

(Contd. on page 8)

MY



BE SURE. BUILD SURE.

Page 8/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 33

Revision: 10.12.2024

Trade name MC-Color Flex vision

(Contd. of page 7)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing data specification sheet:**

Environment protection department.

· **Contact:**

· **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - oral – Category 3

Acute Tox. 2: Acute toxicity - oral – Category 2

Skin Corr. 1: Skin corrosion or irritation – Category 1

Eye Dam. 1: Serious eye damage or eye irritation – Category 1

Skin Sens. 1: Skin sensitization – Category 1

Carc. 2: Carcinogenicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - chronic hazard – Category 1

· *** Data compared to the previous version altered.**

MY