

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 10.12.2024

Page 1/7

Product identifier	
Trade name Recommended use of the chemical and restrictions on	MC-Color Proof pro
use Application of the substance	No further relevant information available.
/ the mixture	Surface protection
Details of the supplier of the s Manufacturer/Supplier:	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department:	msds@mc-bauchemie.de
Hazard identification	
Classification of the substance or mixture	The product is not classified, according to the Globally Harmonise System (GHS).
Label elements	
GHS label elements	Void
Hazard pictograms Signal word	Void Void
Hazard statements	Void
Other hazards	Y OIM
Results of PBT and vPvB asso	essment
PBT:	Not applicable.
vPvB:	Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

· Description: /

Mixture of the substances listed below with harmless additions. (Contd. on page 2)

- \_\_\_\_\_ - \_\_\_\_ MY -



Page 2/7

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 10.12.2024

Trade name MC-Color Proof pro

(Contd. of page				
<sup>.</sup> Dangerous comp	oonents:			
CAS: 56539-66-3	3-Methoxy-3-methyl-1-butanol	<2.5%		
	Eye Irrit. 2, H319			
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	≥0.00025-<0.0015%		
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317			
· Additional inform		refer to section 16.		

#### 4 First-aid measures

<ul> <li>Description of first aid me</li> </ul>	easures
· General information	For all first aid measures: observe self-protection and consult a doctor!
<ul> <li>After inhalation</li> </ul>	Take the person out into the fresh air.
· After skin contact	Remove heavily soiled clothing.
	Clean with plenty of water.
	Do not use thinner or similar.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!
<ul> <li>After swallowing</li> </ul>	Do not induce vomiting.
-	Drink plenty of water in small sips.

#### 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from
- the substance or mixture No further relevant information available. • Advice for firefighters
- **Protective equipment:** No special measures required.

#### 6 Accidental release measures

<ul> <li>Personal precautions, protective equipment and emergency procedures</li> <li>Environmental precautions:</li> <li>Methods and material for</li> </ul>	Not required. Dilute with much water.
containment and cleaning up.	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
· Reference to other sections	No dangerous materials are released.

(Contd. on page 3)



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 10.12.2024

Trade name MC-Color Proof pro

(Contd. of page 2)

Page 3/7

#### 7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required. No special precautions necessary if used correctly.
- · Conditions for safe storage, including any incompatibilities
- · Storage

<sup>.</sup> Requirements to be met by	
storerooms and containers:	Protect containers from frost!
	Only store in the original container or in containers recommended by the manufacturer.
	After decanting, label containers as original containers.
	Do not store in break rooms, recreation rooms or sanitary facilities as well as in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.
<ul> <li>Further information about</li> </ul>	
storage conditions:	None.
· Storage class	10

8 Exposure controls and personal protection		
<ul> <li>Additional information about design of technical systems:</li> </ul>	No further data; see section 7.	
• Control parameters • Components with critical values that require monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.	
· Additional information:	The lists that were valid during the compilation were used as basis	
<ul> <li>Exposure controls</li> <li>Personal protective equipmen</li> <li>General protective and</li> </ul>	nt	
hygienic measures	Do not store any foodstuffs or eat, drink, snuff or smoke in th work area!	
	Avoid contact with eyes and skin! Preventively apply skin protection ointment to facilitate ski cleansing. Remove product residues from the skin!	
	Clean hands thoroughly at the end of work and before cleaning! Remove product residues from the skin with a suitable cleanin agent - never use solvents or thinners to clean the skin! Use skin care products after work (moisturising cream).	
· Breathing equipment:	For spraying processes: Particle filter P2 (white)	
· Protection of hands:	Gloves made of: Natural latex, polychloroprene, nitrile rubber. (Category 3 chemical protective gloves, recognisable by the Cl mark with four digit test number)	

mark with four-digit test number).

(Contd. on page 4)

#### MY



Page 4/7

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 10.12.2024

#### Trade name MC-Color Proof pro

	(Contd. of page 3) When wearing protective gloves, cotton undergloves are recommended.
<ul> <li>Material of gloves</li> </ul>	Natural latex, polychloroprene, nitrile rubber.
· Penetration time of glove	
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
• Eye protection:	Frame glasses
Body protection:	Protective work clothing.

#### 9 Physical and chemical properties

General Information		
Appearance: Form:	Eluid	
Colour:	Fluid Colourless	
Smell:	Recognisable	
pH-value at 20 °C:	7	
Change in condition		
Melting point/freezing point	Not determined	
Initial boiling point and boiling	range 100 °C	
Flash point:	200 °C	
Auto-ignition temperature	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Steam pressure at 20 °C:	23 hPa	
Density at 20 °C	1.04 g/cm³	
Relative density	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible	
Viscosity:		
dynamic at 20 °C:	15000 mPas	
kinematic:	Not determined.	

#### 10 Stability and reactivity

· Reactivity

· Chemical stability

· Thermal decomposition /

conditions to be avoided:

 Possibility of hazardous reactions No further relevant information available.

No decomposition if used according to specifications.

No dangerous reactions known

(Contd. on page 5)

<sup>-</sup> MY



Page 5/7

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 10.12.2024

Trade name MC-Color Proof pro

mau				
• 1. • F	ncompat	ns to avoic ible mater s decomp	rials:	(Contd. of page 4) No further relevant information available. No further relevant information available. No dangerous decomposition products known
· I		on on toxi	<mark>formatio</mark> cological e	
· L	LD/LC50	values tha	t are releva	ant for classification:
(	CAS: 265	30-20-1 2-	octyl-2H-is	othiazol-3-one
	Oral	LD50	125 mg/kg	
			500 mg/kg	
ſ	Dermal			
-	sonnar	2200	>2000 mg/kg (rat)	
	nhalativa	1 CE0/4 h	-	
	maialive	LC50/4 II	0.27 mg/l (	
	0.6 mg/l (rat)		• •	at)
· S i · F S	Serious e rritation Respirato sensitizat	tion I toxicolo	e or eye	No irritant effect. No sensitizing effect known. The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

# 12 Ecological information

# Toxicity Aquatic toxicity: CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one EC50/48h 0.42 mg/l (Daphnien) Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Results of PBT and vPvB assessment

• **PBT:** Not applicable.

(Contd. on page 6)

MY



Page 6/7

# Safety Data Sheet according to P.U.(A) 310/2013

 Printing date 10.12.2024
 Version number 30
 Revision: 10.12.2024

 Trade name MC-Color Proof pro
 (Contd. of page 5)

	Not applicable. No further relevant information available.
--	---

13 Disposal information	
<ul> <li>Waste treatment methods</li> <li>Recommendation</li> </ul>	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
<ul> <li>Uncleaned packagings:</li> <li>Recommendation:</li> </ul>	Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
<ul> <li>Recommended cleaning agent:</li> </ul>	Water, if necessary with cleaning agent.

Transportation information	
· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	Νο
· Special precautions for user	Not applicable.
Transport in bulk according to Annex Marpol and the IBC Code	II of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications
· UN "Model Regulation":	Void

# 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · EHS reference list
- CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

(Contd. on page 7)

<sup>-</sup> MY



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 10.12.2024

Trade name MC-Color Proof pro

(Contd. of page 6)

Page 7/7

- · Directive 2012/18/EU
- Named dangerous
- substances ANNEX I

None of the ingredients is listed. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data specification sheet: Contact:	Environment protection department.
* Data compared to the	<ul> <li>RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)</li> <li>ICAO: International Civil Aviation Organisation</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>LD50: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPvB: very Persistent and very Bioaccumulative</li> <li>Acute Tox. 3: Acute toxicity - oral – Category 3</li> <li>Acute Tox. 2: Acute toxicity - oral – Category 1</li> <li>Eye Dam. 1: Serious eye damage or eye irritation – Category 2</li> <li>Skin Sens. 1: Skin sensitization – Category 1</li> <li>Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard – Category 1</li> <li>Aquatic Chronic 1: Hazardous to the aquatic environment - chronic hazard – Category 1</li> </ul>
previous version altered.	