

Page 1/7

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024 Version number 26 Revision: 10.12.2024

### 1 Identification of the hazardous chemical and of the supplier

· Product identifier

• Trade name MC-Color Proof pure

· Recommended use of the chemical and restrictions on

use No further relevant information available.

· Application of the substance

/ the mixture Surface protection

Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: msds@mc-bauchemie.de

### 2 Hazard identification

· Classification of the

substance or mixture The product is not classified, according to the Globally Harmonised

System (GHS).

· Label elements

· GHS label elements Void
· Hazard pictograms Void
· Signal word Void
· Hazard statements Void

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

## 3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture of the substances listed below with harmless additions.

(Contd. on page 2)



Page 2/7

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024 Version number 26 Revision: 10.12.2024

#### Trade name MC-Color Proof pure

(Contd. of page 1)

		(Conta. or page 1)			
· Dangerous components:					
CAS: 56539-66-3	3-Methoxy-3-methyl-1-butanol	<2.5%			
	Eye Irrit. 2, H319				
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	≥0.00025-<0.0015%			
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic				
	Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317				
· Additional inform	nation For the wording of the listed hazard phrases	refer to section 16.			

### 4 First-aid measures

· Description of first aid measures

General information For all first aid measures: observe self-protection and consult a

doctor!

After inhalation
 After skin contact
 Take the person out into the fresh air.
 Remove heavily soiled clothing.

Clean with plenty of water. Do not use thinner or similar.

· After eye contact Rinse for 10 minutes under running water with the eyelids open or

use eye rinsing solution. Always consult an ophthalmologist!

· After swallowing Do not induce vomiting.

Drink plenty of water in small sips.

## 5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· Special hazards arising from

the substance or mixture No further relevant information available.

· Advice for firefighters

• Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and

**emergency procedures** Not required.

· Environmental precautions: Dilute with much water.

· Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· Reference to other sections No dangerous materials are released.

MY -



Page 3/7

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024 Version number 26 Revision: 10.12.2024

Trade name MC-Color Proof pure

(Contd. of page 2)

### 7 Handling and storage

· Handling

· Precautions for safe handling No special measures required.

No special precautions necessary if used correctly.

· Conditions for safe storage, including any incompatibilities

· Storage

Requirements to be met by

storerooms and containers: Protect containers from frost!

Only store in the original container or in containers recommended

by the manufacturer.

After decanting, label containers as original containers.

Do not store in break rooms, recreation rooms or sanitary facilities as well as in stairwells, corridors, escape and rescue routes,

passages, passageways and confined spaces.

· Further information about

storage conditions: None.
Storage class 10

#### 8 Exposure controls and personal protection

· Additional information about

design of technical systems: No further data; see section 7.

· Control parameters · Components with critical values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

Personal protective equipment

General protective and

hygienic measures Do not store any foodstuffs or eat, drink, snuff or smoke in the

work area!

Avoid contact with eyes and skin!

Preventively apply skin protection ointment to facilitate skin

cleansing.

Remove product residues from the skin!

Clean hands thoroughly at the end of work and before cleaning! Remove product residues from the skin with a suitable cleaning

agent - never use solvents or thinners to clean the skin! Use skin care products after work (moisturising cream).

• Breathing equipment: For spraying processes:

Particle filter P2 (white)

• Protection of hands: Gloves made of: Natural latex, polychloroprene, nitrile rubber.

(Category 3 chemical protective gloves, recognisable by the CE

mark with four-digit test number).

(Contd. on page 4)



Page 4/7

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024 Version number 26 Revision: 10.12.2024

#### Trade name MC-Color Proof pure

(Contd. of page 3)

When wearing protective gloves, cotton undergloves are

recommended.

· Material of gloves

· Penetration time of glove

material

Natural latex, polychloroprene, nitrile rubber.

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye protection: Frame glasses

Body protection: Protective work clothing.

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Colourless
Smell: Recognisable

• **pH-value at 20 °C:** 7.5

· Change in condition

Melting point/freezing point Not determined

Initial boiling point and boiling range 100 °C

· Flash point: 200 °C

• Auto-ignition temperature Product is not selfigniting.

Explosive properties: Product is not explosive.

· Steam pressure at 20 °C: 23 hPa

Density at 20 °C 1.04 g/cm³

Relative density Not determined.

· Solubility in / Miscibility with

Water: Fully miscible

· Viscosity:

dynamic at 20 °C: 2500 mPas kinematic: Not determined.

• Other information No further relevant information available.

### 10 Stability and reactivity

Reactivity No further relevant information available.

· Chemical stability

· Thermal decomposition /

conditions to be avoided:

· Possibility of hazardous

reactions

No decomposition if used according to specifications.

No dangerous reactions known

(Contd. on page 5)



Page 5/7

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024 Version number 26 Revision: 10.12.2024

### Trade name MC-Color Proof pure

(Contd. of page 4)

· Conditions to avoid · Incompatible materials: No further relevant information available. No further relevant information available.

· Hazardous decomposition

products:

No dangerous decomposition products known

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values that are relevant for classification:

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

LD50 125 mg/kg (ATE) Oral 500 mg/kg (rat) 311 mg/kg (ATE) LD50 Dermal >2000 mg/kg (rat) Inhalative LC50/4 h 0.27 mg/l (ATE) 0.6 mg/l (rat)

· Primary irritant effect:

· Serious eye damage or eye

irritation

No irritant effect.

· Respiratory / skin sensitization

Additional toxicological

information:

No sensitizing effect known.

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and

the information provided to us.

## 12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

EC50/48h | 0.42 mg/l (Daphnien)

- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available. No further relevant information available. · Mobility in soil
- Additional ecological information:
- Do not allow undiluted product or large quantities of it to reach · General notes:
  - ground water, water bodies or sewage system.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 6)



Page 6/7

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024 Version number 26 Revision: 10.12.2024

#### Trade name MC-Color Proof pure

(Contd. of page 5)

· **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

## 13 Disposal information

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

· Recommended cleaning

agent: Water, if necessary with cleaning agent.

14 I	ran	ispoi	rtation	intorn	nation

· UN-Number · ADR, ADN, IMDG, IATA	Void		
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void		
· Transport hazard class(es)			
· ADR, ADN, IMDG, IATA · Class	Void		
· Packing group · ADR, IMDG, IATA	Void		
· Environmental hazards: · Marine pollutant:	No		
· Special precautions for user	Not applicable.		
· Transport in bulk according to Annex I Marpol and the IBC Code	Transport in bulk according to Annex II of  Marpol and the IBC Code Not applicable.		
· Transport/Additional information:	Not dangerous according to the above specifications.		
· UN "Model Regulation":	Void		

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· EHS reference list

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

(Contd. on page 7)



Page 7/7

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024 Version number 26 Revision: 10.12.2024

### Trade name MC-Color Proof pure

(Contd. of page 6)

· Directive 2012/18/EU · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - oral - Category 3 Acute Tox. 2: Acute toxicity - oral - Category 2 Skin Corr. 1: Skin corrosion or irritation - Category 1

Eye Dam. 1: Serious eye damage or eye irritation - Category 1 Eye Irrit. 2: Serious eye damage or eye irritation – Category 2

Skin Sens. 1: Skin sensitization - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard - Category

Aquatic Chronic 1: Hazardous to the aquatic environment - chronic hazard -

Category 1

\* \* Data compared to the previous version altered.