



BE SURE. BUILD SURE.

Page 1/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.05.2024

Version number 23


Revision: 25.05.2024

1 Identification of the hazardous chemical and of the supplier

- **Product identifier**
- **Trade name** **MC-Easyscreed PL 936**
- **Recommended use of the chemical and restrictions on use** *No further relevant information available.*
- **Application of the substance / the mixture** *Concrete/Mortar admixtures*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** *MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de*

*MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533*
- **Informing department:** *msds@mc-bauchemie.de*

2 Hazard identification

- **Classification of the substance or mixture**
*Skin Irrit. 2 H315 Causes skin irritation.
Eye Dam. 1 H318 Causes serious eye damage.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.*
- **Label elements**
- **GHS label elements** *The product is classified and labelled according to the Globally Harmonised System (GHS).*
- **Hazard pictograms**

GHS05
- **Signal word** *Danger*
- **Hazard-determining components of labelling:** *Amine, C12-14 (geradzahlig)-alkyldimethyl, N-oxid*
- **Hazard statements** *H315 Causes skin irritation.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.*
- **Precautionary statements** *P273 Avoid release to the environment.*

(Contd. on page 2)

MY



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.05.2024

Version number 23

Revision: 25.05.2024

Trade name MC-Easyscreed PL 936

(Contd. of page 1)

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362 Take off contaminated clothing and wash before reuse.

- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

- Chemical characterisation: Mixtures
- Description: Mixture consisting of the following components.

· Dangerous components:

CAS: 68891-38-3	Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	≥5-<10%
CAS: 68439-57-6	Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts Eye Dam. 1, H318; Skin Irrit. 2, H315	≥5-<10%
CAS: 308062-28-4	Amine, C12-14 (geradzahlig)-alkyldimethyl, N-oxid Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315	≥3-<10%

- Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- Description of first aid measures
- General information Immediately remove any clothing contaminated with the product.
- After inhalation Supply fresh air.
- After skin contact Instantly rinse with water.
- After eye contact Rinse opened eye for several minutes under running water. Seek medical treatment.
- After swallowing Rinse out mouth and then drink plenty of water. Seek medical treatment.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.05.2024

Version number 23

Revision: 25.05.2024

Trade name MC-Easyscreed PL 936

(Contd. of page 2)

- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Product forms slippery surface when combined with water.
- **Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- **Methods and material for containment and cleaning up:** Collect mechanically.
- **Reference to other sections** No dangerous materials are released.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Open and handle container with care.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class** 11

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

MY



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.05.2024

Version number 23

Revision: 25.05.2024

Trade name MC-Easyscreed PL 936

(Contd. of page 3)

· **DNELs**

CAS: 68891-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate

Oral	DNEL	15 mg/kg bw/Tag (ArL)
Dermal	DNEL	2750 mg/kg bw/day (ArL)
Inhalative	DNEL	175 mg/m ³ (ArL)

CAS: 68439-57-6 Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts

Oral	DNEL	12.95 mg/kg bw/Tag (ArL)
Dermal	DNEL	2158.33 mg/kg bw/day (ArL)
Inhalative	DNEL	152.22 mg/m ³ (ArL)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Avoid contact with the eyes and skin.
Wash hands during breaks and at the end of the work.

· **Breathing equipment:**

Not required.

· **Protection of hands:**

Protective gloves.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
After use of gloves apply skin-cleaning agents and skin cosmetics.

· **Material of gloves**

Nitrile rubber, NBR

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

· **Eye protection:**

Not required.

· **Body protection:**

Protective work clothing.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Powder

Colour: Light yellow

· **Smell:** Characteristic

(Contd. on page 5)



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.05.2024

Version number 23

Revision: 25.05.2024

Trade name MC-Easyscreed PL 936

(Contd. of page 4)

· pH-value:	Not applicable.
· Change in condition Melting point/freezing point	Not determined
Initial boiling point and boiling range	100 °C
· Flash point:	Not applicable
· Auto-ignition temperature	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Steam pressure at 20 °C:	23 hPa
· Density	Not determined
· Solubility in / Miscibility with Water:	Unsoluble
· Viscosity: dynamic:	Not applicable.
kinematic:	Not applicable.
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity	No further relevant information available.
· Chemical stability	
· Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
· Possibility of hazardous reactions	No dangerous reactions known
· Conditions to avoid	No further relevant information available.
· Incompatible materials:	No further relevant information available.
· Hazardous decomposition products:	No dangerous decomposition products known

11 Toxicological information

- Information on toxicological effects
- Acute toxicity

· LD/LC50 values that are relevant for classification:

CAS: 68891-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate

Oral	LD50	>2000 mg/kg (rat)
------	------	-------------------

(Contd. on page 6)



BE SURE. BUILD SURE.

Safety Data Sheet
according to P.U.(A) 310/2013

Printing date 25.05.2024

Version number 23

Revision: 25.05.2024

Trade name MC-Easyscreed PL 936

(Contd. of page 5)

Dermal	LD50	>2000 mg/kg (rat)
CAS: 68439-57-6 Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts		
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	6300 mg/kg (rabbit)
Inhalative	LC50/4 h	52 mg/l (rat)
CAS: 308062-28-4 Amine, C12-14 (geradzahlig)-alkyldimethyl, N-oxid		
Oral	LD50	3432 mg/kg (rat)

- **Primary irritant effect:**
- **Serious eye damage or eye irritation** No irritant effect.
- **Respiratory / skin sensitization** No sensitizing effect known.
- **Additional toxicological information:** The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
Irritant

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

CAS: 68891-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate

LC50/96h	7.1 mg/l (Brachydanio rerio)
EC50/48h	7.2 mg/l (Daphnia magna)
NOEC	0.95 mg/l (Scenedesmus subspicatus)
ErC50/72h	27.7 mg/l (Scenedesmus subspicatus)

CAS: 68439-57-6 Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts

IC50/72h	230 mg/l (BEL)
LC50/96h	4.2 mg/l (Danio rerio)
	1-10 mg/l (Brachydanio rerio)
EC50/48h	4.5 mg/l (Ceriodaphnia dubia)
NOEC	3.2 mg/l (Ske)
	6.7 mg/l (Daphnia magna)
ErC50/72h	5.2 mg/l (Ske)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 7)

MY



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.05.2024

Version number 23

Revision: 25.05.2024

Trade name MC-Easyscreed PL 936

(Contd. of page 6)

- **Additional ecological information:**
- **General notes:** *Danger to drinking water if even extremely small quantities leak into soil.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

13 Disposal information

- **Waste treatment methods**
- **Recommendation** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.*

14 Transportation information

- | | |
|---|-----------------|
| · UN-Number | |
| · ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | |
| · ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

MY

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.05.2024

Version number 23

Revision: 25.05.2024

Trade name MC-Easyscreed PL 936

(Contd. of page 7)

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category** E1 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing data specification sheet:** Environment protection department.
- **Contact:**
- **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity - oral - Category 4
Skin Irrit. 2: Skin corrosion or irritation - Category 2
Eye Dam. 1: Serious eye damage or eye irritation - Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard - Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - chronic hazard - Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - chronic hazard - Category 3

- * Data compared to the previous version altered.

MY