



BE SURE. BUILD SURE.

Page 1/9

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.08.2023



Version number 23

Revision: 12.08.2023

### 1 Identification of the hazardous chemical and of the supplier

- **Product identifier**
- **Trade name** **MC-Fastpack 2300 top - Komponente B**
- **Recommended use of the chemical and restrictions on use** *No further relevant information available.*
- **Application of the substance / the mixture** *Polyurethane resin  
Injektion*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** *MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de*  
*MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533*
- **Informing department:** *msds@mc-bauchemie.de*

### 2 Hazard identification

- **Classification of the substance or mixture**
  - Skin Irrit. 2 H315 Causes skin irritation.*
  - Eye Irrit. 2 H319 Causes serious eye irritation.*
  - Resp. Sens. 1 H334 May cause allergic or asthma symptoms or breathing difficulties if inhaled.*
  - Skin Sens. 1 H317 May cause allergic skin reaction.*
  - Carc. 2 H351 Suspected of causing cancer.*
  - STOT SE 3 H335 May cause respiratory irritation.*
  - STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.*
- **Label elements**
- **GHS label elements** *The product is classified and labelled according to the Globally Harmonised System (GHS).*
- **Hazard pictograms**
  -  
  - GHS07 GHS08
- **Signal word** *Danger*
- **Hazard-determining components of labelling:** *diphenylmethanediisocyanate, isomeres and homologues  
diphenylmethane-4,4'-di-isocyanante*

(Contd. on page 2)

MY



BE SURE. BUILD SURE.

**Safety Data Sheet**  
according to P.U.(A) 310/2013

Printing date 12.08.2023

Version number 23

Revision: 12.08.2023

**Trade name MC-Fastpack 2300 top - Komponente B**

(Contd. of page 1)

- **Hazard statements**
  - diphenylmethane-2,4'-diisocyanate
  - diphenylmethane-2,2'-diisocyanate
  - Causes skin irritation.
  - Causes serious eye irritation.
  - May cause allergic or asthma symptoms or breathing difficulties if inhaled.
  - May cause allergic skin reaction.
  - Suspected of causing cancer.
  - May cause respiratory irritation.
  - May cause damage to organs through prolonged or repeated exposure.
- **Precautionary statements**
  - Do not breathe dust/fume/gas/mist/ vapours/spray.
  - Wear protective gloves / eye protection / face protection.
  - Use personal protective equipment as required.
  - In case of inadequate ventilation wear respiratory protection.
  - IF IN EYES: Rinse cautiously with water for several minutes.
  - Remove contact lenses, if present and easy to do. Continue rinsing.
  - Store in a well-ventilated place. Keep container tightly closed.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition and information of the ingredients of the hazardous chemical**

- **Chemical characterisation: Mixtures**
- **Description:** Active substance with propellant.  
Mixture consisting of the following components.

· **Dangerous components:**

9016-87-9	diphenylmethanediisocyanate, isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	10-30%
101-68-8	diphenylmethane-4,4'-di-isocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	10-30%
5873-54-1	diphenylmethane-2,4'-diisocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	10-30%
2536-05-2	diphenylmethane-2,2'-diisocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	≥1-<1.5%

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/9

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.08.2023

Version number 23

Revision: 12.08.2023

**Trade name MC-Fastpack 2300 top - Komponente B**

· **Additional information**

For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

### 4 First-aid measures

· **Description of first aid measures**

· **General information**

Instantly remove any clothing soiled by the product.  
Take affected persons into the open air.  
Seek medical treatment.

· **After inhalation**

Supply fresh air.  
Call a doctor immediately.

· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

· **After eye contact**

Rinse opened eye for several minutes under running water.  
Seek medical treatment.

· **After swallowing**

Call a doctor immediately.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents** CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· **Special hazards arising from the substance or mixture**

Can be released in case of fire  
Carbon monoxide (CO)  
Nitrogen oxides (NO<sub>x</sub>)  
Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:  
Hydrogen cyanide (HCN)

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained breathing apparatus.

### 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation  
Use breathing protection against the effects of fumes/dust/aerosol.

· **Environmental precautions:**

Prevent material from reaching sewage system, holes and cellars.

(Contd. on page 4)

MY



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.08.2023

Version number 23

Revision: 12.08.2023

**Trade name MC-Fastpack 2300 top - Komponente B**

(Contd. of page 3)

- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store only in the original container.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class** 10
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

**101-68-8 diphenylmethane-4,4'-di-isocyanate**

PEL (Malaysia) Long-term value: 0.051 mg/m<sup>3</sup>, 0.005 ppm

· **DNELs**

**9016-87-9 diphenylmethanediisocyanate, isomeres and homologues**

Inhalative DNEL 0.05 mg/m<sup>3</sup> (ArL)

**101-68-8 diphenylmethane-4,4'-di-isocyanate**

Dermal DNEL 50 mg/kg bw/day (Ark)

Inhalative DNEL 0.05 mg/m<sup>3</sup> (ArL)

**5873-54-1 diphenylmethane-2,4'-diisocyanate**

Inhalative DNEL 0.05 mg/m<sup>3</sup> (ArL)

(Contd. on page 5)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.08.2023

Version number 23

Revision: 12.08.2023

**Trade name MC-Fastpack 2300 top - Komponente B**

(Contd. of page 4)

**· PNECs**

**9016-87-9 diphenylmethanediisocyanate, isomeres and homologues**

PNEC 1 mg/l (Sewage Treatment Plant)

0.1 mg/l (Mew)

1 mg/l (Suw)

PNEC 1 mg/kg dwt (Bod)

**101-68-8 diphenylmethane-4,4'-di-isocyanate**

PNEC 1 mg/l (Sewage Treatment Plant)

0.1 mg/l (Mew)

1 mg/l (Suw)

PNEC 1 mg/kg dwt (Bod)

**5873-54-1 diphenylmethane-2,4'-diisocyanate**

PNEC 1 mg/l (Sewage Treatment Plant)

0.1 mg/l (Mew)

1 mg/l (Suw)

PNEC 1 mg/kg dwt (Bod)

**· Additional information:** The lists that were valid during the compilation were used as basis.

**· Exposure controls**

**· Personal protective equipment**

**· General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.  
Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.  
Do not eat, drink or smoke while working.

**· Breathing equipment:**

Respiratory protection is required at inadequately ventilated workplaces and during spray processing. Fresh air masks or combination filters A2-P2 are recommended for short-term work.

**· Protection of hands:**

Conditionally suitable materials for protective gloves; EN 374-3: Nitrile rubber - NBR: Thickness  $\geq 0.35\text{mm}$ .  
Only suitable for splash protection. Only suitable for short-term exposure. In case of contamination, the protective gloves must be changed immediately.

**· Material of gloves**

Nitrile rubber, NBR

**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye protection:**

Safety glasses  
Tightly sealed safety glasses.

**· Body protection:**

Protective work clothing.

MY

(Contd. on page 6)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.08.2023

Version number 23

Revision: 12.08.2023

Trade name MC-Fastpack 2300 top - Komponente B

(Contd. of page 5)

#### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Fluid
· <b>Colour:</b>	Dark brown
· <b>Smell:</b>	Characteristic

· **pH-value:** Not determined.

· **Change in condition**

· <b>Melting point/freezing point</b>	Not determined
· <b>Initial boiling point and boiling range</b>	351 °C

· **Flash point:** >110 °C

· **Auto-ignition temperature** 400 °C

· **Auto-ignition temperature** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Steam pressure:** Not determined.

· **Density at 20 °C** 1.09 g/cm<sup>3</sup>

· **Solubility in / Miscibility with Water:**

Hydrolized

· **Viscosity:**

· <b>dynamic:</b>	Not determined.
· <b>kinematic at 20 °C:</b>	14 s (DIN 53211/4)

· **Other information**

No further relevant information available.

#### 10 Stability and reactivity

· **Reactivity**

No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

· **Possibility of hazardous reactions**

Reacts with amines

· **Conditions to avoid**

No further relevant information available.

· **Incompatible materials:**

No further relevant information available.

· **Hazardous decomposition products:**

No dangerous decomposition products known

MY

(Contd. on page 7)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.08.2023

Version number 23

Revision: 12.08.2023

Trade name MC-Fastpack 2300 top - Komponente B

(Contd. of page 6)

## 11 Toxicological information

- Information on toxicological effects
- Acute toxicity

· LD/LC50 values that are relevant for classification:

### 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Oral LD50 >10000 mg/kg (Rat)

Dermal LD50 >5000 mg/kg (Rab)

Inhalative LC50/4 h ~450 mg/l (Rat)

### 101-68-8 diphenylmethane-4,4'-di-isocyanate

Oral LD50 >10000 mg/kg (rat)

Dermal LD50 >9400 mg/kg (rabbit)

### 2536-05-2 diphenylmethane-2,2'-diisocyanate

Inhalative LC50/4 h 0.527 mg/l (rat)

· Primary irritant effect:

· Skin corrosion or irritation Irritant for skin and mucous membranes.

· Serious eye damage or eye irritation Irritant effect.

· Respiratory / skin sensitization Sensitization possible by inhalation.  
Sensitization possible by skin contact.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:  
Harmful  
Irritant

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Carc. 2

## 12 Ecological information

· Toxicity

· Aquatic toxicity:

### 101-68-8 diphenylmethane-4,4'-di-isocyanate

EC50/24h >1000 mg/l (Daphnia magna)

LC50/96h >1000 mg/l (Brachydanio rerio)

NOEC >1000 mg/l (Eisenia foetida)

>10 mg/l (Daphnia magna)

· Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available.

(Contd. on page 8)





BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.08.2023

Version number 23

Revision: 12.08.2023

**Trade name MC-Fastpack 2300 top - Komponente B**

(Contd. of page 7)

- **Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:** *Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

### 13 Disposal information

- **Waste treatment methods**
- **Recommendation** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.*

### 14 Transportation information

- |   |                 |
|---|-----------------|
| · <b>UN-Number</b>  | Void            |
| · <b>ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>UN proper shipping name</b>  | Void            |
| · <b>ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>Transport hazard class(es)</b>   |                 |
| · <b>ADR, ADN, IMDG, IATA</b>   |                 |
| · <b>Class</b>  | Void            |
| · <b>Packing group</b>  |                 |
| · <b>ADR, IMDG, IATA</b>  | Void            |
| · <b>Environmental hazards:</b>   |                 |
| · <b>Marine pollutant:</b>  | No              |
| · <b>Special precautions for user</b>                                       | Not applicable. |
| · <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>   | Void            |

MY

(Contd. on page 9)





BE SURE. BUILD SURE.

Page 9/9

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.08.2023

Version number 23

Revision: 12.08.2023

**Trade name MC-Fastpack 2300 top - Komponente B**

(Contd. of page 8)

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **EHS reference list**

101-68-8	diphenylmethane-4,4'-di-isocyanate
5873-54-1	diphenylmethane-2,4'-diisocyanate
2536-05-2	diphenylmethane-2,2'-diisocyanate

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I**                      *None of the ingredients is listed.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

### 16 Other information

*These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing data specification sheet:**                      *Environment protection department.*
- **Contact:**
- **Abbreviations and acronyms:** *RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 4: Acute toxicity - oral – Category 4  
Skin Irrit. 2: Skin corrosion or irritation – Category 2  
Eye Irrit. 2: Serious eye damage or eye irritation – Category 2  
Resp. Sens. 1: Respiratory sensitization – Category 1  
Skin Sens. 1: Skin sensitization – Category 1  
Carc. 2: Carcinogenicity – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2*

- **\* Data compared to the previous version altered.**

MY