

Page 1/9

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 11.08.2023

Version number 25

Revision: 11.08.2023

<ul> <li>Trade name</li> <li>Recommended use of the chemical and restrictions on</li> </ul>	MC-Injekt 2033 - Komponente A
use	No further relevant information available.
• Application of the substance	
/ the mixture	Polyurethane resin Injektion
• Details of the supplier of the s • Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
· Informing department:	msds@mc-bauchemie.de
2 Hazard identification	
	e or mixture
· Classification of the substanc	
• <b>Classification of the substanc</b> Skin Irrit. 2 H315 Causes sk	in irritation.
<ul> <li>Classification of the substanc</li> <li>Skin Irrit. 2 H315 Causes ski</li> <li>Eye Irrit. 2 H319 Causes se</li> </ul>	in irritation. rious eye irritation.
Classification of the substancSkin Irrit. 2H315 Causes skinEye Irrit. 2H319 Causes seResp. Sens. 1H334 May cause	in irritation.
Classification of the substanceSkin Irrit. 2H315 Causes skinEye Irrit. 2H319 Causes seResp. Sens. 1H334 May causeSkin Sens. 1H317 May cause	in irritation. rious eye irritation. e allergic or asthma symptoms or breathing difficulties if inhaled.
Classification of the substanceSkin Irrit. 2H315 Causes skinEye Irrit. 2H319 Causes seResp. Sens. 1H334 May causeSkin Sens. 1H317 May causeCarc. 2H351 Suspected	in irritation. rious eye irritation. e allergic or asthma symptoms or breathing difficulties if inhaled. e allergic skin reaction.
Classification of the substanceSkin Irrit. 2H315 Causes skinEye Irrit. 2H319 Causes seResp. Sens. 1H334 May causeSkin Sens. 1H317 May causeCarc. 2H351 SuspectedSTOT SE 3H335 May cause	in irritation. rious eye irritation. e allergic or asthma symptoms or breathing difficulties if inhaled. e allergic skin reaction. I of causing cancer.
Classification of the substanceSkin Irrit. 2H315 Causes skinEye Irrit. 2H319 Causes seResp. Sens. 1H334 May causeSkin Sens. 1H317 May causeCarc. 2H351 SuspectedSTOT SE 3H335 May cause	in irritation. rious eye irritation. allergic or asthma symptoms or breathing difficulties if inhaled. allergic skin reaction. of causing cancer. a respiratory irritation.
<ul> <li>Classification of the substance Skin Irrit. 2 H315 Causes skin Eye Irrit. 2 H319 Causes se Resp. Sens. 1 H334 May cause Skin Sens. 1 H317 May cause Carc. 2 H351 Suspected STOT SE 3 H335 May cause STOT RE 2 H373 May cause</li> <li>Label elements</li> <li>GHS label elements</li> </ul>	in irritation. rious eye irritation. allergic or asthma symptoms or breathing difficulties if inhaled. allergic skin reaction. of causing cancer. a respiratory irritation.
<ul> <li>Classification of the substance Skin Irrit. 2 H315 Causes skin Eye Irrit. 2 H319 Causes se Resp. Sens. 1 H334 May cause Skin Sens. 1 H317 May cause Carc. 2 H351 Suspected STOT SE 3 H335 May cause STOT RE 2 H373 May cause</li> <li>Label elements</li> </ul>	in irritation. rious eye irritation. allergic or asthma symptoms or breathing difficulties if inhaled. allergic skin reaction. of causing cancer. respiratory irritation. damage to organs through prolonged or repeated exposure. The product is classified and labelled according to the Globa
<ul> <li>Classification of the substance Skin Irrit. 2 H315 Causes skin Eye Irrit. 2 H319 Causes se Resp. Sens. 1 H334 May cause Skin Sens. 1 H317 May cause Carc. 2 H351 Suspected STOT SE 3 H335 May cause STOT RE 2 H373 May cause</li> <li>Label elements</li> <li>GHS label elements</li> </ul>	in irritation. rious eye irritation. allergic or asthma symptoms or breathing difficulties if inhaled. allergic skin reaction. of causing cancer. respiratory irritation. damage to organs through prolonged or repeated exposure. The product is classified and labelled according to the Globa
<ul> <li>Classification of the substance Skin Irrit. 2 H315 Causes skin Eye Irrit. 2 H319 Causes se Resp. Sens. 1 H334 May cause Skin Sens. 1 H317 May cause Carc. 2 H351 Suspected STOT SE 3 H335 May cause STOT RE 2 H373 May cause</li> <li>Label elements</li> <li>GHS label elements</li> </ul>	in irritation. rious eye irritation. allergic or asthma symptoms or breathing difficulties if inhaled. allergic skin reaction. of causing cancer. respiratory irritation. damage to organs through prolonged or repeated exposure. The product is classified and labelled according to the Globa Harmonised System (GHS).
Skin Irrit. 2 H315 Causes ski Eye Irrit. 2 H319 Causes se Resp. Sens. 1 H334 May cause Skin Sens. 1 H317 May cause Carc. 2 H351 Suspected STOT SE 3 H335 May cause STOT RE 2 H373 May cause • Label elements • GHS label elements	in irritation. rious eye irritation. allergic or asthma symptoms or breathing difficulties if inhale allergic skin reaction. of causing cancer. respiratory irritation. damage to organs through prolonged or repeated exposure. The product is classified and labelled according to the G Harmonised System (GHS). GHS07 GHS08



Page 2/9

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 11.08.2023

Version number 25

Revision: 11.08.2023

#### Trade name MC-Injekt 2033 - Komponente A

	(Contd. of pag
	Causes serious eye irritation.
	May cause allergic or asthma symptoms or breathing difficultie inhaled.
	May cause allergic skin reaction.
	Suspected of causing cancer.
	May cause respiratory irritation.
	May cause damage to organs through prolonged or repea exposure.
· Precautionary statements	Do not breathe dust/fume/gas/mist/ vapours/spray.
	Wear protective gloves / eye protection / face protection.
	Use personal protective equipment as required.
	In case of inadequate ventilation wear respiratory protection.
	IF IN EYES: Rinse cautiously with water for several minut
	Remove contact lenses, if present and easy to do. Contil
	rinsing.
	Store in a well-ventilated place. Keep container tightly closed.
<sup>.</sup> Other hazards	

Results of PBT and vPvB assessment

· PBT: · vPvB: Not applicable. Not applicable.

### 3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

Description:

Resin mixture.

Mixture consisting of the following components.

· Dangerous components:

-	•	
9016-87-9	diphenylmethanediisocyanate,isomeres and homologues	50-70%
	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
· Additional	I information For the wording of the listed hazard phrases refer to section	n 16.

# 4 First-aid measures

· General information	Instantly remove any clothing soiled by the product.
	Take affected persons into the open air.
	Seek medical treatment.
· After inhalation	Supply fresh air.
	Seek immediate medical advice.
· After skin contact	Instantly wash with water and soap and rinse thoroughly.
· After eye contact	Rinse opened eye for several minutes under running water.
	Seek medical treatment.
· After swallowing	Call a doctor immediately.
· · · · · · · · · · · · · · · · · · ·	(Contd. on page 3)

MY



Page 3/9

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 11.08.2023

Version number 25

Revision: 11.08.2023

Trade name MC-Injekt 2033 - Komponente A

5 Fire-fighting measures	
<i>medical attention and special</i> <i>treatment needed</i> No further relevant information available.	
<ul> <li>Information for doctor</li> <li>Most important symptoms and effects, both acute and delayed</li> <li>No further relevant information available.</li> <li>Indication of any immediate</li> </ul>	(Contd. of page 2)

• Extinguishing media • Suitable extinguishing agents Use fire fighting measures that suit the environment. Extinguishing powder. Do not use water.

· For safety reasons unsuitable	
extinguishing agents Special hazards arising from	Water.
the substance or mixture	Can be released in case of fire
	Carbon monoxide (CO)
	Nitrogen oxides (NOx)
	Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:
	Hydrogen cyanide (HCN)
Advice for firefieldere	nyarogen cyaniae (mon)
<ul> <li>Advice for firefighters</li> </ul>	
<ul> <li>Protective equipment:</li> </ul>	Wear self-contained breathing apparatus.
Additional information	Cool endangered containers with water spray jet.
	Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
	Collect contaminated fire fighting water separately. It must not enter drains.

### 6 Accidental release measures

<ul> <li>Personal precautions, protective equipment and</li> </ul>	
emergency procedures	Ensure adequate ventilation
• • • •	Use breathing protection against the effects of fumes/dust/aerosol.
<ul> <li>Environmental precautions:</li> </ul>	Prevent material from reaching sewage system, holes and cellars.
• Methods and material for	
containment and cleaning up	: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
	Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.
· Reference to other sections	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

(Contd. on page 4)



Page 4/9

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 11.08.2023

Version number 25

Revision: 11.08.2023

Trade name MC-Injekt 2033 - Komponente A

(Contd. of page 3)

#### 7 Handling and storage

- · Handling
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage

Sillaye	
• Requirements to be met by	
storerooms and containers:	Store only in the original container.
<ul> <li>Information about storage in</li> </ul>	
one common storage facility:	Store away from foodstuffs.
· Further information about	-
storage conditions:	Keep container tightly sealed.
· Storage class	10
<ul> <li>Specific end use(s)</li> </ul>	No further relevant information available.

#### 8 Exposure controls and personal protection

 Additional information about design of technical systems: No further data; see section 7.

· Control parameters

• Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### · DNELs

ſ

Inhalat	ive DNEL 0.05 mg/m	n <sup>3</sup> (ArL)
PNEC		
9016-8	7-9 diphenylmethan	ediisocyanate,isomeres and homologues
PNEC	1 mg/l (Sewage Trea	tment Plant)
	0.1 mg/l (Mew)	
	1 mg/l (Suw)	
PNEC	1 mg/kg dwt (Bod)	
Additi	onal information:	The lists that were valid during the compilation were used as basi
Perso	ure controls nal protective equipr al protective and nic measures	<b>nent</b> Do not inhale gases / fumes / aerosols. Keep away from foodstuffs, beverages and food.



Page 5/9

MY

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 11.08.2023

Version number 25

Revision: 11.08.2023

### Trade name MC-Injekt 2033 - Komponente A

	(Contd. of page 4)
	Avoid contact with the eyes and skin.
	Do not eat, drink or smoke while working.
· Breathing equipment:	Respiratory protection is required at inadequately ventilated workplaces and during spray processing. Fresh air masks or combination filters A2-P2 are recommended for short-term work.
· Protection of hands:	Conditionally suitable materials for protective gloves; EN 374-3: Nitrile rubber - NBR: Thickness $\geq 0.35$ mm. Only suitable for splash protection. Only suitable for short-term exposure. In case of contamination, the protective gloves must be changed immediately.
<ul> <li>Material of gloves</li> </ul>	Nitrile rubber, NBR
· Penetration time of glove	
material	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
• Eye protection:	Safety glasses Tightly sealed safety glasses.
<ul> <li>Body protection:</li> </ul>	Protective work clothing.

# 9 Physical and chemical properties

<ul> <li>Information on basic physical and</li> <li>General Information</li> </ul>	chemical properties	
· Appearance:		
Form: Colour:	Fluid Dark brown	
· Smell:	Characteristic	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point	Not determined	
Initial boiling point and boiling ra	nge 190 °C	
· Flash point:	>170 °C	
· Auto-ignition temperature	400 °C	
· Auto-ignition temperature	Product is not selfigniting.	
• Explosive properties:	Product is not explosive.	
· Steam pressure at 25 °C:	0 hPa	
· Density at 20 °C	1.17 g/cm³	
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Hudrolizod	
water:	Hydrolized	
Viscosity:		
dynamic:	Not determined.	
kinematic at 20 °C:	160 s (DIN 53211/4)	
		(Contd. on page 6)



Page 6/9

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 11.08.2023

Version number 25

Revision: 11.08.2023

### Trade name MC-Injekt 2033 - Komponente A

(Contd. of page 5)

· Other information

No further relevant information available.

Reactivity Chemical stability Thermal decomposition /	No further relevant information available.
conditions to be avoided: Possibility of hazardous	No decomposition if used according to specifications.
reactions	Reacts with amines
Conditions to avoid	No further relevant information available.
Incompatible materials: Hazardous decomposition	No further relevant information available.
products:	No dangerous decomposition products known

LD/LC50 values that are relevant for classification:					
9016-87-9	diphenyl	methanediisocyanate, isomeres and homologues			
Oral	LD50	>10000 mg/kg (Rat)			
Dermal	LD50	>5000 mg/kg (Rab)			
Inhalative	LC50/4 h	~450 mg/l (Rat)			
Primary in Skin corro Serious e irritation Respirato sensitizat	osion or ir ye damag ry / skin ion	rritation Irritant for skin and mucous membranes. ge or eye Irritant effect. Sensitization possible by inhalation. Sensitization possible by skin contact.			
Additiona informatio		pgical The product shows the following dangers according to the calculation method of the General EC Classification Guidelines fo Preparations as issued in the latest version: Harmful Irritant (Contd. on page 7			



Page 7/9

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 11.08.2023

Version number 25

Revision: 11.08.2023

Trade name MC-Injekt 2033 - Komponente A

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Carc. 2 (Contd. of page 6)

#### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- · Results of PBT and vPvB assessment
- · PBT:
- · vPvB:
- · Other adverse effects

Not applicable. Not applicable. No further relevant information available.

### **13 Disposal information**

- Waste treatment methods
   Recommendation
   Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
   Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	



Page 8/9

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 11.08.2023

Version number 25

Not applicable.

Revision: 11.08.2023

Trade name MC-Injekt 2033 - Komponente A

(Contd. of page 7)

Special precautions for user

· Transport in bulk according to Annex II of Not applicable. Marpol and the IBC Code Void

**UN** "Model Regulation":

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· EHS reference list

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

nt le transport des marchandises ions Concerning the International l des marchandises dangereuses par International Carriage of Dangerous rous Goods immercial Chemical Substances Substances the American Chemical Society) EACH) Ve 4 gory 2 on – Category 2 tegory 1 gle exposure) – Category 3 (Contd. on page 9)



# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 11.08.2023

Version number 25

Revision: 11.08.2023

Trade name MC-Injekt 2033 - Komponente A

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 • \* Data compared to the previous version altered.

(Contd. of page 8)

Page 9/9