

Page 1/8

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.02.2024

Version number 17

Revision: 17.02.2024

| Product identifier   |  |
|--|--|
| Trade name<br>Recommended use of the c<br>Sector of Use  | <u>MC-KL 1</u><br>:hemical and restrictions on use<br>SU22 Professional uses: Public domain (administrati  |
| Application of the substand  | education, entertainment, services, craftsmen)   |
| / the mixture  | Concrete/Mortar admixtures   |
| Details of the supplier of th<br>Manufacturer/Supplier:  | e safety data sheet<br>MC-Bauchemie Müller GmbH & Co. KG<br>Am Kruppwald 1-8<br>D-46238 Bottrop<br>Tel.: +49(0)2041-101-0<br>Fax.: +49(0)2041-101-400<br>E-Mail: info@mc-bauchemie.de<br>MC-Bauchemie AG<br>Hagackerstr. 10<br>CH-8953 Dietikon<br>Tel.: +44-7400510<br>Fax : +44-7400533                          |
| • • • • • •  |  |
| Hazard identification  | msds@mc-bauchemie.de   |
| <b>Hazard identification</b><br><b>Classification of the substa</b><br>Skin Irrit. 2 H315 Causes sk<br>Eye Dam. 1 H318 Causes se   | n <b>ce or mixture</b><br>kin irritation.<br>erious eye damage.  |
| <b>Hazard identification</b><br><b>Classification of the substa</b><br>Skin Irrit. 2 H315 Causes sk<br>Eye Dam. 1 H318 Causes se<br>STOT SE 3 H335 May cause   | n <b>ce or mixture</b><br>kin irritation.<br>erious eye damage.  |
| Hazard identification<br>Classification of the substa<br>Skin Irrit. 2 H315 Causes sk<br>Eye Dam. 1 H318 Causes se<br>STOT SE 3 H335 May cause<br>Label elements   | n <b>ce or mixture</b><br>kin irritation.<br>erious eye damage.<br>e respiratory irritation.<br>The product is classified and labelled according to the Glob   |
| <b>Hazard identification</b><br><b>Classification of the substa</b><br>Skin Irrit. 2 H315 Causes sk<br>Eye Dam. 1 H318 Causes se<br>STOT SE 3 H335 May cause<br><b>Label elements</b><br><b>GHS label elements</b>   | n <b>ce or mixture</b><br>kin irritation.<br>erious eye damage.<br>e respiratory irritation.   |
| <b>Hazard identification</b><br><b>Classification of the substa</b><br>Skin Irrit. 2 H315 Causes sk<br>Eye Dam. 1 H318 Causes se   | ance or mixture<br>kin irritation.<br>erious eye damage.<br>e respiratory irritation.<br>The product is classified and labelled according to the Glob<br>Harmonised System (GHS).  |
| Hazard identification<br>Classification of the substa<br>Skin Irrit. 2 H315 Causes sk<br>Eye Dam. 1 H318 Causes se<br>STOT SE 3 H335 May cause<br>Label elements<br>GHS label elements<br>Hazard pictograms  | ance or mixture<br>kin irritation.<br>erious eye damage.<br>e respiratory irritation.<br>The product is classified and labelled according to the Glob<br>Harmonised System (GHS).<br>GHS05 GHS07<br>Danger<br>Portland cement  |
| Hazard identification<br>Classification of the substa<br>Skin Irrit. 2 H315 Causes sk<br>Eye Dam. 1 H318 Causes se<br>STOT SE 3 H335 May cause<br>Label elements<br>GHS label elements<br>Hazard pictograms  | ance or mixture<br>kin irritation.<br>erious eye damage.<br>e respiratory irritation.<br>The product is classified and labelled according to the Globe<br>Harmonised System (GHS).<br>GHS05 GHS07<br>Danger<br>Portland cement<br>Fly ash Portland cement<br>Causes skin irritation.<br>Causes serious eye damage. |
| Hazard identification<br>Classification of the substa<br>Skin Irrit. 2 H315 Causes sk<br>Eye Dam. 1 H318 Causes se<br>STOT SE 3 H335 May cause<br>Label elements<br>GHS label elements<br>Hazard pictograms<br>Signal word<br>Hazard-determining<br>components of labelling: | Ance or mixture<br>kin irritation.<br>Perious eye damage.<br>Perious eye damage.<br>Perious eye damage.<br>Product is classified and labelled according to the Glob<br>Harmonised System (GHS).<br>GHS05 GHS07<br>Danger<br>Portland cement<br>Fly ash Portland cement<br>Causes skin irritation.                  |



Page 2/8

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.02.2024

Version number 17

Revision: 17.02.2024

Trade name MC-KL 1

(Contd. of page 1)

Wear protective gloves / eye protection / face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label).

Store in a well-ventilated place. Keep container tightly closed.

#### · Other hazards

#### · Results of PBT and vPvB assessment

· PBT: · vPvB: Not applicable. Not applicable.

#### 3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

| <sup>.</sup> Dangerous comp | onents:  |                           |
|-----------------------------|--|---------------------------|
| CAS: 14808-60-7             |  | 50-70%                    |
| CAS: 65997-15-1             |  | <i>≥</i> 20- <i>≤</i> 30% |
|                             | Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335           |                           |
|                             | Fly ash Portland cement  | ≥1-<2.5%                  |
|                             | Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335           |                           |
| • Additional inform         | nation For the wording of the listed hazard phrases refer to see | ction 16.                 |

#### 4 First-aid measures

• Description of first aid measures

| · After inhalation                     | In case of unconsciousness bring patient into stable side position for transport. |
|--|---|
| <ul> <li>After skin contact</li> </ul> | Instantly wash with water and soap and rinse thoroughly.                          |
| · After eye contact                    | Rinse opened eye for several minutes under running water. Then consult a doctor.  |
| · After swallowing                     | Rinse out mouth and then drink plenty of water.                                   |

#### 5 Fire-fighting measures

• Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from
- the substance or mixture No further relevant information available.
- Advice for firefighters • Protective equipment:
- No special measures required.

(Contd. on page 3)



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.02.2024

Version number 17

Revision: 17.02.2024

Trade name MC-KL 1

(Contd. of page 2)

Page 3/8

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Environmental precautions: No special measures required.

Not required.

- · Methods and material for
- containment and cleaning up: Ensure adequate ventilation.
- Reference to other sections N
- No dangerous materials are released. See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

#### 7 Handling and storage

- · Handling
- · Precautions for safe handling Prevent formation of dust.
- · Information about protection
- against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by
- storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about
- storage conditions: Keep container tightly sealed. Storage class 13

#### 8 Exposure controls and personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 14808-60-7 Quartz (SiO2)

PEL (Malaysia) Long-term value: 0.1\* mg/m<sup>3</sup> \*Pecahan ternafaskan

#### CAS: 65997-15-1 Portland cement

PEL (Malaysia) Long-term value: 10 mg/m<sup>3</sup>

#### · DNELs

#### CAS: 65997-15-1 Portland cement

Inhalative DNEL 1 mg/m<sup>3</sup> (ArL)

(Contd. on page 4)

MY



Page 4/8

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.02.2024

Version number 17

Revision: 17.02.2024

Trade name MC-KL 1

| · Additional information:               | (Contd. of page 3)<br>The lists that were valid during the compilation were used as basis. |
|---|--|
| · Exposure controls                     |  |
| · Personal protective equipn            | nent   |
| • General protective and                |  |
| hygienic measures                       | Keep away from foodstuffs, beverages and food.   |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | Instantly remove any soiled and impregnated garments.                                      |
|   | Wash hands during breaks and at the end of the work.                                       |
|   | Avoid contact with the skin.   |
|   | Avoid contact with the eyes and skin.  |
| · Breathing equipment:                  | If the limit value is exceeded, respiratory protection with particle                       |
|   | filter P2 (white) is required.   |
| · Protection of hands:                  | Protective gloves.   |
|   | Selection of the glove material on consideration of the penetration                        |
|   | times, rates of diffusion and the degradation  |
|   | After use of gloves apply skin-cleaning agents and skin cosmetics.                         |
| · Material of gloves                    | The selection of the suitable gloves does not only depend on the                           |
|   | material, but also on further marks of quality and varies from                             |
|   | manufacturer to manufacturer. As the product is a preparation of                           |
|   | several substances, the resistance of the glove material can not be                        |
|   | calculated in advance and has therefore to be checked prior to the                         |
|   | application.   |
|   | Strong gloves  |
| · Penetration time of glove             |  |
| material                                | The exact breakthrough time must be obtained from the protective                           |
|   | glove manufacturer and must be observed.   |
| · Eye protection:                       | Tightly sealed safety glasses.   |
| · Body protection:                      | Impervious protective clothing   |
|   | Protective work clothing.  |
|   | r rotodavo work olotining.   |

| Solid.                               |   |
|--------------------------------------|---|
| Grey                                 |   |
| Characteristic                       |   |
| Not determined.                      |   |
| Mixture reacts violently with water. |   |
| Not applicable.                      |   |
|                                      |   |
| 2230 °C                              |   |
| inge Not determined                  |   |
| Not applicable                       |   |
| 1                                    | Grey<br>Characteristic<br>Not determined.<br>Mixture reacts violently with water.<br>Not applicable.<br>2230 °C<br>nge Not determined |



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.02.2024

Version number 17

Revision: 17.02.2024

Page 5/8

Trade name MC-KL 1

|  |                                    | (Contd. of pag |
|--|------------------------------------|----------------|
| Flammability (solid, gas)              | Not determined.                    |                |
| Decomposition temperature:             | Not determined.                    |                |
| Auto-ignition temperature              | Product is not selfigniting.       |                |
| Explosive properties:                  | Product is not explosive.          |                |
| Critical values for explosion:         |                                    |                |
| Lower:                                 | Not determined.                    |                |
| Upper:                                 | Not determined.                    |                |
| Steam pressure:                        | Not applicable.                    |                |
| Density                                | Not determined                     |                |
| Relative density                       | Not determined.                    |                |
| Vapour density                         | Not applicable.                    |                |
| Evaporation rate                       | Not applicable.                    |                |
| Solubility in / Miscibility with       |                                    |                |
| Water:                                 | Unsoluble                          |                |
| Partition coefficient: n-octanol/water | Not determined.                    |                |
| Viscosity:                             |                                    |                |
| dynamic:                               | Not applicable.                    |                |
| kinematic:                             | Not applicable.                    |                |
| Other information                      |                                    |                |
| A.I P                                  | er relevant information available. |                |

| OStability and reactivity            |   |
|--------------------------------------|---|
| · Reactivity<br>· Chemical stability | No further relevant information available.<br>stable  |
| • Thermal decomposition /            | Stable  |
| conditions to be avoided:            | No decomposition if used according to specifications. |
| Possibility of hazardous             |   |
| reactions                            | No dangerous reactions known                          |
| · Conditions to avoid                | No further relevant information available.            |
| · Incompatible materials:            | No further relevant information available.            |
| · Hazardous decomposition            |   |
| products:                            | No dangerous decomposition products known             |

(Contd. on page 6)

M١



Page 6/8

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.02.2024

Version number 17

Revision: 17.02.2024

Trade name MC-KL 1

(Contd. of page 5)

| <ul> <li>Information on toxicological</li> <li>Acute toxicity</li> </ul>   | effects   |
|--|---|
| · LD/LC50 values that are rele   | vant for classification:  |
| CAS: 65997-15-1 Portland ce  | ment  |
| Dermal LD50 2000 mg/<br>Inhalative LC50/4 h 5 mg/l (ra   | /kg (rabbit)<br>ht)   |
| Primary irritant effect:<br>Skin corrosion or irritation<br>Serious eye damage or eye  | Irritant for skin and mucous membranes.   |
| irritation<br>· Respiratory / skin   | Strong irritant with the danger of severe eye injury.   |
| sensitization<br>• Additional toxicological  | No sensitizing effect known.  |
| information:   | The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:                           |
|  | Irritant  |
| 2 Ecological information   | Irritant  |
| · Toxicity   |   |
| <ul> <li>Toxicity</li> <li>Aquatic toxicity:</li> <li>Persistence and degradability</li> </ul>                                     | No further relevant information available.<br>ty No further relevant information available.   |
| <ul> <li>Toxicity</li> <li>Aquatic toxicity:</li> <li>Persistence and degradability</li> <li>Behaviour in environmental</li> </ul> | No further relevant information available.<br>ty No further relevant information available.   |
| <ul> <li>Toxicity</li> <li>Aquatic toxicity:</li> <li>Persistence and degradability</li> <li>Behaviour in environmental</li> </ul> | No further relevant information available.<br>ty No further relevant information available.<br>systems:<br>No further relevant information available.<br>No further relevant information available. |

· vPvB:

Not applicable. Not applicable.

• Other adverse effects No further relevant information available.

### 13 Disposal information

- · Waste treatment methods
- Recommendation

Can be reused without processing. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Page 7/8

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.02.2024

Version number 17

Revision: 17.02.2024

(Contd. of page 6)

Trade name MC-KL 1

Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

| 14 Transportation information  |                               |
|--|-------------------------------|
| · UN-Number<br>· ADR, IMDG, IATA   | Void                          |
| · UN proper shipping name<br>· ADR, IMDG, IATA                                       | Void                          |
| <ul> <li>Transport hazard class(es)</li> </ul>                                       |                               |
| · ADR, ADN, IMDG, IATA<br>· Class  | Void                          |
| · Packing group<br>· ADR, IMDG, IATA   | Void                          |
| · Environmental hazards:<br>· Marine pollutant:                                      | No                            |
| · Special precautions for user   | Not applicable.               |
| <ul> <li>Transport in bulk according to Annex<br/>Marpol and the IBC Code</li> </ul> | <i>I</i> I of Not applicable. |
| · UN "Model Regulation":   | Void                          |

#### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

· Contact:

| · Abbreviations and acronyms: | RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International |
|-------------------------------|---|
|                               | Transport of Dangerous Goods by Rail)   |
|                               | ICAO: International Civil Aviation Organisation   |
|                               | ADR: Accord relatif au transport international des marchandises dangereuses par   |
|                               | route (European Agreement Concerning the International Carriage of Dangerous  |
|                               | Goods by Road)  |
|                               | IMDG: International Maritime Code for Dangerous Goods   |
|                               | IATA: International Air Transport Association   |
|                               | (Contd. on page 8)  |

\_\_\_\_\_M



# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.02.2024

Version number 17

Revision: 17.02.2024

Page 8/8

Trade name MC-KL 1

| (Contd. of page  |
|--|
| EINECS: European Inventory of Existing Commercial Chemical Substances  |
| ELINCS: European List of Notified Chemical Substances  |
| CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>DNEL: Derived No-Effect Level (REACH) |
| LC50: Lethal concentration, 50 percent   |
| LD50: Lethal dose, 50 percent  |
| PBT: Persistent, Bioaccumulative and Toxic   |
| vPvB: very Persistent and very Bioaccumulative   |
| Skin Irrit. 2: Skin corrosion or irritation – Category 2   |
| Eye Dam. 1: Serious eye damage or eye irritation – Category 1  |
|  |
| STOT SE 3: Specific target organ toxicity (single exposure) – Category 3   |

MY \_\_\_\_