

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 22

Revision: 12.10.2024

Page 1/8

Product identifier		
Trade name Recommended use of the chemical and restrictions on	MC-Montan Drive FL 02	
use Application of the substance	No further relevant information available.	
/ the mixture	soil conditioning	
Details of the supplier of the s		
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG	
	Am Kruppwald 1-8	
	D-46238 Bottrop Tel.: +49(0)2041-101-0	
	Fax.: +49(0)2041-101-400	
	E-Mail: info@mc-bauchemie.de	
	MC-Bauchemie AG	
	Hagackerstr. 10	
	CH-8953 Dietikon	
	Tel.: +44-7400510	
	Fax : +44-7400533	
Informing department:	msds@mc-bauchemie.de	
Hazard identification		
Classification of the substand	ce or mixture	
Fire limit 0 11040 Correspondencies		
Eye Irrit. 2 H319 Causes seriou	is eye irritation.	
Label elements	The product is classified and labelled according to the Glob	
Label elements GHS label elements Hazard pictograms		
Label elements GHS label elements	The product is classified and labelled according to the Glob	
Label elements GHS label elements	The product is classified and labelled according to the Glob	
Label elements GHS label elements	The product is classified and labelled according to the Glob	
Label elements GHS label elements Hazard pictograms	The product is classified and labelled according to the Globe Harmonised System (GHS). GHS07	
Label elements GHS label elements Hazard pictograms Signal word	The product is classified and labelled according to the Glob Harmonised System (GHS). GHS07 Warning	
Label elements GHS label elements Hazard pictograms Signal word Hazard statements	The product is classified and labelled according to the Glob Harmonised System (GHS). GHS07 Warning H319 Causes serious eye irritation.	
Label elements GHS label elements Hazard pictograms Signal word Hazard statements	The product is classified and labelled according to the Glob Harmonised System (GHS). GHS07 Warning H319 Causes serious eye irritation. P264 Wash thoroughly after handling. P280 Wear eye protection / face protection.	
Label elements GHS label elements Hazard pictograms Signal word	The product is classified and labelled according to the Glob Harmonised System (GHS). GHS07 Warning H319 Causes serious eye irritation. P264 Wash thoroughly after handling. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water	
Label elements GHS label elements Hazard pictograms Signal word Hazard statements	The product is classified and labelled according to the Globel Harmonised System (GHS). GHS07 Warning H319 Causes serious eye irritation. P264 Wash thoroughly after handling. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water several minutes. Remove contact lenses	
Label elements GHS label elements Hazard pictograms Signal word Hazard statements	The product is classified and labelled according to the Globel Harmonised System (GHS). GHS07 Warning H319 Causes serious eye irritation. P264 Wash thoroughly after handling. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water several minutes. Remove contact lenses present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advi	
Label elements GHS label elements Hazard pictograms Signal word Hazard statements Precautionary statements	The product is classified and labelled according to the Globel Harmonised System (GHS). GHS07 Warning H319 Causes serious eye irritation. P264 Wash thoroughly after handling. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water several minutes. Remove contact lenses present and easy to do. Continue rinsing.	
Label elements GHS label elements Hazard pictograms Signal word Hazard statements	The product is classified and labelled according to the Globel Harmonised System (GHS).	



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 22

Revision: 12.10.2024

Trade name MC-Montan Drive FL 02

· vPvB:

Not applicable.

(Contd. of page 1)

Page 2/8

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

Dangerous components:

CAS: 68891-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, ≥5-<10% sodium salts Translate Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412

For the wording of the listed hazard phrases refer to section 16.

Additional information

4 First-aid measures

· Description of first aid measures

• After inhalation	Supply fresh air.
 After skin contact 	Instantly rinse with water.
· After eye contact	Rinse opened eye for several minutes under running water. Call a doctor immediately.
· After swallowing	Rinse out mouth and then drink plenty of water. Seek medical treatment.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
 - No further relevant information available.
- · Advice for firefighters
- **Protective equipment:** No special measures required.

6 Accidental release measures

Not required.
Prevent material from reaching sewage system, holes and cellars. Dilute with much water.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment. (Contd. on page 3)



Page 3/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 22

Revision: 12.10.2024

(Contd. of page 2)

Trade name MC-Montan Drive FL 02

See Section 13 for information on disposal.

7 Handling and storage

- · Handling
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- · Information about protection
- against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in
- one common storage facility: Not required.
- Further information about storage conditions: None.
 Storage class 12

8 Exposure controls and personal protection

 Additional information about design of technical systems: No further data; see section 7.

· Control parameters

- Components with critical
- values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

DNELS				
CAS: 688	91-38-3		c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, ts Translate	
Oral	DNEL	15 mg/kg bw	ı/Tag (ArL)	
Dermal	DNEL	2750 mg/kg	2750 mg/kg bw/day (ArL)	
Inhalative	DNEL	175 mg/m³ (.	ArL)	
· Additiona	l inforr	mation:	The lists that were valid during the compilation were used as basis.	
· Personal · General p hygienic i	rotecti		ent Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.	
· Breathing	equip	ment:	Avoid contact with the eyes and skin. In case of brief exposure or low pollution or when application is performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filter apparatus. In case of intensive or longer exposure use breathing (Contd. on page 4)	



Page 4/8

Safety Data Sheet according to P.U.(A) 310/2013

 Printing date 10.12.2024
 Version number 22
 Revision: 12.10.2024

 Trade name MC-Montan Drive FL 02
 Version number 22
 Revision: 12.10.2024

· Protection of hands:	(Contd. of page 3) apparatus that is independent of circulating air. Protective gloves. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics.
· Material of gloves	Nitrile rubber, NBR Butyl rubber, BR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
 Penetration time of glove material Eye protection: Body protection: 	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed. Not required. Protective work clothing.

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Fluid	
Colour:	Yellow	
Smell:	Weak, characteristic	
pH-value at 20 °C:	6.7	
Change in condition		
Melting point/freezing point	Not determined	
	Not applicable	
Initial boiling point and boiling ra	ange 100 °C	
Flash point:	Not applicable	
Auto-ignition temperature	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Steam pressure at 20 °C:	23 hPa	
Density at 20 °C	1.03 g/cm³	
Solubility in / Miscibility with		
Water:	Fully miscible	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 22

Revision: 12.10.2024

(Contd. of page 4)

Page 5/8

Trade name MC-Montan Drive FL 02

· Other information

No further relevant information available.

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

· Reactivity · Chemical stability No further relevant information available.

No decomposition if used according to specifications.

· Possibility of hazardous	
reactions	No dangerous reactions known
 Conditions to avoid 	No further relevant information available.
 Incompatible materials: 	No further relevant information available.
Hazardous decomposition	
, products:	No dangerous decomposition products kno

No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values that are relevant for classification:

CAS: 6	8891-3		c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, ts Translate
Oral	LD50	>2000 mg/kg (r	at)
Dermal	LD50	>2000 mg/kg (r	at)
· Skin co · Serious irritatio · Respira sensitia	orrosio s eye o n atory / zation nal to:	nt effect: n or irritation lamage or eye skin xicological	No irritant effect. No irritant effect. No sensitizing effect known. The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant

(Contd. on page 6)



Page 6/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 22

Revision: 12.10.2024

Trade name MC-Montan Drive FL 02

(Contd. of page 5)

· Toxicity		
 Aquatic toxic 	ity:	
CAS: 68891-3		c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates ts Translate
LC50/96h 7.1 mg/l (Brachydanio rerio)		anio rerio)
EC50/48h 7.2	2 mg/l (Daphnia	magna)
NOEC 0.	95 mg/l (Scened	lesmus subspicatus)
ErC50/72h 27	27.7 mg/l (Scenedesmus subspicatus)	
[.] Behaviour in	environmental	ty No further relevant information available. systems:
• Bioaccumula • Mobility in so		No further relevant information available. No further relevant information available.
	" ological inform	
General notes		Do not allow undiluted product or large quantities of it to read ground water, water bodies or sewage system.
Results of PE	T and vPvB as	sessment
· PBT:		Not applicable.
· vPvB:		Not applicable.
 Other adverse 	e effects	No further relevant information available.

13 Disposal information

• Waste treatment methods • Recommendation	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
 Recommended cleaning agent: 	Water, if necessary with cleaning agent.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	



Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 22

Revision: 12.10.2024

Trade name MC-Montan Drive FL 02

		(Contd. of page
Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
Packing group ADR, IMDG, IATA	Void	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
<i>Transport in bulk according to Ann</i> <i>Marpol and the IBC Code</i>	ex II of Not applicable.	
UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Department issuing data specification sheet: Contact: 	Environment protection department.
• Abbreviations and acronyms:	 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion or irritation – Category 2
	(Contd. on page 8)

Page 7/8



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 22

Revision: 12.10.2024

Page 8/8

M١

Trade name MC-Montan Drive FL 02

	L 02	
• * Data compared to the	Eye Dam. 1: Serious eye damage or eye irritation – Category 1 Eye Irrit. 2: Serious eye damage or eye irritation – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment Category 3	(Contd. of page 7) - chronic hazard –
previous version altered.		