

\*

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 09.12.2024

Version number 26

Revision: 18.09.2024

Page 1/8

· Product identifier		
Trade name Recommended use of the chemical and restrictions on	MC-Montan Drive FL 04	
use Application of the substance	No further relevant information available.	
/ the mixture	soil conditioning	
Details of the supplier of the s		
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG	
	Am Kruppwald 1-8 D-46238 Bottrop	
	Tel.: +49(0)2041-101-0	
	Fax.: +49(0)2041-101-400	
	E-Mail: info@mc-bauchemie.de	
	MC-Bauchemie AG	
	Hagackerstr. 10	
	CH-8953 Dietikon	
	Tel.: +44-7400510	
	Fax : +44-7400533	
Informing department:	msds@mc-bauchemie.de	
	ce or mixture	
Classification of the substand		
	irritation.	
Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serio	irritation.	
Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serio Label elements	irritation.	
	irritation. ous eye damage. The product is classified and labelled according to the Glob	
Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seric Label elements GHS label elements	irritation. ous eye damage. The product is classified and labelled according to the Glob	
Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seric Label elements GHS label elements	irritation. ous eye damage. The product is classified and labelled according to the Glob	
Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serio Label elements GHS label elements Hazard pictograms	irritation. ous eye damage. The product is classified and labelled according to the Glob Harmonised System (GHS).	
Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seric Label elements GHS label elements Hazard pictograms	irritation. bus eye damage. The product is classified and labelled according to the Globe Harmonised System (GHS). GHS05	
Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seric Label elements GHS label elements Hazard pictograms	irritation. Dus eye damage. The product is classified and labelled according to the Globe Harmonised System (GHS). GHS05 Danger Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 E	
Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seric Label elements GHS label elements Hazard pictograms Signal word Hazard-determining components of labelling:	irritation. Dus eye damage. The product is classified and labelled according to the Globe Harmonised System (GHS). GHS05 Danger Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 E sulphates, sodium salts Translate H315 Causes skin irritation.	
Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seric Label elements GHS label elements Hazard pictograms Signal word Hazard-determining	irritation. Dus eye damage. The product is classified and labelled according to the Globe Harmonised System (GHS). GHS05 Danger Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 E sulphates, sodium salts Translate	



Page 2/8

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 09.12.2024

Version number 26

Revision: 18.09.2024

#### Trade name MC-Montan Drive FL 04

	P310 P321 P332+P313 P362	(Contd. of page 1) Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.
<ul> <li>Other hazards</li> <li>Results of PBT and vPvB ass</li> <li>PBT:</li> </ul>		
vPvB:	Not applicable. Not applicable.	

## 3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:

CAS: 68891-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, ≥10-<25% sulphates, sodium salts Translate Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412

• Additional information For the wording of the listed hazard phrases refer to section 16.

## 4 First-aid measures

<ul> <li>Description of first aid m</li> </ul>	easures
After inhalation	Supply fresh air.
<ul> <li>After skin contact</li> </ul>	Instantly rinse with water.
· After eye contact	Rinse opened eye for several minutes under running water. Call a doctor immediately.
· After swallowing	Rinse out mouth and then drink plenty of water. Seek medical treatment.

### 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from
- the substance or mixture No further relevant information available.
- Advice for firefighters • Protective equipment:
- No special measures required.

#### 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures

Not required.

MY



Page 3/8

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 09.12.2024

Version number 26

Revision: 18.09.2024

Trade name MC-Montan Drive FL 04

• Environmental precautions:	(Contd. of page 2) Prevent material from reaching sewage system, holes and cellars. Dilute with much water.
• Methods and material for	Abornh with linvid birding works with (sound distance)
containment and cleaning up	: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Reference to other sections	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment.
	See Section 13 for information on disposal.

# 7 Handling and storage

#### · Handling

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- · Information about protection
- against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
   Information about storage in one common storage facility: Not required.
   Further information about storage conditions: None.
   Storage class 12
- 8 Exposure controls and personal protection
- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with critical
- values that require
- *monitoring at the workplace:* The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

·	DNELs

CAS: 688	91-38-3	Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate
Oral	DNEL	15 mg/kg bw/Tag (ArL)
Dermal	DNEL	2750 mg/kg bw/day (ArL)
Inhalative	DNEL	175 mg/m³ (ArL)
· Additiona	l inforr	nation: The lists that were valid during the compilation were used as basis.
		(Contd. on page 4)



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 09.12.2024

Version number 26

Revision: 18.09.2024

Page 4/8

Trade name MC-Montan Drive FL 04

	(Contd. of page
Exposure controls	
Personal protective equipr	nent
General protective and	
hygienic measures	Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.
Breathing equipment:	In case of brief exposure or low pollution or when application performed at confined area with adequate mechanical ventilati meeting local authority requirements, use breathing fill apparatus. In case of intensive or longer exposure use breathi apparatus that is independent of circulating air.
Protection of hands:	Protective gloves. Selection of the glove material on consideration of the penetrati times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetic
Material of gloves	Nitrile rubber, NBR Butyl rubber, BR
	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation several substances, the resistance of the glove material can not calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove	
material	The exact breakthrough time must be obtained from the protecti glove manufacturer and must be observed.
Eye protection:	Not required.
Body protection:	Protective work clothing.

Information on basic physical and General Information Appearance:	l chemical properties	
Form:	Fluid	
Colour:	Yellow	
Smell:	Characteristic	
pH-value at 20 °C:	5.5	
Change in condition		
Melting point/freezing point	Not determined	
	Not applicable	
Initial boiling point and boiling r	ange 100 °C	
Flash point:	Not applicable	
		(Contd. on page



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 09.12.2024

Version number 26

Revision: 18.09.2024

Page 5/8

Trade name MC-Montan Drive FL 04

(Contd. of page
Product is not selfigniting.
Product is not explosive.
23 hPa
1.04 g/cm³
Fully miscible
<100 mPas
Not determined.
No further relevant information available.

#### 10 Stability and reactivity

# Reactivity Chemical stability

No further relevant information available.

No decomposition if used according to specifications.

conditions to be avoided: · Possibility of hazardous reactions · Conditions to avoid

· Incompatible materials:

· Thermal decomposition /

No dangerous reactions known

- No further relevant information available.
- No further relevant information available.

• Hazardous decomposition products: No dangerous decomposition products known

#### 11 Toxicological information

 Information on toxicological effects · Acute toxicity · LD/LC50 values that are relevant for classification: CAS: 68891-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate LD50 >2000 mg/kg (rat) Oral Dermal LD50 >2000 mg/kg (rat) Primary irritant effect: · Serious eye damage or eye No irritant effect. irritation · Respiratory / skin sensitization No sensitizing effect known. · Additional toxicological The product shows the following dangers according to the information: calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: (Contd. on page 6)

- MY -



Page 6/8

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 09.12.2024

Version number 26

Revision: 18.09.2024

Trade name MC-Montan Drive FL 04

		Irritant (Contd. of page
Ecologic	al information	
• Toxicity		No foutbook and information and in his
Aquatic to CAS: 6889	-	No further relevant information available. c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates
	sodium sa	Its Translate
LC50/96h	7.1 mg/l (Brachyd	lanio rerio)
EC50/48h	7.2 mg/l (Daphnia	n magna)
NOEC	0.95 mg/l (Scened	desmus subspicatus)
ErC50/72h	27.7 mg/l (Scened	desmus subspicatus)
· General no	PBT and vPvB as	Do not allow undiluted product or large quantities of it to read ground water, water bodies or sewage system.
-	<b>information</b> tment methods ndation	Must not be disposed of together with household garbage. Do n
· Uncleaned · Recommen	packagings: ndation:	allow product to reach sewage system. Empty contaminated packagings thoroughly. They can be recycle after thorough and proper cleaning.
<b>D</b>		

· Recommended cleaning agent:

Water, if necessary with cleaning agent.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, ĬATA	Void	



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 09.12.2024

Version number 26

Revision: 18.09.2024

Trade name MC-Montan Drive FL 04

		(Contd. of page
Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
Packing group ADR, IMDG, IATA	Void	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann Marpol and the IBC Code	<b>ex II of</b> Not applicable.	
UN "Model Regulation":	Void	

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

<ul> <li>Department issuing data specification sheet:</li> <li>Contact:</li> </ul>	Environment protection department.
• Abbreviations and acronyms:	dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion or irritation – Category 2
	(Contd. on page 8)

Page 7/8



# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 09.12.2024

Version number 26

Revision: 18.09.2024

Page 8/8

MY

Trade name MC-Montan Drive FL 04

(Contd. of page 7) Eye Dam. 1: Serious eye damage or eye irritation – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - chronic hazard – Category 3

• \* Data compared to the previous version altered.