

Page 1/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 22.09.2023

Version number 25

Revision: 22.09.2023

· Product identifier	
 Trade name Recommended use of the 	MC-Montan Injekt CB - Komponente B
chemical and restrictions on use	No further relevant information available.
• Application of the substance	
/ the mixture	Injektion Hardening agent/ Curing agent
• Details of the supplier of the s • Manufacturer/Supplier:	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department:	msds@mc-bauchemie.de
Hazard identification	
Classification of the substant	
Skin Irrit. 2 H315 Causes sl	kin irritation.
Skin Irrit. 2H315 Causes slEye Irrit. 2H319 Causes se	kin irritation. erious eye irritation.
Skin Irrit. 2H315 Causes shEye Irrit. 2H319 Causes shResp. Sens. 1H334 May causes	kin irritation. erious eye irritation. e allergic or asthma symptoms or breathing difficulties if inhaled.
Skin Irrit. 2H315 Causes slEye Irrit. 2H319 Causes seResp. Sens. 1H334 May causeSkin Sens. 1H317 May cause	kin irritation. erious eye irritation. e allergic or asthma symptoms or breathing difficulties if inhaled. e allergic skin reaction.
Skin Irrit. 2H315 Causes shEye Irrit. 2H319 Causes shResp. Sens. 1H334 May causeSkin Sens. 1H317 May causeCarc. 2H351 Suspected	kin irritation. erious eye irritation. e allergic or asthma symptoms or breathing difficulties if inhaled.
Skin Irrit. 2H315 Causes shEye Irrit. 2H319 Causes shResp. Sens. 1H334 May caushSkin Sens. 1H317 May caushCarc. 2H351 SuspectedSTOT SE 3H335 May caush	kin irritation. erious eye irritation. e allergic or asthma symptoms or breathing difficulties if inhaled. e allergic skin reaction. d of causing cancer.
Skin Irrit. 2H315 Causes shEye Irrit. 2H319 Causes shResp. Sens. 1H334 May caushSkin Sens. 1H317 May caushCarc. 2H351 SuspectedSTOT SE 3H335 May caush	kin irritation. erious eye irritation. e allergic or asthma symptoms or breathing difficulties if inhaled. e allergic skin reaction. d of causing cancer. e respiratory irritation. e damage to organs through prolonged or repeated exposure.
Skin Irrit. 2H315 Causes slEye Irrit. 2H319 Causes seResp. Sens. 1H334 May causeSkin Sens. 1H317 May causeCarc. 2H351 SuspectedSTOT SE 3H335 May causeSTOT RE 2H373 May cause Label elements	kin irritation. erious eye irritation. e allergic or asthma symptoms or breathing difficulties if inhaled. e allergic skin reaction. d of causing cancer. e respiratory irritation. e damage to organs through prolonged or repeated exposure. The product is classified and labelled according to the Globa
Skin Irrit. 2H315 Causes slEye Irrit. 2H319 Causes seResp. Sens. 1H334 May causeSkin Sens. 1H317 May causeCarc. 2H351 SuspectedSTOT SE 3H335 May causeSTOT RE 2H373 May causeCabel elementsGHS label elements	kin irritation. erious eye irritation. e allergic or asthma symptoms or breathing difficulties if inhaled. e allergic skin reaction. d of causing cancer. e respiratory irritation. e damage to organs through prolonged or repeated exposure. The product is classified and labelled according to the Globa
Skin Irrit. 2H315 Causes slEye Irrit. 2H319 Causes seResp. Sens. 1H334 May causeSkin Sens. 1H317 May causeCarc. 2H351 SuspectedSTOT SE 3H335 May causeSTOT RE 2H373 May causeCabel elementsGHS label elements	kin irritation. erious eye irritation. e allergic or asthma symptoms or breathing difficulties if inhaled. e allergic skin reaction. d of causing cancer. e respiratory irritation. e damage to organs through prolonged or repeated exposure. The product is classified and labelled according to the Globa Harmonised System (GHS).
Skin Irrit. 2H315 Causes slEye Irrit. 2H319 Causes seResp. Sens. 1H334 May causeSkin Sens. 1H317 May causeCarc. 2H351 SuspectedSTOT SE 3H335 May causeSTOT RE 2H373 May causeGHS label elementsHazard pictograms	kin irritation. erious eye irritation. e allergic or asthma symptoms or breathing difficulties if inhaled. e allergic skin reaction. d of causing cancer. e respiratory irritation. e damage to organs through prolonged or repeated exposure. The product is classified and labelled according to the Globa Harmonised System (GHS). GHS07 GHS08



Page 2/9

MY

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 22.09.2023

Version number 25

Revision: 22.09.2023

Trade name MC-Montan Injekt CB - Komponente B

	(Contd. of page
	Causes serious eye irritation.
	May cause allergic or asthma symptoms or breathing difficultie inhaled.
	May cause allergic skin reaction.
	Suspected of causing cancer.
	May cause respiratory irritation.
	• • •
	May cause damage to organs through prolonged or repea
	exposure.
 Precautionary statements 	Do not breathe dust/fume/gas/mist/ vapours/spray.
-	Wear protective gloves / eye protection / face protection.
	Use personal protective equipment as required.
	In case of inadequate ventilation wear respiratory protection.
	IF IN EYES: Rinse cautiously with water for several minut
	Remove contact lenses, if present and easy to do. Contin
	rinsing.
	5
	Store in a well-ventilated place. Keep container tightly closed.

· Results of PBT and vPvB assessment

· PBT: · vPvB: Not applicable. Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerou	s components:	
9016-87-9	diphenylmethanediisocyanate,isomeres and homologues	60-80%
	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	≥1-<1.5%
	Eye Dam. 1, H318	
Additional	information For the wording of the listed hazard phrases refer to see	tion 16.

4 First-aid measures			
· Description of first aid measures			
General information	Instantly remove any clothing soiled by the product.		
	Take affected persons into the open air.		
	Seek medical treatment.		
· After inhalation	Supply fresh air.		
	Call a doctor immediately.		
 After skin contact 	Instantly wash with water and soap and rinse thoroughly.		
· After eye contact	Rinse opened eye for several minutes under running water.		
2	Seek medical treatment.		
· After swallowing	Call a doctor immediately.		
-	(Contd. on page 3)		



Page 3/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 22.09.2023

Version number 25

Revision: 22.09.2023

Trade name MC-Montan Injekt CB - Komponente B

Information for doctor		(Contd. of page 2)
Most important symptoms and effects, both acute and		
delayed	No further relevant information available.	
Indication of any immediate medical attention and special		
•	No further relevant information available.	

5 Fire-fighting measures

• Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· Special hazards arising from	
the substance or mixture	Can be released in case of fire
	Carbon monoxide (CO)
	Nitrogen oxides (NOx)
	Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:
	Hydrogen cyanide (HCN)
Advice for firefighters	
 Protective equipment: 	Wear self-contained breathing apparatus.

6 Accidental release measures

 Personal precautions, protective equipment and 	
emergency procedures	Ensure adequate ventilation
• • • •	Use breathing protection against the effects of fumes/dust/aerosol.
 Environmental precautions: 	Prevent material from reaching sewage system, holes and cellars.
Methods and material for	
containment and cleaning up	: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
	Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.
Reference to other sections	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

7 Handling and storage

· Handling

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

 Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

⁻ MY



Page 4/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 22.09.2023

Version number 25

Revision: 22.09.2023

Trade name MC-Montan Injekt CB - Komponente B

(Contd. of page 3)

(Contd. on page 5)

MY

 Conditions for safe storage, in Storage 	ncluding any incompatibilities
 Requirements to be met by storerooms and containers: Information about storage in 	Store only in the original container.
one common storage facility: Further information about	Store away from foodstuffs.
storage conditions: · Storage class · Specific end use(s)	Keep container tightly sealed. 10 No further relevant information available.

8 Exposure controls and personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
 Components with critical
 values that require
 monitoring at the workplace: The product does not contain any relevant quantities of materials
 with critical values that have to be monitored at the workplace.

· DNELs

·DNELs	5	
9016-8	7-9 diphenylmethane	ediisocyanate, isomeres and homologues
Inhalat	ive DNEL 0.05 mg/m ³	³ (ArL)
PNEC	5	
9016-8	7-9 diphenylmethane	ediisocyanate,isomeres and homologues
PNEC	1 mg/l (Sewage Treat	ment Plant)
	0.1 mg/l (Mew)	
	1 mg/l (Suw)	
PNEC	1 mg/kg dwt (Bod)	
· Additi	onal information:	The lists that were valid during the compilation were used as basis.
	ure controls	4
	nal protective equipm al protective and	ient
hygien	nic measures	Keep away from foodstuffs, beverages and food.
		Instantly remove any soiled and impregnated garments.
		Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.
		Do not eat, drink or smoke while working.
· Breath	ing equipment:	Respiratory protection is required at inadequately ventilated
		workplaces and during spray processing. Fresh air masks or combination filters A2-P2 are recommended for short-term work.
· Protec	tion of hands:	Conditionally suitable materials for protective gloves; EN 374-3:

Nitrile rubber - NBR: Thickness ≥ 0.35 mm.

Only suitable for splash protection. Only suitable for short-term exposure. In case of contamination, the protective gloves must be



Page 5/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 22.09.2023

Version number 25

Revision: 22.09.2023

Trade name MC-Montan Injekt CB - Komponente B

	(Contd. of page 4)
	changed immediately.
· Material of gloves	Nitrile rubber, NBR
· Penetration time of glove	
material	The exact breakthrough time must be obtained from the protective
	glove manufacturer and must be observed.
Eye protection:	Safety glasses
<i>,</i> , , , , , , , , , , , , , , , , , ,	Tightly sealed safety glasses.
· Body protection:	Protective work clothing.

9 Physical and chemical properties

Appearance: Form:	Fluid	
Colour:	Light brown	
Smell:	earthy, musty	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point	Not determined	
Initial boiling point and boiling r	ange 190 °C	
Flash point:	201 °C	
Auto-ignition temperature	400 °C	
Auto-ignition temperature	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Steam pressure at 25 °C:	0 hPa	
Density at 20 °C	1.17 g/cm³	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix	
Viscosity:		
dynamic at 20 °C:	270-330 mPas	
kinematic:	Not determined.	
Other information		

10 Stability and reactivity

· Reactivity

No further relevant information available.

(Contd. on page 6)

⁻ MY -



Page 6/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 22.09.2023

Version number 25

Revision: 22.09.2023

Trade name MC-Montan Injekt CB - Komponente B

Chamical -	tabil:4 -		(Contd. of page 5
Chemical s Thermal de		sition /	
conditions			No decomposition if used according to specifications.
Possibility			
reactions			Reacts with amines
Conditions	to avoid	d	No further relevant information available.
Incompatib			No further relevant information available.
Hazardous	decomp	position	
products:			No dangerous decomposition products known
Toxicolo	gical in	formatio	n
Information		icological	effects
Acute toxic	•		vant for classification:
			iisocyanate,isomeres and homologues
	.D50	>10000 m	
	.D50	>5000 mg	
Inhalative L	.C50/4 h	~450 mg/l	(Rat)
2530-83-8 [3-(2,3-ер	oxypropo	xy)propyl]trimethoxysilane
Oral L	.D50	8030 mg/l	<pre></pre>
Dermal L	.D50	4248 mg/l	<g (rabbit)<="" td=""></g>
Primary irr	itant effe	ect:	
Skin corros			Irritant for skin and mucous membranes.
Serious ey	e damag	e or eye	
irritation	· / alin		Irritant effect.
Respiratory sensitization			Sensitization possible by inhalation.
Sensilizatio	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Sensitization possible by skin contact.
	4	gical	
Additional	τοχιςοιο	gioui	
Additional information		-	The product shows the following dangers according to the
		-	
		-	
		-	calculation method of the General EC Classification Guidelines for
information	1:	-	
information CMR effect	n: s (carcir		calculation method of the General EC Classification Guidelines fo Preparations as issued in the latest version: Harmful Irritant
information	n: s (carcin ity and to		calculation method of the General EC Classification Guidelines fo Preparations as issued in the latest version: Harmful Irritant

(Contd. on page 7)



Page 7/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 22.09.2023

Version number 25

Revision: 22.09.2023

Trade name MC-Montan Injekt CB - Komponente B

(Contd. of page 6)

12 Eco	logical	l informa	tion

- · Toxicity
- · Aquatic toxicity:

2530-83-8 [3-(2,3-epoxypropoxy)propyl]trimethoxysilane		
	55 mg/l (Cyp)	
EC50/48h	473 mg/l (Daphnia magna)	

ErC50/72h 255 *mg/l* (Scenedesmus subspicatus) Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

No further relevant information available. · Bioaccumulative potential

· Mobility in soil No further relevant information available.

- Additional ecological information:
- · General notes: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- · Results of PBT and vPvB assessment Not applicable.
- · PBT:
- · vPvB: · Other adverse effects

Not applicable. No further relevant information available.

13 Disposal information

· Waste treatment methods · Recommendation	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	



Page 8/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 22.09.2023

Version number 25

Revision: 22.09.2023

Trade name MC-Montan Injekt CB - Komponente B

		(Contd. of page 7)
 Environmental hazards: Marine pollutant: 	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
· UN "Model Regulation":	Void	

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

· EHS reference list

None of the ingredients is listed.

· Directive 2012/18/EU

Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerou Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)	Department issuing data specification sheet: Contact:	Environment protection department.
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral – Category 4 Skin Irrit. 2: Skin corrosion or irritation – Category 2 Eye Dam. 1: Serious eye damage or eye irritation – Category 1 Eye Irrit. 2: Serious eye damage or eye irritation – Category 2	Abbreviations and acronyms:	dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral – Category 4 Skin Irrit. 2: Skin corrosion or irritation – Category 2 Eye Dam. 1: Serious eye damage or eye irritation – Category 1



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 22.09.2023

Version number 25

Revision: 22.09.2023

Page 9/9

Trade name MC-Montan Injekt CB - Komponente B

(Contd. of page 8) Resp. Sens. 1: Respiratory sensitization – Category 1 Skin Sens. 1: Skin sensitization – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

• * Data compared to the previous version altered.

MY ·