



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025 Version number 31 Revision: 15.03.2025

1 Identification of the hazardous chemical and of the supplier

· Product identifier

· Trade name MC-Montan Injekt FN - Komponente A

· Recommended use of the chemical and restrictions on

use

No further relevant information available.

· Application of the substance

/ the mixture Injektion

Polyurethane resin

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: msds@mc-bauchemie.de

2 Hazard identification

Classification of the

substance or mixture The product is not classified, according to the Globally Harmonised

System (GHS).

· Label elements

GHS label elements
 Hazard pictograms
 Signal word
 Hazard statements

Void
Void

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture of the substances listed below with harmless additions.

Dangerous components:

CAS: 25322-69-4 | Polypropylene glycol | Acute Tox. 4, H302 | 10-30%

(Contd. on page 2)



Page 2/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025 Version number 31 Revision: 15.03.2025

Trade name MC-Montan Injekt FN - Komponente A

(Contd. of page 1)

• Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

· General information Remove, decontaminate and dispose of soiled, soaked clothing

and shoes immediately.

· After inhalation Remove person to fresh air, keep warm, allow to rest; if breathing

is difficult, seek medical attention.

· After skin contact In case of contact with skin, preferably wash with polyethylene

glycol-based cleaner or clean with plenty of warm water and soap.

Consult a doctor in case of skin reactions.

· After eye contact Rinse the eyes with open eyelids for a sufficiently long time (at

least 10 minutes) with water that is as lukewarm as possible.

Consult an ophthalmologist.

· After swallowing Do NOT induce vomiting. Rinse mouth with water. Medical

attention required.

· Information for doctor

· Most important symptoms and effects, both acute and

delayed

Information for the doctor: The product irritates the respiratory tract and is a potential trigger for skin and respiratory sensitisation. Treatment of acute irritation or bronchial constriction is primarily symptomatic. Depending on the extent of exposure and the symptoms, prolonged medical treatment may be necessary.

 Indication of any immediate medical attention and special

treatment needed No information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

Special hazards arising from

the substance or mixture

No further relevant information available.

· Advice for firefighters

• **Protective equipment:** No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and

emergency procedures Not required.

• Environmental precautions: Prevent material from reaching sewage system, holes and cellars.

Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

(Contd. on page 3)



Page 3/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025 Version number 31 Revision: 15.03.2025

Trade name MC-Montan Injekt FN - Komponente A

(Contd. of page 2)

See Section 7 for information on safe handling · Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

· Handling

· Precautions for safe handling Ensure sufficient air exchange and/or extraction in the work areas.

Air extraction is required for spray application.

For solid products: Avoid dust formation and dust deposits. Air limit values mentioned in section 8 must be monitored.

At workplaces where isocyanate aerosols and/or vapours can occur in higher concentrations, targeted air extraction must be used to prevent the occupational hygiene limit value from being

exceeded. The air must be moved away from people.

For products containing solvents: Explosion protection required. The personal protective measures described in section 8 must be observed. The protective measures required when handling isocyanates must be observed. Avoid contact with skin and eyes

and inhalation of vapours.

Keep away from food and beverages. Wash hands before breaks and at the end of work and apply skin protection ointment. Store work clothes separately. Remove soiled, soaked clothing

immediately.

· Conditions for safe storage,

including any incompatibilities

Keep container dry and tightly closed. Further information on the storage conditions that must be observed for quality assurance

reasons can be found in our technical data sheet.

· Storage

Requirements to be met by

storerooms and containers:

Store only in the original container.

· Further information about

storage conditions: None. Storage class 10

· Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about

design of technical systems: No further data; see section 7.

· Control parameters

· Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

(Contd. on page 4)



Page 4/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025 Version number 31 Revision: 15.03.2025

Trade name MC-Montan Injekt FN - Komponente A

(Contd. of page 3)

• Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

· Personal protective equipment

General protective and

hygienic measures Keep away from food, drink and animal feed.

Remove soiled, soaked clothing immediately. Wash hands before breaks and at the end of work.

Avoid contact with eyes and skin.

· Breathing equipment: Respiratory protection required at insufficiently ventilated

workplaces and when working with splashes. Fresh air masks or combination filters A2-P2 (EN529) are recommended for short-

term work.

If applicable, further recommendations for respiratory protection

can be found in the appendix.

In case of hypersensitivity of the respiratory tract (asthma, chronic

bronchitis), handling of the product is not recommended.

• **Protection of hands:** Suitable materials for protective gloves; EN 374:

Butyl rubber, nitrile rubber, chloroprene rubber (neoprene).

Note: suitable materials that provide sufficient protection for industrial cleaning with aprotic polar solvents (according to IUPAC

definition): butyl rubber.

In case of prolonged or frequently repeated contact, a glove with a protection class of 5 or higher is recommended (breakthrough time greater than 240 minutes according to EN374). For short-term contact, a glove with a protection class of 3 or higher is recommended (breakthrough time greater than 60 minutes according to EN374).

The thickness of the material is not the only criterion for the level of protection of a glove against a chemical substance. The protective effect also depends to a large extent on the type of glove material. Depending on the type and material, the thickness must be more than 0.35 mm to ensure adequate protection in the event of prolonged and frequent contact. Exceptions to this rule are multilayer gloves, which guarantee sufficient protection even with a thickness of less than 0.35 mm during prolonged wear. Other glove materials with a thickness of less than 0.35 mm only provide sufficient protection for short periods of wear.

For solvent-free products:

Example:

Polychloroprene - CR: thickness ≥0.5mm; breakthrough time

*≥*480min.

Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough time

≥480min.

Butyl rubber - IIR: thickness ≥0.5mm; breakthrough time ≥480min. Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough time

Recommendation: Dispose of contaminated gloves.

• Material of gloves Polychloroprene - CR

Nitrile rubber - NBR Butyl rubber - IIR

(Contd. on page 5)





Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025 Version number 31 Revision: 15.03.2025

Trade name MC-Montan Injekt FN - Komponente A

(Contd. of page 4)

Fluoro rubber - FKM

Penetration time of glove

material

Polychloroprene - CR: thickness ≥0.5mm; breakthrough time

≥480min.

Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough time

≥480min.

Butyl rubber - IIR: thickness \geq 0.5mm; breakthrough time \geq 480min. Fluoro rubber - FKM: Thickness \geq 0.4mm; Breakthrough time

≥480min.

• Eye protection: Safety goggles with side protection in accordance with EN 166.

· Body protection: Use chemical-resistant protective clothing.

In case of hypersensitivity of the skin, handling the product is not

recommended.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Yellow
Smell: Characteristic

pH-value: Not determined.

· Change in condition

Melting point/freezing point Not determined

Initial boiling point and boiling range 288 °C

· Flash point: 229 °C

· Auto-ignition temperature 355 °C

• **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Critical values for explosion:

Lower: 0.9 Vol % **Upper:** 9.2 Vol %

· Steam pressure at 20 °C: 0 hPa

· Density at 20 °C 1.06 g/cm³

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

· Viscosity:

dynamic: Not determined.
kinematic: Not determined.

(Contd. on page 6)



Page 6/8

Safety Data Sheet according to P.U.(A) 310/2013

Revision: 15.03.2025 Printing date 15.03.2025 Version number 31

Trade name MC-Montan Injekt FN - Komponente A

(Contd. of page 5)

· Other information

No further relevant information available.

10 Stability and reactivity

Reactivity

No further relevant information available.

· Chemical stability

Thermal decomposition /

conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous

reactions

No dangerous reactions known

· Conditions to avoid · Incompatible materials:

No further relevant information available. No further relevant information available.

· Hazardous decomposition

products:

No dangerous decomposition products known

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values that are relevant for classification:

CAS: 25322-69-4 Polypropylene glycol

Oral

LD50 | 1000-<2000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

Primary irritant effect:

· Skin corrosion or irritation

· Serious eye damage or eye

irritation

No irritant effect.

· Respiratory / skin

sensitization

No irritant effect.

No sensitizing effect known.

· Additional toxicological

information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

Harmful Irritant

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

CAS: 25322-69-4 Polypropylene glycol

LC50/48h >100 mg/l (Leucidus idus)

(Contd. on page 7)



Page 7/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025 Version number 31 Revision: 15.03.2025

Trade name MC-Montan Injekt FN - Komponente A

(Contd. of page 6)

EC50/48h >100 mg/l (Daphnia magna)

EC0 >100 mg/l (Desmodesmus subspicatus)

Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

13 Disposal information

· Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

Uncleaned packagings:

· Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

14 Transportation information

· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
Transport in bulk according to Annex II of Marpol and the IBC Code	r Not applicable.

(Contd. on page 8)



Page 8/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025 Version number 31 Revision: 15.03.2025

Trade name MC-Montan Injekt FN - Komponente A

(Contd. of page 7)

UN "Model Regulation":

Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral – Category 4

* Data compared to the previous version altered.

MY