

Page 1/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 22

Revision: 15.03.2025

Product identifier	
Trade name	MC-Montan Injekt FS - Komponente A
Recommended use of the	i
chemical and restrictions on	
use	No further relevant information available.
Application of the substance	
/ the mixture	Injektion
	Polyurethane resin
Details of the supplier of the s	safety data sheet
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG
	Am Kruppwald 1-8
	D-46238 Bottrop
	Tel.: +49(0)2041-101-0
	Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10
	CH-8953 Dietikon
	Tel.: +44-7400510
	Fax : +44-7400533
Informing department:	msds@mc-bauchemie.de
Hazard identification	
Classification of the	
substance or mixture	The product is not classified, according to the Globally Harmonise System (GHS).
Label elements	
GHS label elements	Void
Hazard pictograms	Void
Signal word	Void
Hazard statements	Void
Other hazards	
Results of PBT and vPvB asse	
PBT:	Not applicable.
vPvB:	Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

- Chemical characterisation: Mixtures
- · Description:

Resin mixture.

Mixture of the substances listed below with harmless additions.

· Dangerous components:

CAS: 25322-69-4 Polypropylene glycol

Acute Tox. 4, H302 10-30%



Page 2/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 22

Revision: 15.03.2025

Trade name MC-Montan Injekt FS - Komponente A

· Additional information

(Contd. of page 1) For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measu	
· General information	Remove, decontaminate and dispose of soiled, soaked clothing
	and shoes immediately.
· After inhalation	Remove person to fresh air, keep warm, allow to rest; if breathing is difficult, seek medical attention.
· After skin contact	In case of contact with skin, preferably wash with polyethylene glycol-based cleaner or clean with plenty of warm water and soap. Consult a doctor in case of skin reactions.
· After eye contact	Rinse the eyes with open eyelids for a sufficiently long time (at least 10 minutes) with water that is as lukewarm as possible. Consult an ophthalmologist.
· After swallowing	Do NOT induce vomiting. Rinse mouth with water. Medical attention required.
 Information for doctor 	
 Most important symptoms 	
and effects, both acute and	
delayed	Information for the doctor: The product irritates the respiratory tract and is a potential trigger for skin and respiratory sensitisation. Treatment of acute irritation or bronchial constriction is primarily symptomatic. Depending on the extent of exposure and the symptoms, prolonged medical treatment may be necessary.
 Indication of any immediate 	
medical attention and special	
treatment needed	No information available

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

Special hazards arising from

- the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment:

No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures
 Environmental precautions:

Not required. No special measures required.

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

MY



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 22

Revision: 15.03.2025

Trade name MC-Montan Injekt FS - Komponente A

• Reference to other sections No dangerous materials are released.

(Contd. of page 2)

Page 3/8

7 Handling and storage

· Handling

· Precautions for safe handling	Ensure sufficient air exchange and/or extraction in the work areas. Air extraction is required for spray application. For solid products: Avoid dust formation and dust deposits. Air limit values mentioned in section 8 must be monitored. At workplaces where isocyanate aerosols and/or vapours can occur in higher concentrations, targeted air extraction must be used to prevent the occupational hygiene limit value from being exceeded. The air must be moved away from people. For products containing solvents: Explosion protection required. The personal protective measures described in section 8 must be observed. The protective measures required when handling isocyanates must be observed. Avoid contact with skin and eyes and inhalation of vapours. Keep away from food and beverages. Wash hands before breaks and at the end of work and apply skin protection ointment. Store work clothes separately. Remove soiled, soaked clothing immediately.
· Conditions for safe storage, including any	Keen container dry and tightly closed. Eurther information on the
incompatibilities	Keep container dry and tightly closed. Further information on the storage conditions that must be observed for quality assurance reasons can be found in our technical data sheet.
· Storage	
Requirements to be met by	
storerooms and containers:	Store only in the original container.
· Further information about	Nono
storage conditions:	None. 10
 Storage class Specific end use(s) 	No further relevant information available.
Specific end use(s)	

8 Exposure controls and personal protection

 Additional information about design of technical systems: 	No further data; see section 7.
 Control parameters Components with critical values that require 	
monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
· Additional information:	The lists that were valid during the compilation were used as basis. (Contd. on page 4)



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 22

Revision: 15.03.2025

Page 4/8

Trade name MC-Montan Injekt FS - Komponente A

	(Contd. of page
Exposure controls	
Personal protective equip	oment
General protective and	
hygienic measures	Keep away from food, drink and animal feed.
	Remove soiled, soaked clothing immediately.
	Wash hands before breaks and at the end of work.
	Avoid contact with eyes and skin.
Breathing equipment:	Respiratory protection required at insufficiently ventilate workplaces and when working with splashes. Fresh air masks combination filters A2-P2 (EN529) are recommended for shor term work.
	If applicable, further recommendations for respiratory protection
	can be found in the appendix.
	In case of hypersensitivity of the respiratory tract (asthma, chron
	bronchitis), handling of the product is not recommended.
Protection of hands:	Suitable materials for protective gloves; EN 374:
	Butyl rubber, nitrile rubber, chloroprene rubber (neoprene).
	Note: suitable materials that provide sufficient protection f industrial cleaning with aprotic polar solvents (according to IUPA definition): butyl rubber.
	In case of prolonged or frequently repeated contact, a glove with
	protection class of 5 or higher is recommended (breakthrough tin
	greater than 240 minutes according to EN374). For short-ter
	contact, a glove with a protection class of 3 or higher
	recommended (breakthrough time greater than 60 minute
	according to EN374).
	The thickness of the material is not the only criterion for the level
	protection of a glove against a chemical substance. The protective effect also depends to a large extent on the type of glove materia
	Depending on the type and material, the thickness must be mo
	than 0.35 mm to ensure adequate protection in the event
	prolonged and frequent contact. Exceptions to this rule are mul
	layer gloves, which guarantee sufficient protection even with
	thickness of less than 0.35 mm during prolonged wear. Other glov
	materials with a thickness of less than 0.35 mm only provid sufficient protection for short periods of wear.
	For solvent-free products: Example:
	Polychloroprene - CR: thickness ≥ 0.5 mm; breakthrough tim
	Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough tim
	\sim 2480min.
	Eutyl rubber - IIR: thickness ≥0.5mm; breakthrough time ≥480min
	Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tim ≥480min.
	Recommendation: Dispose of contaminated gloves.
Material of gloves	Polychloroprene - CR
	Nitrile rubber - NBR
	Butyl rubber - IIR
	Fluoro rubber - FKM
	(Contd. on page

- MY



Page 5/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 22

Revision: 15.03.2025

Trade name MC-Montan Injekt FS - Komponente A

(Co	ntd	of	page	4)
(00	mu.	UI.	paye	4)

(Conta. of page 4)
Polychloroprene - CR: thickness ≥0.5mm; breakthrough time >480min.
Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough time ≥480min.
Butyl rubber - IIR: thickness ≥ 0.5 mm; breakthrough time ≥ 480 min.
Fluoro rubber - FKM: Thickness ≥0.4mm; Breakthrough time ≥480min.
Safety goggles with side protection in accordance with EN 166.
Use chemical-resistant protective clothing.
In case of hypersensitivity of the skin, handling the product is not recommended.

9 Physical and chemical properties

 Information on basic physical and General Information 	chemical properties	
· Appearance:		
Form:	Fluid	
Colour:	Yellow	
· Smell:	Characteristic	
· pH-value:	Not determined.	
Change in condition		
Melting point/freezing point	Not determined	
Initial boiling point and boiling ra	ange >240 °C	
· Flash point:	>120 °C	
· Auto-ignition temperature	135 °C	
· Ignition temperature:	Product is not selfigniting.	
• Explosive properties:	Product is not explosive.	
· Steam pressure:	Not determined.	
· Density at 20 °C	1.03 g/cm³	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix	
· Viscosity:		
dynamic at 20 °C:	250 mPas	
kinematic:	Not determined.	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity

No further relevant information available.

MY



Page 6/8


Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 22

Revision: 15.03.2025

Trade name MC-Montan Injekt FS - Komponente A



LD50 1000-<2000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

· Primary irritant effect: [•] Skin corrosion or irritation

· Serious eye damage or eye

No irritant effect.

No irritant effect.

· Respiratory / skin sensitization No sensitizing effect known.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Harmful

12 Ecological information

· Toxicity

irritation

· Aquatic to	oxicity:		
CAS: 2532	2-69-4 Polypropyle	ne glycol	
LC50/48h	>100 mg/l (Leucidus	s idus)	
EC50/48h	>100 mg/l (Daphnia	magna)	
EC0	>100 mg/l (Desmod	esmus subspicatus)	
		y No further relevant information available.	
	r in environmental s		
	ulative potential	No further relevant information available.	
 Mobility in 	n soil	No further relevant information available.	

(Contd. on page 7)

MY



Page 7/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 22

Revision: 15.03.2025

Trade name MC-Montan Injekt FS - Komponente A

General notes:	Do not allow undiluted product or large quantities of it to rea ground water, water bodies or sewage system.	
Results of PBT and vPvB	assessment	
PBT:	Not applicable.	
vPvB:	Not applicable.	
Other adverse effects	No further relevant information available.	

13 Disposal information

·	Waste	treatment	methods
---	-------	-----------	---------

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings: • Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

(Contd. on page 8)



Safety Data Sheet

according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 22

Revision: 15.03.2025

Trade name MC-Montan Injekt FS - Komponente A

(Contd. of page 7)

Page 8/8

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

· EHS reference list

None of the ingredients is listed.

- · Directive 2012/18/EU
- Named dangerous
- substances ANNEX I None of the ingredients is listed. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

specification sheet: Contact:	Environment protection department.
* Data compared to the previous version altered.	 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral – Category 4