

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.04.2025

Version number 32

Revision: 15.04.2025

Page 1/8

Product identifier	
Trade name	MC-RIM PROTECT
Recommended use of the	
chemical and restrictions or	
use	No further relevant information available.
Application of the substance / the mixture	e Mineral coating
Details of the supplier of the	-
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG
	Am Kruppwald 1-8
	D-46238 Bottrop
	Tel.: +49(0)2041-101-0
	Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10
	CH-8953 Dietikon
	Tel.: +44-7400510
	Fax : +44-7400533
Informing department:	msds@mc-bauchemie.de
Hazard identification	
Hazard identification Classification of the substar Skin Irrit. 2 H315 Causes ski	nce or mixture in irritation.
Hazard identification Classification of the substan Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes sei	nce or mixture in irritation. rious eye damage.
Hazard identification Classification of the substar Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes ser STOT SE 3 H335 May cause	nce or mixture in irritation. rious eye damage.
Hazard identification Classification of the substar Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes ser STOT SE 3 H335 May cause Label elements	nce or mixture in irritation. rious eye damage. respiratory irritation.
Hazard identification Classification of the substar Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes ser STOT SE 3 H335 May cause Label elements	nce or mixture in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global
Hazard identification Classification of the substar Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes ser STOT SE 3 H335 May cause Label elements GHS label elements	nce or mixture in irritation. rious eye damage. respiratory irritation.
Hazard identification Classification of the substar Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes ser STOT SE 3 H335 May cause Label elements GHS label elements	nce or mixture in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global
Hazard identification Classification of the substar Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes ser STOT SE 3 H335 May cause Label elements GHS label elements	nce or mixture in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global
Hazard identification Classification of the substar Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes ser STOT SE 3 H335 May cause	nce or mixture in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS).
Hazard identification Classification of the substar Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes sel STOT SE 3 H335 May cause Label elements GHS label elements Hazard pictograms Signal word	nce or mixture in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS). GHS05 GHS07
Hazard identification Classification of the substar Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes sel STOT SE 3 H335 May cause Label elements GHS label elements Hazard pictograms Signal word Hazard-determining	nce or mixture in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS). GHS05 GHS07
Hazard identification Classification of the substar Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes sel STOT SE 3 H335 May cause Label elements GHS label elements Hazard pictograms Signal word Hazard-determining	nce or mixture in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS). GHS05 GHS07 Danger Portland cement (low chromate) Flue dust, portland cement
Hazard identification Classification of the substar Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes ser STOT SE 3 H335 May cause Label elements GHS label elements Hazard pictograms Signal word Hazard-determining components of labelling:	nce or mixture in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS). GHS05 GHS07 Danger Portland cement (low chromate) Flue dust, portland cement H315 Causes skin irritation.
Hazard identification Classification of the substar Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes ser STOT SE 3 H335 May cause Label elements GHS label elements Hazard pictograms	nce or mixture in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS). GHS05 GHS07 Danger Portland cement (low chromate) Flue dust, portland cement H315 Causes skin irritation. H318 Causes serious eye damage.
Hazard identification Classification of the substan Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes sel STOT SE 3 H335 May cause Label elements GHS label elements Hazard pictograms Signal word Hazard-determining components of labelling: Hazard statements	nce or mixture in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS). GHS05 GHS07 Danger Portland cement (low chromate) Flue dust, portland cement H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Hazard identification Classification of the substar Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes ser STOT SE 3 H335 May cause Label elements GHS label elements Hazard pictograms Signal word Hazard-determining components of labelling:	nce or mixture in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS). GHS05 GHS07 Danger Portland cement (low chromate) Flue dust, portland cement H315 Causes skin irritation. H318 Causes serious eye damage.



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.04.2025

Version number 32

Revision: 15.04.2025

Page 2/8

Trade name MC-RIM PROTECT

	P280	(Contd. of page 1) Wear protective gloves / eye protection / face protection.
	P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
· Other hazards		
· Results of PBT and vP	vB assessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

3 Composition and information of the ingredients of the hazardous chemical

• Chemical characterisation: Mixtures

· Description:	Mixture consisting of the following components.	
· Dangerous comp	onents:	
CAS: 14808-60-7	Quartz sand	50-70%
	Portland cement (low chromate) Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	<i>≥</i> 20- <i>≤</i> 30%
CAS: 93763-70-3	Expanded volcanic rock (aluminium silicate)	<2.5%
	Flue dust, portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<1.5%
Additional inform	ation For the wording of the listed hazard phrases refer to see	ction 16.

4 First-aid measures

 Description of first aid me 	asures
General information	For all first aid measures: observe self-protection and consult a doctor!
• After inhalation	Remove people from the dusty area.
· After skin contact	Remove heavily soiled clothing. Clean with plenty of soap and water.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist!
· After swallowing	Do NOT induce vomiting. Rinse mouth with water. Medical attention required.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents Use fire fighting measures that suit the environment.

(Contd. on page 3)

MY



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.04.2025

Version number 32

Revision: 15.04.2025

(Contd. of page 2)

Trade name MC-RIM PROTECT

- Special hazards arising from the substance or mixture
- Advice for firefighters

No further relevant information available.

- Protective equipment: No special
 - No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and 	
emergency procedures	Not required.
Environmental precautions:	No special measures required.
• Methods and material for	
containment and cleaning up:	: Collect mechanically.
• Reference to other sections	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment.
	See Section 13 for information on disposal.

7 Handling and storage

· Handling

• **Precautions for safe handling** Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and containers: Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces. Information about storage in one common storage facility: Combined storage bans apply from a total storage quantity of 200 kg. Do not store together with substances of the following LGK: 1; 6.2; 7 Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C · Further information about storage conditions: Store in a dry and frost-free place. (Contd. on page 4)

Page 3/8



Page 4/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.04.2025

Version number 32

13

Revision: 15.04.2025

(Contd. of page 3)

Trade name MC-RIM PROTECT

Storage class

8 Exposure controls and	personal protection
Additional information about design of technical systems:	No further data; see section 7.
· Control parameters	
• Components with critical val	ues that require monitoring at the workplace:
CAS: 14808-60-7 Quartz sand	1
PEL (Malaysia) Long-term valu *Pecahan tern	afaskan
CAS: 65997-15-1 Portland ce	, ,
PEL (Malaysia) Long-term valu	-
-	rolcanic rock (aluminium silicate)
PEL (Malaysia) Long-term valu	ue: 10 mg/m³
· DNELs	
CAS: 65997-15-1 Portland ce	ment (low chromate)
Inhalative DNEL 1 mg/m³ (ArL	_)
· Additional information:	The lists that were valid during the compilation were used as basis.
• Exposure controls	
Personal protective equipme	nt
 General protective and hygienic measures 	Do not store food, eat, drink, sniff or smoke in the work area!
nygienic measures	Avoid contact with eyes and skin!
	Clean hands thoroughly at the end of work and before breaks!
	Use skin care products after work (moisturising cream).
	Change and clean heavily soiled clothing!
	Change clothes at the end of work!
	Apply greasy skin protection ointment before starting work and after every break.
· Breathing equipment:	For work with higher dust loads particle filter class P2
· Protection of hands:	Check protective gloves prior to each use for their proper condition.
 Material of gloves 	Nitrile impregnated cotton gloves.
Penetration time of glove	
material	The exact breakthrough time must be obtained from the protective
· Eye protection:	glove manufacturer and must be observed. Safety glasses
Body protection:	Protective work clothing.
	MY

(Contd. on page 5)



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.04.2025

Version number 32

Revision: 15.04.2025

Trade name MC-RIM PROTECT

(Contd. of page 4)

Page 5/8

Information on basic physical and cl General Information	hemical properties
Appearance:	
Form:	Powder
Colour:	Grey
Smell:	Odourless
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point	Not determined
Initial boiling point and boiling ran	ge 2230 °C
Flash point:	Not applicable
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Steam pressure at 1732 °C:	13.5 hPa
Density	Not determined
Solubility in / Miscibility with	
Water:	Unsoluble
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.

10 Stability and reactivity	
· Reactivity · Chemical stability Thermal decomposition (No further relevant information available.
 Thermal decomposition / conditions to be avoided: Possibility of hazardous 	No decomposition if used according to specifications.
reactions	No dangerous reactions known
· Conditions to avoid	No further relevant information available.
 Incompatible materials: Hazardous decomposition 	No further relevant information available.
products:	No dangerous decomposition products known

(Contd. on page 6)



Page 6/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.04.2025

Version number 32

Revision: 15.04.2025

Trade name MC-RIM PROTECT

(Contd. of page 5)

Information on toxicological Acute toxicity	l effects
LD/LC50 values that are rele	evant for classification:
CAS: 65997-15-1 Portland ce	ement (low chromate)
	/kg (rabbit)
Inhalative LC50/4 h 5 mg/l (ra	
Primary irritant effect:	
Skin corrosion or irritation	Irritant for skin and mucous membranes.
Serious eye damage or eye	
irritation	Strong irritant with the danger of severe eye injury.
Respiratory / skin	······································
sensitization	No sensitizing effect known.
Additional toxicological	The second state the following degrades as a second state to
information:	The product shows the following dangers according to th calculation method of the General EC Classification Guidelines for
	Preparations as issued in the latest version:
	Irritant
Ecological information	
Ecological information	
Toxicity	Irritant
Toxicity Aquatic toxicity:	Irritant No further relevant information available.
Toxicity Aquatic toxicity:	Irritant No further relevant information available. ity No further relevant information available.
Toxicity Aquatic toxicity: Persistence and degradabili Behaviour in environmental	Irritant No further relevant information available. ity No further relevant information available.
Toxicity Aquatic toxicity: Persistence and degradabili Behaviour in environmental Bioaccumulative potential Mobility in soil	Irritant No further relevant information available. ity No further relevant information available. systems: No further relevant information available. No further relevant information available.
Toxicity Aquatic toxicity: Persistence and degradabili Behaviour in environmental Bioaccumulative potential Mobility in soil Additional ecological inform	Irritant No further relevant information available. ity No further relevant information available. systems: No further relevant information available. No further relevant information available. nation:
Toxicity Aquatic toxicity: Persistence and degradabili Behaviour in environmental Bioaccumulative potential Mobility in soil	Irritant No further relevant information available. ity No further relevant information available. systems: No further relevant information available. No further relevant information available. No further relevant information available. nation: Do not allow undiluted product or large quantities of it to read
Toxicity Aquatic toxicity: Persistence and degradabili Behaviour in environmental Bioaccumulative potential Mobility in soil Additional ecological inform General notes:	Irritant No further relevant information available. ity No further relevant information available. systems: No further relevant information available. No further relevant information available. Do not allow undiluted product or large quantities of it to read ground water, water bodies or sewage system.
Toxicity Aquatic toxicity: Persistence and degradabili Behaviour in environmental Bioaccumulative potential Mobility in soil Additional ecological inform General notes: Results of PBT and vPvB as	Irritant No further relevant information available. ity No further relevant information available. systems: No further relevant information available. No further relevant information available. Do not allow undiluted product or large quantities of it to read ground water, water bodies or sewage system. seessment
Toxicity Aquatic toxicity: Persistence and degradabili Behaviour in environmental Bioaccumulative potential Mobility in soil Additional ecological inform General notes: Results of PBT and vPvB as PBT:	Irritant No further relevant information available. ity No further relevant information available. systems: No further relevant information available. No further relevant information available. Do not allow undiluted product or large quantities of it to reac ground water, water bodies or sewage system. sessment Not applicable.
Toxicity Aquatic toxicity: Persistence and degradabili Behaviour in environmental Bioaccumulative potential Mobility in soil Additional ecological inform General notes: Results of PBT and vPvB as	Irritant No further relevant information available. ity No further relevant information available. systems: No further relevant information available. No further relevant information available. Do not allow undiluted product or large quantities of it to read ground water, water bodies or sewage system. seessment

13 Disposal information

· Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Page 7/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.04.2025

Version number 32

Revision: 15.04.2025

(Contd. of page 6)

Trade name MC-RIM PROTECT

- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Transportation information		
UN-Number ADR, ADN, IMDG, IATA	Void	
UN proper shipping name ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
Packing group ADR, IMDG, IATA	Void	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Anno Marpol and the IBC Code	ex II of Not applicable.	
UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I
- None of the ingredients is listed. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing data specification sheet:
- Environment protection department.

· Contact:

- · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 8)

MY



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.04.2025

Version number 32

Revision: 15.04.2025

Page 8/8

Trade name MC-RIM PROTECT

	(Contd. of page 7
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses pa route (European Agreement Concerning the International Carriage of Dangerou Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association
	EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)
	LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Skin Irrit. 2: Skin corrosion or irritation – Category 2
	Eye Dam. 1: Serious eye damage or eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
* Data compared to the	
previous version altered.	