

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

Page 1/8

Product identifier	
Trade name Recommended use of the chemical and restrictions on	<u>MC-RockMortar H</u>
Application of the substance	No further relevant information available.
/ the mixture	Gunned mortar
<i>Details of the supplier of the s Manufacturer/Supplier:</i>	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department:	msds@mc-bauchemie.de
Hazard identification Classification of the substand Skin Irrit. 2 H315 Causes skin	ce or mixture irritation.
Hazard identification Classification of the substand	ce or mixture irritation. ous eye damage.
Hazard identification Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serie	ce or mixture irritation. ous eye damage. espiratory irritation. The product is classified and labelled according to the Globa
Hazard identification Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serid STOT SE 3 H335 May cause r Label elements GHS label elements	ce or mixture irritation. ous eye damage. espiratory irritation.
Hazard identification Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serio STOT SE 3 H335 May cause r Label elements	ce or mixture irritation. ous eye damage. espiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS).
Hazard identification Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serio STOT SE 3 H335 May cause r Label elements GHS label elements Hazard pictograms	ce or mixture irritation. ous eye damage. espiratory irritation. The product is classified and labelled according to the Globa Harmonised System (GHS). GHS05 GHS07



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

Page 2/8

Trade name MC-RockMortar H

	P280	Contd. of page) Wear protective gloves / eye protection / fac protection.
	P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P403+P233	Store in a well-ventilated place. Keep containe tightly closed.
[.] Other hazards		
· Results of PBT and v	PvB assessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

Description:	Mixture consisting of the following components.	
[.] Dangerous compo	onents:	
CAS: 14808-60-7 G	Quartz (SiO2)	50-70%
CAS: 65997-15-1 F	Portland cement	<i>≥</i> 20- <i>≤</i> 30%

CAS: 65997-15-1 Portland cement

Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3. H335

· Additional information

For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures General information For all first aid measures: observe self-protection and consult a doctor! · After inhalation Remove people from the dusty area.

Remove heavily soiled clothing. Clean with plenty of soap and · After skin contact water. Rinse for 10 minutes under running water with the eyelids open. · After eye contact Always consult an ophthalmologist! · After swallowing Do NOT induce vomiting. Rinse mouth with water. Medical

5 Fire-fighting measures

Extinguishing media

- · Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.

attention required.

(Contd. on page 3)

MY



Page 3/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

(Contd. of page 2)

Trade name MC-RockMortar H

• Advice for firefighters • Protective equipment:

No special measures required.

- 6 Accidental release measures
- Personal precautions, protective equipment and emergency procedures
 Environmental precautions:
 Methods and material for containment and cleaning up: Collect mechanically.
 Reference to other sections
 See Section 7 for information on safe handling See Section 8 for information on disposal.

7 Handling and storage

· Handling

• Precautions for safe handling	Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!
 Conditions for safe storage, in Storage 	ncluding any incompatibilities
 Requirements to be met by storerooms and containers: 	Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.
Information about storage in	,
one common storage facility:	Combined storage bans apply from a total storage quantity of 200 kg. Do not store together with substances of the following LGK: 1; 6.2;
	7 Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C
 Further information about storage conditions: Storage class 	Store in a dry and frost-free place.

(Contd. on page 4)



Page 4/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

Trade name MC-RockMortar H

(Contd. of page 3)

MY

 Additional information abo design of technical system 	out os: No further data; see section 7.
Control parameters	
Components with critical v	values that require monitoring at the workplace:
CAS: 14808-60-7 Quartz (S	iO2)
PEL (Malaysia) Long-term v *Pecahan te	
CAS: 65997-15-1 Portland	cement
PEL (Malaysia) Long-term v	alue: 10 mg/m³
DNELs	
CAS: 65997-15-1 Portland	cement
Inhalative DNEL 1 mg/m ³ (A	ArL)
Additional information:	The lists that were valid during the compilation were used as bas
Exposure controls Personal protective equipm	- <i>i</i>
Exposure controls Personal protective equipm General protective and	nent
Exposure controls Personal protective equipm	nent Do not store food, eat, drink, sniff or smoke in the work area!
Exposure controls Personal protective equipm General protective and	nent Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin!
Exposure controls Personal protective equipm General protective and	nent Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks!
Exposure controls Personal protective equipm General protective and	nent Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin!
Exposure controls Personal protective equipm General protective and	nent Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work!
Exposure controls Personal protective equipm General protective and hygienic measures	nent Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work a after every break.
Exposure controls Personal protective equipm General protective and hygienic measures Breathing equipment:	nent Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work a after every break. For work with higher dust loads particle filter class P2
Exposure controls Personal protective equipm General protective and hygienic measures Breathing equipment: Protection of hands:	nent Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work a after every break. For work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditi
Exposure controls Personal protective equipm General protective and hygienic measures Breathing equipment: Protection of hands: Material of gloves	nent Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work a after every break. For work with higher dust loads particle filter class P2
Exposure controls Personal protective equipm General protective and hygienic measures Breathing equipment: Protection of hands: Material of gloves Penetration time of glove	nent Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work a after every break. For work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditi Nitrile impregnated cotton gloves.
Exposure controls Personal protective equipm General protective and hygienic measures Breathing equipment: Protection of hands: Material of gloves	nent Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work a after every break. For work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditi Nitrile impregnated cotton gloves. The exact breakthrough time must be obtained from the protect
Exposure controls Personal protective equipm General protective and hygienic measures Breathing equipment: Protection of hands: Material of gloves Penetration time of glove material	nent Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work a after every break. For work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditi Nitrile impregnated cotton gloves. The exact breakthrough time must be obtained from the protect glove manufacturer and must be observed.
Exposure controls Personal protective equipm General protective and hygienic measures Breathing equipment: Protection of hands: Material of gloves Penetration time of glove	nent Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work a after every break. For work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditi Nitrile impregnated cotton gloves. The exact breakthrough time must be obtained from the protect
Exposure controls Personal protective equipm General protective and hygienic measures Breathing equipment: Protection of hands: Material of gloves Penetration time of glove	nent Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work a after every break. For work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditi Nitrile impregnated cotton gloves. The exact breakthrough time must be obtained from the protect

Information on basic ph General Information	sical and chemical properties	
Appearance:		
Form:	Powder	
Colour:	Grey	
Smell:	Odourless	



Page 5/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

Trade name MC-RockMortar H

	(Contd. of page
· pH-value:	Not applicable.
 Change in condition Melting point/freezing point Initial boiling point and boiling 	Not determined range Not determined
· Flash point:	Not applicable
· Auto-ignition temperature	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Steam pressure:	Not applicable.
· Density	Not determined
 Solubility in / Miscibility with Water: 	Unsoluble
 Viscosity: dynamic: kinematic: 	Not applicable. Not applicable.
· Other information	No further relevant information available.

10 Stability and reactivity	
· Reactivity · Chemical stability	No further relevant information available.
 Thermal decomposition / conditions to be avoided: Possibility of hazardous 	No decomposition if used according to specifications.
reactions	No dangerous reactions known
 Conditions to avoid 	No further relevant information available.
Incompatible materials:	No further relevant information available.

Hazardous decomposition products:

No dangerous decomposition products known

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values that are relevant for classification:
- CAS: 65997-15-1 Portland cement
- Dermal LD50 2000 mg/kg (rabbit)
- Inhalative LC50/4 h 5 mg/l (rat)
- Primary irritant effect:
- Skin corrosion or irritation Irritant for skin and mucous membranes.

(Contd. on page 6)

age 6) —— MY



Page 6/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

Trade name MC-RockMortar H

· Serious eye damage or eye	(Contd. of page 5)
irritation	Strong irritant with the danger of severe eye injury.
 Respiratory / skin sensitization Additional toxicological 	No sensitizing effect known.
information:	The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant
12 Ecological information	
• Toxicity • Aquatic toxicity:	No further relevant information available.

· Persistence and degradability No further relevant information available.

- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- Results of PBT and vPvB assessment Not applicable.
- · PBT:
- · vPvB:

- Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal information

· Waste treatment methods · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings: Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, ĬATA	Void	



Page 7/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

Trade name MC-RockMortar H

		(Contd. of page
[.] Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· Packing group		
· ADR, IMDG, IATA	Void	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· EHS reference list

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

specification sheet: Contact:	Environment protection department.
	 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion or irritation – Category 2
	(Contd. on page 8)



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 17.01.2025

Version number 24

Revision: 17.01.2025

Trade name MC-RockMortar H

(Contd. of page 7)

MY

Page 8/8

Eye Dam. 1: Serious eye damage or eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• * Data compared to the previous version altered.