



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024 Version number 27 Revision: 10.12.2024

1 Identification of the hazardous chemical and of the supplier

· Product identifier

· Trade name Nafufill DSP

Recommended use of the chemical and restrictions on

use No further relevant information available.

· Application of the substance

/ the mixture Knife filler/ Surfacer

Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: msds@mc-bauchemie.de

2 Hazard identification

· Classification of the substance or mixture

Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms



GHS08

· Signal word Warning

· Hazard-determining

components of labelling: Titanium Dioxide

· **Hazard statements** H351 Suspected of causing cancer. Route of exposure: Inhalation.

• **Precautionary statements** P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been

read and understood.

P281 Use personal protective equipment as required.

P308+P313 IF exposed or concerned: Get medical advice/

attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

(Contd. on page 2)



Page 2/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024 Version number 27 Revision: 10.12.2024

Trade name Nafufill DSP

(Contd. of page 1)

- · Other hazards
- Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:			
CAS: 1317-65-3	Calcium carbonate	<10%	
CAS: 13463-67-7	Titanium Dioxide Carc. 2, H351	≥1-<10%	
CAS: 3811-73-2	pyridine-2-thiol 1-oxide, sodium salt Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 1, H372; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	≥0.025-<0.1%	

Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

• General information For all first aid measures: observe self-protection and consult a

doctor!

• After inhalation Take the person out into the fresh air.

· After skin contact Remove heavily soiled clothing.

Clean with plenty of water. Do not use thinner or similar.

· After eye contact Rinse for 10 minutes under running water with the eyelids open or

use eye rinsing solution. Always consult an ophthalmologist!

· After swallowing Do not induce vomiting.

Drink plenty of water in small sips.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· Special hazards arising from

the substance or mixture No further relevant information available.

· Advice for firefighters

• Protective equipment: No special measures required.

MY



Page 3/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024 Version number 27 Revision: 10.12.2024

Trade name Nafufill DSP

(Contd. of page 2)

6 Accidental release measures

· Personal precautions, protective equipment and

emergency procedures Not required.

· Environmental precautions: Dilute with much water.

Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· Reference to other sections No dangerous materials are released.

7 Handling and storage

· Handling

· Precautions for safe handling No special measures required.

No special precautions necessary if used correctly.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: Protect containers from frost!

Only store in the original container or in containers recommended

by the manufacturer.

After decanting, label containers as original containers.

Do not store in break rooms, recreation rooms or sanitary facilities as well as in stairwells, corridors, escape and rescue routes,

passages, passageways and confined spaces.

· Further information about

storage conditions: None.
Storage class 12

8 Exposure controls and personal protection

· Additional information about

design of technical systems: No further data; see section 7.

· Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 1317-65-3 Calcium carbonate

PEL (Malaysia) Long-term value: 10 mg/m³

· DNELs

CAS: 1317-65-3 Calcium carbonate

Oral DNEL 6.1 mg/kg bw/Tag (ArL)

Inhalative DNEL 10 mg/m³ (ArL)

(Contd. on page 4)



Page 4/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024 Version number 27 Revision: 10.12.2024

Trade name Nafufill DSP

(Contd. of page 3)

· PNECs

CAS: 1317-65-3 Calcium carbonate

PNEC 100 mg/l (Sewage Treatment Plant)

· Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

· Personal protective equipment

· General protective and

hygienic measures Do not store any foodstuffs or eat, drink, snuff or smoke in the

vork area!

Avoid contact with eyes and skin!

Preventively apply skin protection ointment to facilitate skin

cleansing.

Remove product residues from the skin!

Clean hands thoroughly at the end of work and before cleaning! Remove product residues from the skin with a suitable cleaning

agent - never use solvents or thinners to clean the skin! Use skin care products after work (moisturising cream).

• Breathing equipment: For spraying processes:

Particle filter P2 (white)

• Protection of hands: Gloves made of: Natural latex, polychloroprene, nitrile rubber.

(Category 3 chemical protective gloves, recognisable by the CE

mark with four-digit test number).

When wearing protective gloves, cotton undergloves are

recommended.

· Material of gloves

· Penetration time of glove

material

Natural latex, polychloroprene, nitrile rubber.

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

• Eye protection: Frame glasses

· Body protection: Protective work clothing.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Pasty Colour: White

· Smell: Characteristic

· pH-value at 20 °C:

· Change in condition

Melting point/freezing point Not determined

Initial boiling point and boiling range 100 °C

· Flash point: Not applicable

(Contd. on page 5)





Safety Data Sheet according to P.U.(A) 310/2013

Revision: 10.12.2024 Printing date 10.12.2024 Version number 27

Trade name Nafufill DSP

	(0	Contd. of page
· Auto-ignition temperature	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Steam pressure at 20 °C:	23 hPa	
Density at 20 °C	1.75 g/cm³	
Relative density	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible	
· Viscosity:		
dynamic at 20 °C:	75000 mPas	
kinematic:	Not determined.	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available.

· Chemical stability

· Thermal decomposition /

conditions to be avoided:

· Possibility of hazardous

reactions

· Conditions to avoid · Incompatible materials:

Hazardous decomposition

products:

No decomposition if used according to specifications.

No dangerous reactions known

No further relevant information available.

No further relevant information available.

No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

Acute toxicity				
· LD/LC50	LD/LC50 values that are relevant for classification:			
CAS: 131	CAS: 1317-65-3 Calcium carbonate			
Oral	LD50	>2000 mg/kg (rat)		
Dermal	LD50	>2000 mg/kg (rat)		
CAS: 134	CAS: 13463-67-7 Titanium Dioxide			
Oral	LD50	>5000 mg/kg (rat)		
Dermal	LD50	>10000 mg/kg (rabbit)		
Inhalative	LC50/4 h	>6.8 mg/l (rat)		
CAS: 3811-73-2 pyridine-2-thiol 1-oxide, sodium salt				
Oral	LD50	500 mg/kg (ATE)		
	•	(Contd. on	page 6)	



Page 6/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024 Version number 27 Revision: 10.12.2024

Trade name Nafufill DSP

(Contd. of page 5)

| 1208 mg/kg (rat) | 1208 mg/kg (rat) | 790 mg/kg (ATE) | 2000 mg/kg (rat) | Inhalative | LC50/4 h | 0.5 mg/l (ATE) |

Primary irritant effect:

· Serious eye damage or eye

irritation No irritant effect.

· Respiratory / skin

sensitization No sensitizing effect known.

· Additional toxicological

information: The product is not subject to classification according to the

calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and

the information provided to us.

· CMR effects (carcinogenity, mutagenicity and toxicity for

reproduction) Carc. 2

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 1317-65-3 Calcium carbonate

EC50/72h >14 mg/l (Desmodesmus subspicatus)

LC50/96h >10000 mg/l (Oncorhynchus mykiss)

LC50/48h >1000 mg/l (Daphnia magna)

EC50/48h >1000 mg/l (Daphnia magna)

CAS: 3811-73-2 pyridine-2-thiol 1-oxide, sodium salt

LC50/96h | 0.00767 mg/l (fish)

EC50/48h | 0.022 mg/l (Daphnien)

EC50/3d 0.46 mg/l (Selenastrum capricornutum)

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

Additional ecological information:

General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

(Contd. on page 7)



Page 7/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024 Version number 27 Revision: 10.12.2024

Trade name Nafufill DSP

(Contd. of page 6)

• Other adverse effects No further relevant information available.

13 Disposal information

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

Recommended cleaning

agent: Water, if necessary with cleaning agent.

14	iran	spor	tation	Intori	mation

· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
Transport in bulk according to Annex Marpol and the IBC Code	II of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

(Contd. on page 8)



Page 8/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024 Version number 27 Revision: 10.12.2024

Trade name Nafufill DSP

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral - Category 4 Acute Tox. 3: Acute toxicity - oral - Category 3

Skin Irrit. 2: Skin corrosion or irritation - Category 2

Eye Irrit. 2: Serious eye damage or eye irritation - Category 2

Skin Sens. 1: Skin sensitization - Category 1

Carc. 2: Carcinogenicity - Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard - Category

Aquatic Chronic 2: Hazardous to the aquatic environment - chronic hazard -Category 2

* * Data compared to the previous version altered.