

Page 1/8

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025 Version number 28 Revision: 13.04.2025

## 1 Identification of the hazardous chemical and of the supplier

· Product identifier

· Trade name Nafufill GTS HS

Recommended use of the chemical and restrictions on use

· Sector of Use SU22 Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

· Application of the substance

/ the mixture Gunned mortar

Details of the supplier of the safety data sheet

• Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: msds@mc-bauchemie.de

### 2 Hazard identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms

CHOOS

GHS05

· Signal word Danger

· Hazard-determining

· Hazard statements

components of labelling: Portland cement (low chromate)

Flue dust, portland cement H315 Causes skin irritation.

H318 Causes serious eye damage.

• Precautionary statements P280 Wear protective gloves / eye protection / face

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

(Contd. on page 2)



Page 2/8

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025 Version number 28 Revision: 13.04.2025

### Trade name Nafufill GTS HS

(Contd. of page 1)

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).
P332+P313 If skin irritation occurs: Get medical advice/

attention.

P362 Take off contaminated clothing and wash before

reuse.

· Other hazards

Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

### 3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

Dangerous components:		
CAS: 14808-60-7	Quartz sand	60-80%
CAS: 65997-15-1	Portland cement (low chromate)	≥10-<20%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 69012-64-2	amorphous silicon dioxide	<2.5%
CAS: 68475-76-3	Flue dust, portland cement	≥1-<1.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	

• Additional information For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

· Description of first aid measures

General information For all first aid measures: observe self-protection and consult a

doctor!

· After inhalation Remove people from the dusty area.

After skin contact Remove heavily soiled clothing. Clean with plenty of soap and

water.

· After eye contact Rinse for 10 minutes under running water with the eyelids open.

Always consult an ophthalmologist!

• After swallowing Do NOT induce vomiting. Rinse mouth with water. Medical

attention required.

## 5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

Special hazards arising from

the substance or mixture No further relevant information available.

(Contd. on page 3)



Page 3/8

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025 Version number 28 Revision: 13.04.2025

Trade name Nafufill GTS HS

(Contd. of page 2)

· Advice for firefighters

· Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and

emergency procedures Not required.

· Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Ensure adequate ventilation.

Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### 7 Handling and storage

· Handling

· Precautions for safe handling Avoid dust formation! Avoid spraying the ready-to-use cementitious

product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and

after each break. Observe work restrictions!

· Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by

storerooms and containers: Store bags tightly closed; protect from moisture and water!

Store containers tightly closed in a well-ventilated and well-lit room.

Access only for specialised personnel.

Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages,

passageways and confined spaces.

Information about storage in

one common storage facility: Combined storage bans apply from a total storage quantity of 200

Do not store together with substances of the following LGK: 1; 6.2;

Storage with substances of the following LGK is only possible

under the conditions specified in TRGS 510: 4.1A; 5.1C

· Further information about

storage conditions: Store in a dry and frost-free place.

· Storage class 11



Page 4/8

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025 Version number 28 Revision: 13.04.2025

Trade name Nafufill GTS HS

(Contd. of page 3)

### 8 Exposure controls and personal protection

· Additional information about

**design of technical systems:** No further data; see section 7.

· Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 14808-60-7 Quartz sand

PEL (Malaysia) Long-term value: 0.1\* mg/m³

\*Pecahan ternafaskan

CAS: 65997-15-1 Portland cement (low chromate)

PEL (Malaysia) Long-term value: 10 mg/m³

CAS: 69012-64-2 amorphous silicon dioxide

PEL (Malaysia) Long-term value: 2\* mg/m3

wasap; \*Pecahan ternafaskan

· DNELs

CAS: 65997-15-1 Portland cement (low chromate)

Inhalative DNEL 1 mg/m³ (ArL)

· Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

Personal protective equipment

General protective and

Do not store food, eat, drink, sniff or smoke in the work area! hygienic measures

Avoid contact with eyes and skin!

Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream).

Change and clean heavily soiled clothing! Change clothes at the end of work!

Apply greasy skin protection ointment before starting work and

after every break.

· Breathing equipment: For work with higher dust loads particle filter class P2

· Protection of hands: Check protective gloves prior to each use for their proper condition.

· Material of gloves

Nitrile impregnated cotton gloves. · Penetration time of glove

material

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye protection: Safety glasses

· Body protection: Protective work clothing.



Page 5/8

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025 Version number 28 Revision: 13.04.2025

Trade name Nafufill GTS HS

(Contd. of page 4)

Physical and chemical properti	<del>cs</del>
Information on basic physical and ch	emical properties
General Information	
Appearance:	
Form:	Powder
Colour:	Grey
Smell: Odour threshold:	Odourless Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point	Not determined
Initial boiling point and boiling rang	e 2230 °C
Flash point:	Not applicable
Flammability	Not determined.
Decomposition temperature:	Not determined.
lgnition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
Steam pressure at 1732 °C:	13.5 hPa
Density	Not determined
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Unsoluble
Partition coefficient: n-octanol/water	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.

## 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

· Thermal decomposition /

conditions to be avoided:

· Possibility of hazardous

reactions

No decomposition if used according to specifications.

No dangerous reactions known

(Contd. on page 6)



Page 6/8

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025 Version number 28 Revision: 13.04.2025

### Trade name Nafufill GTS HS

(Contd. of page 5)

· Conditions to avoid · Incompatible materials:

No further relevant information available. No further relevant information available.

Hazardous decomposition

products: No dangerous decomposition products known

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values that are relevant for classification:

CAS: 65997-15-1 Portland cement (low chromate)

Dermal LD50 2000 mg/kg (rabbit)

Inhalative LC50/4 h 5 mg/l (rat)

Primary irritant effect:

· Skin corrosion or irritation

Irritant for skin and mucous membranes.

· Serious eye damage or eye

irritation

· Respiratory / skin

sensitization

Additional toxicological

information:

No sensitizing effect known.

The product shows the following dangers according to the

calculation method of the General EC Classification Guidelines for

Strong irritant with the danger of severe eye injury.

Preparations as issued in the latest version:

Irritant

### 12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 69012-64-2 amorphous silicon dioxide

EC50/24h >1002 mg/l (Daphnia magna) NOEC 319 mg/l (Daphnia magna)

Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

Additional ecological information:

General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

(Contd. on page 7)



Page 7/8

# Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025 Version number 28 Revision: 13.04.2025

Trade name Nafufill GTS HS

(Contd. of page 6)

• Other adverse effects No further relevant information available.

### 13 Disposal information

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Non contaminated packagings can be used for recycling.

## 14 Transportation information

+ Trunsportation information		
· UN-Number · ADR, IMDG, IATA	Void	
· UN proper shipping name · ADR, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Anno Marpol and the IBC Code	<b>ex II of</b> Not applicable.	
· UN "Model Regulation":	Void	

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

/Y -



Page 8/8

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025 Version number 28 Revision: 13.04.2025

Trade name Nafufill GTS HS

(Contd. of page 7)

## 16 Other information

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion or irritation - Category 2

Eye Dam. 1: Serious eye damage or eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* \* Data compared to the previous version altered.