



BE SURE. BUILD SURE.

Page 1/8

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 01.09.2023



Version number 38

Revision: 01.09.2023

### 1 Identification of the hazardous chemical and of the supplier

- **Product identifier**
- **Trade name** Nafufill KMH
- **Recommended use of the chemical and restrictions on use** No further relevant information available.
- **Application of the substance / the mixture** Mineral coating
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de  
  
MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de

### 2 Hazard identification

- **Classification of the substance or mixture**  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Dam. 1 H318 Causes serious eye damage.  
STOT SE 3 H335 May cause respiratory irritation.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**  
  
GHS05 GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:** Portland cement  
Flugasche Portlandzement
- **Hazard statements** Causes skin irritation.  
Causes serious eye damage.  
May cause respiratory irritation.
- **Precautionary statements** Avoid breathing dust/fume/ gas/mist/vapours/spray.

(Contd. on page 2)

MY



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 01.09.2023

Version number 38

Revision: 01.09.2023

**Trade name Nafufill KMH**

(Contd. of page 1)

*Wear protective gloves / eye protection / face protection.  
IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
Specific treatment (see on this label).  
Store in a well-ventilated place. Keep container tightly closed.*

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition and information of the ingredients of the hazardous chemical

- **Chemical characterisation: Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

14808-60-7	Quartz (SiO <sub>2</sub> )	30-60%
65997-15-1	Portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	30-60%
68475-76-3	Flugasche Portlandzement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<2.5%
69012-64-2	amorphous silica (fume)	<2.5%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation** Supply fresh air.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.  
Seek medical treatment.
- **After swallowing** Rinse out mouth and then drink plenty of water.  
Seek medical treatment.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

MY

(Contd. on page 3)



BE SURE. BUILD SURE.

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 01.09.2023

Version number 38

Revision: 01.09.2023

Trade name Nafufill KMH

(Contd. of page 2)

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- **Methods and material for containment and cleaning up:** Collect mechanically.
- **Reference to other sections** See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### \* 7 Handling and storage

- **Handling**
- **Precautions for safe handling** Prevent formation of dust.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Store away from water.
- **Further information about storage conditions:** Store under dry conditions.
- **Storage class** 13
- **Specific end use(s)** No further relevant information available.

### \* 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

(Contd. on page 4)

MY



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 01.09.2023

Version number 38

Revision: 01.09.2023

**Trade name Nafufill KMH**

(Contd. of page 3)

· **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

**14808-60-7 Quartz (SiO<sub>2</sub>)**

PEL (Malaysia) Long-term value: 0.1\* mg/m<sup>3</sup>  
\*Pecahan ternafaskan

**65997-15-1 Portland cement**

PEL (Malaysia) Long-term value: 10 mg/m<sup>3</sup>

**69012-64-2 amorphous silica (fume)**

PEL (Malaysia) Long-term value: 2\* mg/m<sup>3</sup>  
wasap; \*Pecahan ternafaskan

· **DNELs**

**65997-15-1 Portland cement**

Inhalative DNEL 1 mg/m<sup>3</sup> (ArL)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.  
Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.

· **Breathing equipment:**

Use breathing protection only when aerosol or mist is formed.  
Wear respiratory protection in case of insufficient ventilation.  
The selection of respirators (EN 14387) must be based on the known or anticipated exposure concentrations, the hazards of the product and the occupational exposure limits (section 8.1) of the respirator in question.  
Particle filter PP1: Inert substance; P2, P3: Hazardous substances  
Provide adequate ventilation. This can be achieved by local exhaust ventilation or general exhaust ventilation.  
(EN 689 - Methods for determining inhalation exposure)  
This applies especially at the mixing or stirring place.  
If this is not sufficient to keep the concentration below the occupational exposure limit, provide respiratory protection.

· **Protection of hands:**

Protective gloves.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
After use of gloves apply skin-cleaning agents and skin cosmetics.

· **Material of gloves**

Butyl rubber, BR  
Nitrile rubber, NBR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 01.09.2023

Version number 38

Revision: 01.09.2023

Trade name Nafufill KMH

(Contd. of page 4)

- **Penetration time of glove material**      *The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.*
- **Eye protection:**      *Safety glasses*
- **Body protection:**      *Tightly sealed safety glasses.*  
*Protective work clothing.*

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

- **Form:**      *Powder*
- **Colour:**      *Grey*
- **Smell:**      *Odourless*

· **pH-value at 20 °C:**      *11*

#### · Change in condition

- **Melting point/freezing point**      *Not determined*
- **Initial boiling point and boiling range**      *Not applicable*  
*Not determined*

· **Flash point:**      *Not applicable*

· **Auto-ignition temperature**      *Product is not selfigniting.*

· **Explosive properties:**      *Product is not explosive.*

· **Steam pressure:**      *Not applicable.*

· **Density at 20 °C**      *2.8 g/cm<sup>3</sup>*

#### · Solubility in / Miscibility with

· **Water:**      *Partly miscible*

#### · Viscosity:

- **dynamic:**      *Not applicable.*
- **kinematic:**      *Not applicable.*

#### · Other information

*No further relevant information available.*

## 10 Stability and reactivity

· **Reactivity**      *No further relevant information available.*

· **Chemical stability**

· **Thermal decomposition /**

**conditions to be avoided:**      *No decomposition if used according to specifications.*

(Contd. on page 6)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 01.09.2023

Version number 38

Revision: 01.09.2023

Trade name Nafufill KMH

(Contd. of page 5)

- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

**65997-15-1 Portland cement**

Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50/4 h	5 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion or irritation** Irritant for skin and mucous membranes.
- **Serious eye damage or eye irritation** Strong irritant with the danger of severe eye injury.
- **Respiratory / skin sensitization** No sensitizing effect known.
- **Additional toxicological information:** The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:  
Irritant

## 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

**69012-64-2 amorphous silica (fume)**

EC50/24h	>1002 mg/l (Daphnia magna)
NOEC	319 mg/l (Daphnia magna)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 01.09.2023

Version number 38

Revision: 01.09.2023

**Trade name Nafufill KMH**

· **Other adverse effects**

No further relevant information available.

(Contd. of page 6)

#### 13 Disposal information

· **Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

#### 14 Transportation information

· **UN-Number**

· **ADR, ADN, IMDG, IATA**

Void

· **UN proper shipping name**

· **ADR, ADN, IMDG, IATA**

Void

· **Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class**

Void

· **Packing group**

· **ADR, IMDG, IATA**

Void

· **Environmental hazards:**

· **Marine pollutant:**

No

· **Special precautions for user**

Not applicable.

· **Transport in bulk according to Annex II of**

**Marpol and the IBC Code**

Not applicable.

· **UN "Model Regulation":**

Void

#### 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous**

**substances - ANNEX I**

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

MY

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/8

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 01.09.2023

Version number 38

Revision: 01.09.2023

**Trade name Nafufill KMH**

(Contd. of page 7)

### 16 Other information

*These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing data specification sheet:**

*Environment protection department.*

· **Contact:**

· **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*DNEL: Derived No-Effect Level (REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Skin Irrit. 2: Skin corrosion or irritation – Category 2*

*Eye Dam. 1: Serious eye damage or eye irritation – Category 1*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

· **\* Data compared to the previous version altered.**

MY