

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025

Version number 39

Revision: 13.04.2025

Page 1/9

| Product identifier | |
|--|--|
| Trade name Recommended use of the | <u>Nafuquick Uni</u> |
| chemical and restrictions on use Application of the substance | No further relevant information available. |
| / the mixture | Knife filler/ Surfacer |
| <i>Details of the supplier of the s Manufacturer/Supplier:</i> | MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon |
| | Tel.: +44-7400510 Fax : +44-7400533 |
| | |
| | msds@mc-bauchemie.de |
| Hazard identification Classification of the substand | ce or mixture |
| Hazard identification Classification of the substand Skin Irrit. 2 H315 Causes skin | ce or mixture irritation. |
| Hazard identification Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serio | ce or mixture irritation. ous eye damage. |
| Hazard identification Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seric STOT SE 3 H335 May cause r | ce or mixture irritation. ous eye damage. |
| Eye Dam. 1 H318 Causes serio | ce or mixture irritation. ous eye damage. espiratory irritation. The product is classified and labelled according to the Globa |
| Hazard identification Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serio STOT SE 3 H335 May cause ro Label elements GHS label elements | ce or mixture irritation. ous eye damage. espiratory irritation. The product is classified and labelled according to the Globa Harmonised System (GHS). |
| Hazard identification Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serio STOT SE 3 H335 May cause re Label elements GHS label elements Hazard pictograms | ce or mixture irritation. ous eye damage. espiratory irritation. The product is classified and labelled according to the Globa |
| Hazard identification Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serio STOT SE 3 H335 May cause re Label elements GHS label elements Hazard pictograms Signal word Hazard-determining | ce or mixture irritation. Dus eye damage. espiratory irritation. The product is classified and labelled according to the Globa Harmonised System (GHS). GHS05 GHS07 Danger |
| Hazard identification Classification of the substand Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serid STOT SE 3 H335 May cause r Label elements GHS label elements Hazard pictograms Signal word | ce or mixture irritation. ous eye damage. espiratory irritation. The product is classified and labelled according to the Globa Harmonised System (GHS). GHS05 GHS07 |



Safety Data Sheet according to P.U.(A) 310/2013

Version number 39

Revision: 13.04.2025

Trade name Nafuquick Uni

Printing date 13.04.2025

| · Precautionary statements | P261 | (Contd. of page 1) Avoid breathing dust/fume/ gas/mist/vapours/ |
|--|-------------------|---|
| | P280 | spray. Wear protective gloves / eye protection / face protection. |
| | P305+P351+P338 | BIF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, in present and easy to do. Continue rinsing. |
| | P310 | Immediately call a POISON CENTER/doctor. |
| | P321 P403+P233 | Specific treatment (see on this label). Store in a well-ventilated place. Keep contained tightly closed. |
| Other hazards | | |
| Results of PBT and vPvB as PBT: | Not applicable. | |
| · vPvB: | Not applicable. | |

• **vPvB:** Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

| · Dangerous comp | ponents: | |
|---------------------------------------|---|---------------------------|
| CAS: 14808-60-7 | Quartz sand | 30-60% |
| CAS: 65997-15-1 | Portland cement (low chromate) | <i>≥</i> 20- <i>≤</i> 30% |
| | Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335 | |
| CAS: 1317-65-3 | Calcium carbonate | <5% |
| CAS: 68475-76-3 | Flue dust, portland cement | ≥1-<2.5% |
| | Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335 | |
| CAS: 1305-78-8 | calcium oxide | ≥1-<1.5% |
| | Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335 | |
| CAS: 13463-67-7 | Titanium dioxide | <1% |
| | Carc. 2, H351 | |
| Additional inform | nation For the wording of the listed hazard phrases refer to se | ction 16. |

| 4 First-aid measures | |
|------------------------------|---|
| • Description of first aid m | easures |
| General information | For all first aid measures: observe self-protection and consult a doctor! |
| · After inhalation | Remove people from the dusty area. |
| · After skin contact | Remove heavily soiled clothing. Clean with plenty of soap and water. |
| · After eye contact | Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist! |
| | (Contd. on page 3) |

Page 2/9

MY



Page 3/9

M

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025

Version number 39

Revision: 13.04.2025

Trade name Nafuquick Uni

· After swallowing

(Contd. of page 2) Do NOT induce vomiting. Rinse mouth with water. Medical attention required.

5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

No further relevant information available.

- Special hazards arising from the substance or mixture
 Advice for firefighters
- · Protective equipment:
- No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Not required.
 Environmental precautions: No special measures required.
 Methods and material for containment and cleaning up: Ensure adequate ventilation.
 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

7 Handling and storage

· Handling

| - | Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and |
|--------------------------------|---|
| | after each break. Observe work restrictions! |
| Conditions for sofe starses in | aluding any incompatibilities |

See Section 13 for information on disposal.

· Conditions for safe storage, including any incompatibilities

· Storage

| · Requirements to be met by | |
|---|--|
| storerooms and containers: | Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces. |
| Information about storage in one common storage facility: | Combined storage bans apply from a total storage quantity of 200 kg. Do not store together with substances of the following LGK: 1; 6.2; (Contd. on page 4) |



Page 4/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025

Version number 39

Revision: 13.04.2025

Trade name Nafuquick Uni

storage conditions:

Storage class

(Contd. of page 3) 7 Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C · Further information about Store in a dry and frost-free place. 13

8 Exposure controls and personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

| • | onents with critical values that require monitoring at the workp | lace: |
|----------|--|-----------------|
| | 4808-60-7 Quartz sand | |
| PEL (M | alaysia) Long-term value: 0.1* mg/m³ | |
| | *Pecahan ternafaskan | |
| | 5997-15-1 Portland cement (low chromate) | |
| • | alaysia) Long-term value: 10 mg/m³ | |
| | 317-65-3 Calcium carbonate | |
| • | alaysia) Long-term value: 10 mg/m³ | |
| | 305-78-8 calcium oxide | |
| • | alaysia) Long-term value: 2 mg/m³ | |
| | 3463-67-7 Titanium dioxide | |
| PEL (M | alaysia) Long-term value: 10 mg/m³ | |
| DNELs | | |
| CAS: 6 | 5997-15-1 Portland cement (low chromate) | |
| Inhalati | ve DNEL 1 mg/m³ (ArL) | |
| CAS: 1 | 317-65-3 Calcium carbonate | |
| Oral | DNEL 6.1 mg/kg bw/Tag (ArL) | |
| | ve DNEL 10 mg/m³ (ArL) | |
| CAS: 1 | 305-78-8 calcium oxide | |
| Inhalati | ve DNEL 1 mg/m³ (ArL) | |
| · PNECs | | |
| CAS: 1 | 317-65-3 Calcium carbonate | |
| PNEC | 100 mg/l (Sewage Treatment Plant) | |
| CAS: 1 | 305-78-8 calcium oxide | |
| PNEC | 2.27 mg/l (BEL) | |
| | 0.24 mg/l (Mew) | |
| | 0.37 mg/l (Freshwater) | |
| PNEC | 817.4 mg/kg dwt (Bod) | |
| | | (Contd. on page |



Page 5/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025

Version number 39

Revision: 13.04.2025

Trade name Nafuquick Uni

| · Additional information: | (Contd. of page 4) The lists that were valid during the compilation were used as basis. |
|--|--|
| Exposure controls Personal protective equipm General protective and | ent |
| hygienic measures | Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after every break. |
| Breathing equipment: Protection of hands: Material of gloves Penetration time of glove material | For work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper condition. Nitrile impregnated cotton gloves. The exact breakthrough time must be obtained from the protective |
| • Eye protection: • Body protection: | glove manufacturer and must be observed. Safety glasses Protective work clothing. |

9 Physical and chemical properties

| Appearance: | - <i>w i</i> | |
|--|---------------------------------|--|
| Form: | Solid. Whitish | |
| Colour: Smell: | Characteristic | |
| pH-value: | Not applicable. | |
| Change in condition Melting point/freezing point Initial boiling point and boiling r | Not determined range 2230 °C | |
| Flash point: | Not applicable | |
| Ignition temperature: | Product is not selfigniting. | |
| Explosive properties: | Product is not explosive. | |
| Steam pressure at 1732 °C: | 13.5 hPa | |
| Density | Not determined | |
| Solubility in / Miscibility with Water: | Unsoluble | |
| Viscosity: dynamic: | Not applicable. | |

- MY



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025

Version number 39

Revision: 13.04.2025

(Contd. of page 5)

Trade name Nafuquick Uni

kinematic:

Not applicable.

• Other information

No further relevant information available.

| Reactivity Chemical | stability | -, , | No further relevant information available. | |
|---|---|-------------------|--|-----|
| Thermal of condition. Possibility | s to be av | voided: | No decomposition if used according to specification | IS. |
| reactions | , 01 114241 | 4040 | No dangerous reactions known | |
| Condition | | - | No further relevant information available. | |
| Incompati | | | No further relevant information available. | |
| Hazardou products: | | osition | No dangerous decomposition products known | |
| Toxicolo | ogical in | formatio | on | |
| | | | | |
| Acute tox | | icological | effects | |
| | | at are relev | vant for classification: | |
| | | | ment (low chromate) | |
| | LD50 | | kg (rabbit) | |
| | | 5 mg/l (rai | | |
| | | lcium carb | | |
| | LD50 | >2000 mg | | |
| Dermal | LD50 | >2000 mg | | |
| | | cium oxid | | |
| | LD50 | >2000 mg | | |
| Dermal | LD50 | - | n/kg (rabbit) | |
| | | - | | |
| CAS. 134 | LD50 | >5000 mg | | |
| CAS: 134 | LDUU | - | ng/kg (rabbit) | |
| Oral | 1 D 50 | | | |
| Oral Dermal | LD50 LC50/4 b | 568 ma/l | (rai) | |
| Oral Dermal Inhalative | LC50/4 h | - | | |
| Oral Dermal Inhalative Primary ir | LC50/4 h ritant effe | ect: | Irritant for skin and mucous membranes. | |
| Oral Dermal Inhalative | LC50/4 h ritant effe | ect: rritation | Irritant for skin and mucous membranes. | |
| Oral Dermal Inhalative Primary ir Skin corro Serious e irritation | LC50/4 h ritant effe osion or il ye damag | ect: rritation | Irritant for skin and mucous membranes. Strong irritant with the danger of severe eye injury. | |
| Oral Dermal Inhalative Primary ir Skin corro Serious e | LC50/4 h ritant effe osion or il ye damag ry / skin | ect: rritation | | |

Page 6/9



Page 7/9

| | | Safety Data Sheet | Page 7/ |
|--|--------------------|---|--------------------------------|
| Printing date 1 | 3.04.2025 | according to P.U.(A) 310/2013 Version number 39 | Revision: 13.04.202 |
| Trade name N | lafuquick Uni | | |
| | | | (Contd. of page 6 |
| • Additional toxicological information: | | The product shows the following calculation method of the General EC Preparations as issued in the latest v Irritant | C Classification Guidelines fo |
| | cal information | | |
| | | | |
| · Toxicity | | | |
| · Aquatic to | - | | |
| | 7-65-3 Calcium ca | | |
| | | desmus subspicatus) | |
| | • • | corhynchus mykiss) | |
| LC50/48h | >1000 mg/l (Daph | nnia magna) | |
| EC50/48h | >1000 mg/l (Daph | nnia magna) | |
| CAS: 130 | 5-78-8 calcium ox | ide | |
| EC50/72h | 184.57 mg/l (alga | e) | |
| | 50.6 mg/l (Fis) | | |
| | 158 mg/l (Mew) | | |
| EC50/48h | 49.1 mg/l (Freshw | vater) | |
| NOEC | 32 mg/l (Mew) | , | |
| | 48 mg/l (algae) | | |
| ·Persisten | | lity No further relevant information availa | hle |
| Behaviou | r in environmenta | ll systems: | |
| | | No further relevant information availa | |
| · Mobility ii | | No further relevant information availa | ble. |
| | l ecological infor | | |
| [.] General n | otes: | Do not allow undiluted product or l ground water, water bodies or sewag | |
| · Results o | f PBT and vPvB a | ssessment | - |
| · PBT: | | Not applicable. | |
| | | Not applicable. | |
| vPvB: | erse effects | No further relevant information availa | |

13 Disposal information

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



Page 8/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025

Version number 39

Revision: 13.04.2025

(Contd. of page 7)

Trade name Nafuquick Uni

Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

| UN-Number ADR, ADN, IMDG, IATA | Void | |
|---|------------------------------------|--|
| UN proper shipping name ADR, ADN, IMDG, IATA | Void | |
| Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA Class | Void | |
| Packing group ADR, IMDG, IATA | Void | |
| Environmental hazards: Marine pollutant: | No | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Ann Marpol and the IBC Code | ex II of Not applicable. | |
| UN "Model Regulation": | Void | |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing data specification sheet:
- Environment protection department.

· Contact:

• Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 9)

MY



Page 9/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025

Version number 39

Revision: 13.04.2025

Trade name Nafuquick Uni

| | (Contd. of page 8 |
|---------------------------|--|
| | ICAO: International Civil Aviation Organisation |
| | ADR: Accord relatif au transport international des marchandises dangereuses pa route (European Agreement Concerning the International Carriage of Dangerou Goods by Road) IMDG: International Maritime Code for Dangerous Goods |
| | IATA: International Air Transport Association |
| | EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances |
| | CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) |
| | PNEC: Predicted No-Effect Concentration (REACH) |
| | LC50: Lethal concentration, 50 percent |
| | LD50: Lethal dose, 50 percent |
| | PBT: Persistent, Bioaccumulative and Toxic |
| | vPvB: very Persistent and very Bioaccumulative |
| | Skin Irrit. 2: Skin corrosion or irritation – Category 2 |
| | Eye Dam. 1: Serious eye damage or eye irritation – Category 1 |
| | Carc. 2: Carcinogenicity – Category 2 |
| | STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 |
| • * Data compared to the | |
| previous version altered. | |