

Page 1/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 08.07.2023 Version number 19 Revision: 08.07.2023

1 Identification of the hazardous chemical and of the supplier

· Product identifier

· Trade name Oxal PGP WTA

· Recommended use of the chemical and restrictions on

No further relevant information available.

· Application of the substance

Mineral coating / the mixture · Details of the supplier of the safety data sheet

MC-Bauchemie Müller GmbH & Co. KG · Manufacturer/Supplier:

> Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: msds@mc-bauchemie.de

2 Hazard identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms

GHS05 GHS07

· Signal word Danger

Hazard-determining

Portland cement components of labelling: calcium dihydroxide · Hazard statements

Causes skin irritation. Causes serious eye damage.

May cause respiratory irritation.

Avoid breathing dust/fume/ gas/mist/vapours/spray · Precautionary statements

(Contd. on page 2)



Page 2/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 08.07.2023 Version number 19 Revision: 08.07.2023

Trade name Oxal PGP WTA

(Contd. of page 1)

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Store in a well-ventilated place. Keep container tightly closed.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:			
65997-15-1	Portland cement	≥20-≤30%	
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335		
1305-62-0	calcium dihydroxide	≥3-<10%	
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335		

• Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

• After inhalation Supply fresh air.

After skin contact Instantly wash with water and soap and rinse thoroughly.
 After eye contact Rinse opened eye for several minutes under running water.

Seek medical treatment.

· After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· Information for doctor

 Most important symptoms and effects, both acute and

delayed No further relevant information available.

 Indication of any immediate medical attention and special

treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

(Contd. on page 3)



Page 3/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 08.07.2023 Version number 19 Revision: 08.07.2023

Trade name Oxal PGP WTA

(Contd. of page 2)

· Special hazards arising from

the substance or mixture

No further relevant information available.

Advice for firefighters

• **Protective equipment:** No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and

emergency procedures Not required.

Environmental precautions: No special measures required.

Methods and material for

containment and cleaning up: Collect mechanically.

Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

· Handling

· Precautions for safe handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· Storage class 11

· **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

· Additional information about

design of technical systems: No further data; see section 7.

· Control parameters

· Components with critical values that require monitoring at the workplace:

65997-15-1 Portland cement

PEL (Malaysia) Long-term value: 10 mg/m³

(Contd. on page 4)





Safety Data Sheet according to P.U.(A) 310/2013

Printing date 08.07.2023 Version number 19 Revision: 08.07.2023

Trade name Oxal PGP WTA

		(Contd. of page
1305-6	S2-0 calcium dihydroxide	
PEL (N	Malaysia) Long-term value: 5 mg/m³	
· DNEL	S	
65997 ₋	-15-1 Portland cement	
Inhalat	ive DNEL 1 mg/m³ (ArL)	
1305-6	2-0 calcium dihydroxide	
Inhalat	ive DNEL 1 mg/m³ (ArL)	
PNEC	s	
1305-6	32-0 calcium dihydroxide	
PNEC	3 mg/l (BEL)	
	0.32 mg/l (Mew)	
	0.49 mg/l (Suw)	
PNEC	1080 mg/kg dwt (Bod)	

· Additional information:

The lists that were valid during the compilation were used as basis.

- · Exposure controls
- · Personal protective equipment
- · General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment: Wear respiratory protection in case of insufficient ventilation.

The selection of respirators (EN 14387) must be based on the known or anticipated exposure concentrations, the hazards of the product and the occupational exposure limits (section 8.1) of the

respirator in question.

Particle filter PP1: Inert substance; P2, P3: Hazardous substances Provide adequate ventilation. This can be achieved by local

exhaust ventilation or general exhaust ventilation. (EN 689 - Methods for determining inhalation exposure) This applies especially at the mixing or stirring place.

If this is not sufficient to keep the concentration below the

occupational exposure limit, provide respiratory protection.

• Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves Strong gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

(Contd. on page 5)



Page 5/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 08.07.2023 Version number 19 Revision: 08.07.2023

Trade name Oxal PGP WTA

(Contd. of page 4)

· Penetration time of glove

material

· Body protection:

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Tightly sealed safety glasses. Protective work clothing.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder
Colour: Grey
Smell: Odourless

· **pH-value:** Not applicable.

· Change in condition

Melting point/freezing pointNot determined **Initial boiling point and boiling range**Not applicable

Not determined

· Flash point: Not applicable

· Auto-ignition temperature Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Steam pressure: Not applicable.

Density Not determined

· Solubility in / Miscibility with

Water: Unsoluble

· Viscosity:

dynamic:Not applicable.kinematic:Not applicable.

Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

 Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

(Contd. on page 6)



Page 6/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 08.07.2023 Version number 19 Revision: 08.07.2023

Trade name Oxal PGP WTA

(Contd. of page 5)

· Possibility of hazardous

reactions No dangerous reactions known

• Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available.

· Hazardous decomposition

products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

65997-15-1 Portland cement

Dermal LD50 2000 mg/kg (rabbit)
Inhalative LC50/4 h 5 mg/l (rat)

1305-62-0 calcium dihydroxide

Oral LD50 7340 mg/kg (rat)

· Primary irritant effect:

· Skin corrosion or irritation Irritant for skin and mucous membranes.

· Serious eye damage or eye

irritation

· Respiratory / skin

sensitization

· Additional toxicological

information:

The product shows the following dangers according to the

calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

No sensitizing effect known.

Strong irritant with the danger of severe eye injury.

Irritant

12 Ecological information

· Toxicity

Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

(Contd. on page 7)



Page 7/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 08.07.2023 Version number 19 Revision: 08.07.2023

Trade name Oxal PGP WTA

(Contd. of page 6)

• Other adverse effects No further relevant information available.

13 Disposal information

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transportation information

<u> </u>	
· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · EHS reference list

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX

substances - ANNEX I None of the ingredients is listed.

(Contd. on page 8)



Page 8/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 08.07.2023 Version number 19 Revision: 08.07.2023

Trade name Oxal PGP WTA

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion or irritation - Category 2

Eye Dam. 1: Serious eye damage or eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· * Data compared to the previous version altered.