

Page 1/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025 Version number 28 Revision: 13.04.2025

1 Identification of the hazardous chemical and of the supplier

· Product identifier

• Trade name Powerscreed 953

Recommended use of the chemical and restrictions on

· Application of the substance

use No further relevant information available.

/ the mixture Concrete/Mortar admixtures

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: msds@mc-bauchemie.de

2 Hazard identification

· Classification of the substance or mixture
Eye Irrit. 2 H319 Causes serious eye irritation.

· Label elements · GHS label elements

The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms



· Signal word Warning

Hazard-determining

components of labelling: calcium chloride

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

· Hazard statements H319 Causes serious eye irritation.

· **Precautionary statements** P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/

attention.

(Contd. on page 2)



Page 2/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025 Version number 28 Revision: 13.04.2025

Trade name Powerscreed 953

(Contd. of page 1)

- · Other hazards
- Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

Dangerous components:				
CAS: 10043-52-4		10-30%		
	Acute Tox. 4, H302; Eye Irrit. 2, H319			
	Amine, C12-14 (geradzahlig)-alkyldimethyl, N-oxid	≥1-<2.5%		
	Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315			

Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

• General information For all first aid measures: observe self-protection and consult a

doctor!

After inhalation
 After skin contact
 Take the person out into the fresh air.
 Remove contaminated clothing immediately.

Hold affected areas under cold running water for at least 15

minutes.

· After eye contact Rinse for 10 minutes under running water with the eyelids open or

use eye rinsing solution. Always consult an ophthalmologist!

· After swallowing Drink plenty of water in small sips.

Do not induce vomiting.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· Special hazards arising from

the substance or mixture No further relevant information available.

· Advice for firefighters

• Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and

emergency procedures Not required.

(Contd. on page 3)



Page 3/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025 Version number 28 Revision: 13.04.2025

Trade name Powerscreed 953

(Contd. of page 2)

• Environmental precautions: Prevent material from reaching sewage system, holes and cellars.

Dilute with much water.

· Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

• Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

· Handling

· Precautions for safe handling Avoid splashing.

Avoid dust development with powder products.

Limit the storage quantity at the workplace to one shift

requirement.

Do not leave containers open.

Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.

· Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: Avoid splashing.

Avoid dust development with powder products.

Limit the storage quantity at the workplace to one shift

requirement.

Do not leave containers open.

Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.

· Information about storage in

one common storage facility: Combined storage bans apply from a total storage quantity of 200

kg.

Do not store together with substances of the following LGK: 1;

5.1A; 5.2; 6.2; 7

Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C

· Further information about

storage conditions: None.
Storage class 10

8 Exposure controls and personal protection

· Additional information about

design of technical systems: No further data; see section 7.

(Contd. on page 4)



Page 4/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025 Version number 28 Revision: 13.04.2025

Trade name Powerscreed 953

(Contd. of page 3)

· Control parameters · Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

Personal protective equipment

General protective and

hygienic measures Do not store any foodstuffs or eat, drink, snuff or smoke in the

work area!

Avoid contact with eyes, skin and clothing!

Clean hands thoroughly after work and before cleaning! Use skin care products after work (moisturising cream).

Change wet/uncleaned clothing immediately, place in water and

only use again after cleaning! If the limit value is exceeded:

Combination filter A-P2 (brown/white).

• Protection of hands: Gloves made of: Natural latex, polychloroprene, nitrile rubber.

(Category 3 chemical protective gloves, recognisable by the CE

mark with four-digit test number).

When wearing protective gloves, cotton undergloves are

recommended.

see "Hand protection"

· Material of gloves

Breathing equipment:

· Penetration time of glove

material

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

• Eye protection: Gauze goggles

· Body protection: Alkali-resistant protective clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid Colour: Light brown

· Smell: Weak, characteristic

· **pH-value:** Not determined.

· Change in condition

Melting point/freezing point Not determined

Initial boiling point and boiling range 100 °C

· Flash point: >100 °C

· **Ignition temperature:** Product is not selfigniting.

(Contd. on page 5)



Page 5/8



Safety Data Sheet according to P.U.(A) 310/2013

Version number 28 Revision: 13.04.2025 Printing date 13.04.2025

Trade name Powerscreed 953

	(0	contd. of page 4)
Explosive properties:	Product is not explosive.	
Steam pressure at 20 °C:	23 hPa	
Density at 20 °C	1.17 g/cm³	
Solubility in / Miscibility with Water:	Fully miscible	
Viscosity: dynamic: kinematic:	Not determined. Not determined.	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition /

conditions to be avoided:

· Possibility of hazardous

reactions

· Conditions to avoid

Incompatible materials:

· Hazardous decomposition

products:

No decomposition if used according to specifications.

No dangerous reactions known

No further relevant information available. No further relevant information available.

No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

CAS: 10043-52-4 calcium chloride

LD50 1000 mg/kg (rat) Dermal LD50 2630 mg/kg (rat)

Amine, C12-14 (geradzahlig)-alkyldimethyl, N-oxid

LD50 3432 mg/kg (rat) Oral

Primary irritant effect:

Serious eye damage or eye

irritation · Respiratory / skin

sensitization

· Additional toxicological

information:

No irritant effect.

No sensitizing effect known.

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

(Contd. on page 6)



Page 6/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025 Version number 28 Revision: 13.04.2025

Trade name Powerscreed 953

(Contd. of page 5)

Irritant

12 Ecological information

· Toxicity

· Aquatic toxicity:

riquatio toxiony.

CAS: 10043-52-4 calcium chloride

LC50/96h 3130 mg/l (Scenedesmus subspicatus)

10650 mg/l (Lepomis macrochirus)

LC50/48h 3005 mg/l (Daphnia magna)

Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.

Additional ecological information:

• General notes: Do not allow product to reach ground water, water bodies or

sewage system.

Danger to drinking water if even small quantities leak into soil.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal information

· Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

Recommended cleaning

agent: Water, if necessary with cleaning agent.

14 Transportation information

· UN-Number

· ADR, ADN, IMDG, IATA Void

UN proper shipping name

· ADR, ADN, IMDG, IATA Void

(Contd. on page 7)



Page 7/8

Safety Data Sheet according to P.U.(A) 310/2013

Revision: 13.04.2025 Printing date 13.04.2025 Version number 28

Trade name Powerscreed 953

(Contd. of page 6)

	(601)	iu. oi page o
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· Packing group		
· ADR, IMDG, IATA	Void	
· Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Anne	ex II of	
Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · EHS reference list

CAS: 10043-52-4 | calcium chloride

- · Directive 2012/18/EU
- · Named dangerous

None of the ingredients is listed. substances - ANNEX I

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 8)



Page 8/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 13.04.2025 Version number 28 Revision: 13.04.2025

Trade name Powerscreed 953

(Contd. of page 7)

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity - oral – Category 4
Skin Irrit. 2: Skin corrosion or irritation – Category 2
Eye Dam. 1: Serious eye damage or eye irritation – Category 1
Eye Irrit. 2: Serious eye damage or eye irritation – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard - Category

Aquatic Chronic 2: Hazardous to the aquatic environment - chronic hazard – Category 2

* Data compared to the previous version altered.

- MY