

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.04.2025

Version number 31

Revision: 12.04.2025

Product identifier	
Trade name Recommended use of the chemical and restrictions on	Powerscreed 956
use Application of the substance	No further relevant information available.
/ the mixture	Floor screed admixture
<i>Details of the supplier of the Manufacturer/Supplier:</i>	safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department:	msds@mc-bauchemie.de
Hazard identification Classification of the substan	-
Hazard identificationClassification of the substanSkin Sens. 1H317 May c	ce or mixture
Hazard identification Classification of the substan Skin Sens. 1 H317 May of Aquatic Chronic 3 H412 Harm Label elements GHS label elements	ce or mixture cause allergic skin reaction.
Hazard identification Classification of the substan Skin Sens. 1 H317 May of Aquatic Chronic 3 H412 Harm Label elements GHS label elements	ce or mixture cause allergic skin reaction. ful to aquatic life with long lasting effects. The product is classified and labelled according to the Global Harmonised System (GHS).
Hazard identification Classification of the substant Skin Sens. 1 H317 May content	ce or mixture cause allergic skin reaction. ful to aquatic life with long lasting effects. The product is classified and labelled according to the Global
Hazard identification Classification of the substan Skin Sens. 1 H317 May of Aquatic Chronic 3 H412 Harm Label elements GHS label elements Hazard pictograms Signal word Hazard-determining components of labelling:	ce or mixture cause allergic skin reaction. ful to aquatic life with long lasting effects. The product is classified and labelled according to the Global Harmonised System (GHS). GHS07 Warning 2-Octyl-2H-isothiazol-3-on H317 May cause allergic skin reaction.
Hazard identification Classification of the substan Skin Sens. 1 H317 May of Aquatic Chronic 3 H412 Harm Label elements GHS label elements Hazard pictograms Signal word Hazard-determining	ce or mixture cause allergic skin reaction. ful to aquatic life with long lasting effects. The product is classified and labelled according to the Global Harmonised System (GHS).
Hazard identification Classification of the substan Skin Sens. 1 H317 May of Aquatic Chronic 3 H412 Harm Label elements GHS label elements Hazard pictograms Signal word Hazard-determining components of labelling: Hazard statements	ce or mixture cause allergic skin reaction. ful to aquatic life with long lasting effects. The product is classified and labelled according to the Globa Harmonised System (GHS). GHS07 Warning 2-Octyl-2H-isothiazol-3-on H317 May cause allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. P261 Avoid breathing dust/fume/ gas/mist/vapours/spray.

Page 1/8



Page 2/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.04.2025

Version number 31

Revision: 12.04.2025

Trade name Powerscreed 956

P363 P501

(Contd. of page 1) Wash contaminated clothing before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

- · Chemical characterisation: Mixtures
- **Description:** Mixture consisting of the following components.
- Dangerous components:

CAS: 26530-20-1	2-Octyl-2H-isothiazol-3-on	<i>≥</i> 0.0025-<0.025%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	

Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

 Description of first aid mean 	asures
General information	For all first aid measures: observe self-protection and consult a doctor!
· After inhalation	Take the person out into the fresh air.
· After skin contact	Remove contaminated clothing immediately. Hold affected areas under cold running water for at least 15 minutes.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!
· After swallowing	Drink plenty of water in small sips. Do not induce vomiting.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from
- the substance or mixture No further relevant information available.
- Advice for firefighters • Protective equipment:
- No special measures required.

(Contd. on page 3)



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.04.2025

Version number 31

Revision: 12.04.2025

Trade name Powerscreed 956

(Contd. of page 2)

Page 3/8

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Environmental precautions: Dilute with much water.
- · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

No dangerous materials are released.

Not required.

· Reference to other sections

7 Handling and storage

·Handling

- · Precautions for safe handling Avoid splashing.
- Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle. · Conditions for safe storage, including any incompatibilities Storage · Requirements to be met by storerooms and containers: Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle. · Information about storage in one common storage facility: Combined storage bans apply from a total storage quantity of 200 kg. Do not store together with substances of the following LGK: 1; 5.1A; 5.2; 6.2; 7 Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C · Further information about storage conditions: None. · Storage class 12

8 Exposure controls and personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

MY



Page 4/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.04.2025

Version number 31

Revision: 12.04.2025

Trade name Powerscreed 956

	(Contd. of page 3)
 Control parameters Components with critical values that require 	
monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
• Additional information:	The lists that were valid during the compilation were used as basis.
 Exposure controls Personal protective equipmen General protective and 	t
hygienic measures	Do not store any foodstuffs or eat, drink, snuff or smoke in the work area! Avoid contact with eyes, skin and clothing! Clean hands thoroughly after work and before cleaning! Use skin care products after work (moisturising cream). Change wet/uncleaned clothing immediately, place in water and only use again after cleaning!
· Breathing equipment:	If the limit value is exceeded: Combination filter A-P2 (brown/white).
· Protection of hands:	Gloves made of: Natural latex, polychloroprene, nitrile rubber. (Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number). When wearing protective gloves, cotton undergloves are recommended.
 Material of gloves Penetration time of glove 	see "Hand protection"
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
• Eye protection: • Body protection:	Gauze goggles Alkali-resistant protective clothing

Information on basic physical and General Information	chemical properties	
Appearance: Form:	Fluid	
Colour:	White	
Smell:	Recognisable	
pH-value:	Not determined.	
Change in condition Melting point/freezing point Initial boiling point and boiling ra	Not determined ange 100 °C	
Flash point:	Not applicable	
Ignition temperature:	Product is not selfigniting.	
		(Contd. on page

MY



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.04.2025

Version number 31

Revision: 12.04.2025

Page 5/8

Trade name Powerscreed 956

	(Contd. of	page 4
Explosive properties:	Product is not explosive.	
Steam pressure at 20 °C:	23 hPa	
Density at 20 °C	1.04 g/cm³	
Solubility in / Miscibility with Water:	Fully miscible	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity

No further relevant information available.

· Chemical stability Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous
- reactions · Conditions to avoid
- · Incompatible materials:

No dangerous reactions known No further relevant information available.

- No further relevant information available.
- · Hazardous decomposition products:

No dangerous decomposition products known

11 Toxicological information · Information on toxicological effects · Acute toxicity · LD/LC50 values that are relevant for classification: CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on Oral LD50 125 mg/kg (ATE) 500 mg/kg (rat) LD50 Dermal 311 mg/kg (ATE) >2000 mg/kg (rat) Inhalative LC50/4 h 0.27 mg/l (ATE) 0.6 mg/l (rat) · Primary irritant effect: · Skin corrosion or irritation Irritant for skin and mucous membranes. · Serious eye damage or eye irritation No irritant effect. · Respiratory / skin sensitization No sensitizing effect known. (Contd. on page 6) MY



Page 6/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.04.2025

Version number 31

Revision: 12.04.2025

Trade name Powerscreed 956

 Additional toxicological information: (Contd. of page 5)

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Toxicity	
Aquatic toxicity:	
CAS: 26530-20-1 2-Octyl-2H	-isothiazol-3-on
EC50/48h 0.42 mg/l (Daphnie	n)
	ty No further relevant information available.
Behaviour in environmental	
Bioaccumulative potential	No further relevant information available.
Mobility in soil	No further relevant information available.
Additional ecological inform	nation:
General notes:	Do not allow product to reach ground water, water bodies
	sewage system.
	Danger to drinking water if even small quantities leak into soil.
Results of PBT and vPvB as	
PBT:	Not applicable.
vPvB:	Not applicable.
Other adverse effects	No further relevant information available.
Disposal information	
Waste treatment methods	
Recommendation	Must not be disposed of together with household garbage. Do
	allow product to reach sewage system.
	, c ,
Uncleaned packagings:	Front, contaminated marker in an the neurophy. They are he needs
Recommendation:	Empty contaminated packagings thoroughly. They can be recyc
	after thorough and proper cleaning.
Recommended cleaning	Water, if necessary with cleaning agent.
agent:	

 14 Transportation information

 · UN-Number

 · ADR, ADN, IMDG, IATA

 Void

 (Contd. on page 7)



Page 7/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.04.2025

Version number 31

Revision: 12.04.2025

Trade name Powerscreed 956

	(Contd. of page
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex Marpol and the IBC Code 	ll of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications
· UN "Model Regulation":	Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · EHS reference list

CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on

- · Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Department issuing data specification sheet: 	Environment protection deportment
· Contact:	Environment protection department.
• Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association
	(Contd. on page 8)



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.04.2025

Version number 31

Revision: 12.04.2025

Page 8/8

Trade name Powerscreed 956

	(Contd. of page
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Acute Tox. 3: Acute toxicity - oral – Category 3
	Acute Tox. 2: Acute toxicity - oral – Category 2
	Skin Corr. 1: Skin corrosion or irritation – Category 1
	Eye Dam. 1: Serious eye damage or eye irritation – Category 1
	Skin Sens. 1: Skin sensitization – Category 1
	Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard – Categ 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - chronic hazar Category 1
	Aquatic Chronic 3: Hazardous to the aquatic environment - chronic hazar Category 3
* * Data compared to the	
previous version altered.	