



BE SURE. BUILD SURE.

Page 1/9

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024


Version number 50

Revision: 07.12.2024

### 1 Identification of the hazardous chemical and of the supplier

- **Product identifier**
- **Trade name** Repacryl
- **Recommended use of the chemical and restrictions on use** No further relevant information available.
- **Application of the substance / the mixture** Plastic additive
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de  
  
MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de

### 2 Hazard identification

- **Classification of the substance or mixture**  
Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.  
STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**  
  
GHS08
- **Signal word** Danger
- **Hazard-determining components of labelling:** crystalline silica  
Titanium Dioxide
- **Hazard statements** H351 Suspected of causing cancer. Route of exposure: Inhalation.  
H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.
- **Precautionary statements** P260 Do not breathe dust/fume/gas/mist/ vapours/spray.  
P264 Wash thoroughly after handling.

(Contd. on page 2)

MY



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 50

Revision: 07.12.2024

**Trade name Repacryl**

(Contd. of page 1)

P281 Use personal protective equipment as required.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition and information of the ingredients of the hazardous chemical

- **Chemical characterisation: Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

CAS: 14808-60-7	crystalline silica STOT RE 1, H372	30-60%
CAS: 1317-65-3	Calcium carbonate	10-30%
CAS: 13463-67-7	Titanium Dioxide Carc. 2, H351	≥1-<2.5%
CAS: 1336-21-6	ammonia Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400	≥0.25-<0.5%
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	≥0.00025-<0.0015%

### 4 First-aid measures

- **Description of first aid measures**
- **General information** For all first aid measures: observe self-protection and consult a doctor!
- **After inhalation** Take the person out into the fresh air.
- **After skin contact** Remove heavily soiled clothing.  
Clean with plenty of water.  
Do not use thinner or similar.
- **After eye contact** Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!
- **After swallowing** Do not induce vomiting.  
Drink plenty of water in small sips.



BE SURE. BUILD SURE.

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 50

Revision: 07.12.2024

Trade name Repacryl

(Contd. of page 2)

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Void
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Collect mechanically.
- **Reference to other sections** No dangerous materials are released.

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.  
No special precautions necessary if used correctly.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Protect containers from frost!  
Only store in the original container or in containers recommended by the manufacturer.  
After decanting, label containers as original containers.  
Do not store in break rooms, recreation rooms or sanitary facilities as well as in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.
- **Further information about storage conditions:** None.
- **Storage class** 6.1D

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

(Contd. on page 4)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 50

Revision: 07.12.2024

Trade name Repacryl

(Contd. of page 3)

· **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

**CAS: 14808-60-7 crystalline silica**

PEL (Malaysia) Long-term value: 0.1\* mg/m<sup>3</sup>  
\*Pecahan ternafaskan

**CAS: 1317-65-3 Calcium carbonate**

PEL (Malaysia) Long-term value: 10 mg/m<sup>3</sup>

· **DNELs**

**CAS: 1317-65-3 Calcium carbonate**

Oral DNEL 6.1 mg/kg bw/Tag (ArL)  
Inhalative DNEL 10 mg/m<sup>3</sup> (ArL)

· **PNECs**

**CAS: 1317-65-3 Calcium carbonate**

PNEC 100 mg/l (Sewage Treatment Plant)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!

Avoid contact with eyes and skin!

Preventively apply skin protection ointment to facilitate skin cleansing.

Remove product residues from the skin!

Clean hands thoroughly at the end of work and before cleaning!

Remove product residues from the skin with a suitable cleaning agent - never use solvents or thinners to clean the skin!

Use skin care products after work (moisturising cream).

· **Breathing equipment:**

For spraying processes:

Particle filter P2 (white)

· **Protection of hands:**

Gloves made of: Natural latex, polychloroprene, nitrile rubber.

(Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number).

When wearing protective gloves, cotton undergloves are recommended.

· **Material of gloves**

Natural latex, polychloroprene, nitrile rubber.

· **Penetration time of glove material**

The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

· **Eye protection:**

Frame glasses

· **Body protection:**

Protective work clothing.

MY

(Contd. on page 5)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 50

Revision: 07.12.2024

Trade name Repacryl

(Contd. of page 4)

#### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Pasty
Colour:	Grey
Smell:	Characteristic

· **pH-value at 20 °C:** 8

· **Change in condition**

Melting point/freezing point	Not determined
Initial boiling point and boiling range	100 °C

· **Flash point:** Not applicable

· **Auto-ignition temperature** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Steam pressure at 20 °C:** 23 hPa

· **Density at 20 °C** 1.6 g/cm<sup>3</sup>

· **Solubility in / Miscibility with**

Water: Fully miscible

· **Viscosity:**

dynamic at 20 °C:	35000 mPas
kinematic:	Not determined.

· **Other information** No further relevant information available.

#### 10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions**

No dangerous reactions known

· **Conditions to avoid**

No further relevant information available.

· **Incompatible materials:**

No further relevant information available.

· **Hazardous decomposition products:**

No dangerous decomposition products known

MY

(Contd. on page 6)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 50

Revision: 07.12.2024

Trade name Repacryl

(Contd. of page 5)

## 11 Toxicological information

- Information on toxicological effects
- Acute toxicity

· LD/LC50 values that are relevant for classification:

**CAS: 1317-65-3 Calcium carbonate**

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

**CAS: 13463-67-7 Titanium Dioxide**

Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.8 mg/l (rat)

**CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one**

Oral	LD50	125 mg/kg (ATE)
		500 mg/kg (rat)
Dermal	LD50	311 mg/kg (ATE)
		>2000 mg/kg (rat)
Inhalative	LC50/4 h	0.27 mg/l (ATE)
		0.6 mg/l (rat)

- Primary irritant effect:
- Serious eye damage or eye irritation
- Respiratory / skin sensitization
- Additional toxicological information:

No irritant effect.

No sensitizing effect known.

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carc. 2

## 12 Ecological information

- Toxicity

· Aquatic toxicity:

**CAS: 1317-65-3 Calcium carbonate**

EC50/72h	>14 mg/l (Desmodesmus subspicatus)
LC50/96h	>10000 mg/l (Oncorhynchus mykiss)

(Contd. on page 7)

MY



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 50

Revision: 07.12.2024

**Trade name Repacryl**

(Contd. of page 6)

LC50/48h	>1000 mg/l (Daphnia magna)
EC50/48h	>1000 mg/l (Daphnia magna)
<b>CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one</b>	
EC50/48h	0.42 mg/l (Daphnien)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal information

- **Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Dispose of packaging according to regulations on the disposal of packagings.  
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

### 14 Transportation information

· <b>UN-Number</b>	
· <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>UN proper shipping name</b>	
· <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>Transport hazard class(es)</b>	
· <b>ADR, ADN, IMDG, IATA</b>	
· <b>Class</b>	Void
· <b>Packing group</b>	
· <b>ADR, IMDG, IATA</b>	Void

(Contd. on page 8)

MY



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 50

Revision: 07.12.2024

Trade name Repacryl

(Contd. of page 7)

· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	Void

#### 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **EHS reference list**

CAS: 1336-21-6	ammonia
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing data specification sheet:** Environment protection department.
- **Contact:**
- **Abbreviations and acronyms:**
  - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
  - ICAO: International Civil Aviation Organisation
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - DNEL: Derived No-Effect Level (REACH)
  - PNEC: Predicted No-Effect Concentration (REACH)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - Acute Tox. 3: Acute toxicity - oral – Category 3

(Contd. on page 9)





BE SURE. BUILD SURE.

Page 9/9

**Safety Data Sheet**  
**according to P.U.(A) 310/2013**

Printing date 10.12.2024

Version number 50

Revision: 07.12.2024

**Trade name Repacryl**

(Contd. of page 8)

*Acute Tox. 2: Acute toxicity - oral – Category 2*

*Skin Corr. 1: Skin corrosion or irritation – Category 1*

*Eye Dam. 1: Serious eye damage or eye irritation – Category 1*

*Skin Sens. 1: Skin sensitization – Category 1*

*Carc. 2: Carcinogenicity – Category 2*

*STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1*

*Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard – Category 1*

*Aquatic Chronic 1: Hazardous to the aquatic environment - chronic hazard – Category 1*

**· \* Data compared to the previous version altered.**

MY