



BE SURE. BUILD SURE.

Page 1/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.12.2022

Version number 12



Revision: 25.12.2022

1 Identification of the hazardous chemical and of the supplier

- **Product identifier**
- **Trade name** Reparoxyd Primer - Komponente B
- **Recommended use of the chemical and restrictions on use** No further relevant information available.
- **Application of the substance / the mixture** Special priming
Hardening agent/ Curing agent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de

2 Hazard identification

- **Classification of the substance or mixture**
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause allergic skin reaction.
Aquatic Acute 1 H400 Very toxic to aquatic life.
Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**

GHS07 GHS09
- **Signal word** Warning
- **Hazard-determining components of labelling:** calcium sulphate, natural dibenzoyl peroxide
- **Hazard statements** Causes serious eye irritation.
May cause allergic skin reaction.
Very toxic to aquatic life with long lasting effects.
- **Precautionary statements** Avoid breathing dust/fume/ gas/mist/vapours/spray.

(Contd. on page 2)

MY



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.12.2022

Version number 12

Revision: 25.12.2022

Trade name Reparoxyd Primer - Komponente B

(Contd. of page 1)

Avoid release to the environment.
Wear protective gloves / eye protection / face protection.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

- **Chemical characterisation: Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

94-36-0	dibenzoyl peroxide Org. Perox. B, H241; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Eye Irrit. 2, H319; Skin Sens. 1, H317	25-50%
7778-18-9	calcium sulphate, natural Acute Tox. 4, H302; Acute Tox. 4, H332	<25%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **After inhalation** Void
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.
Call a doctor immediately.
- **After swallowing** Call a doctor immediately.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

(Contd. on page 3)



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.12.2022

Version number 12

Revision: 25.12.2022

Trade name Reparoxyd Primer - Komponente B

(Contd. of page 2)

- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Collect mechanically.
- **Reference to other sections** See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Open and handle container with care.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

94-36-0 dibenzoyl peroxide

PEL (Malaysia) Long-term value: 5 mg/m³

7778-18-9 calcium sulphate, natural

PEL (Malaysia) Long-term value: 10 mg/m³

(Contd. on page 4)



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.12.2022

Version number 12

Revision: 25.12.2022

Trade name Reparoxyd Primer - Komponente B

(Contd. of page 3)

· **DNELs**

7778-18-9 calcium sulphate, natural

Oral DNEL 1.52 mg/kg bw/Tag (ArL)

Inhalative DNEL 21.17 mg/m³ (ArL)

· **PNECs**

7778-18-9 calcium sulphate, natural

PNEC 100 mg/l (Kla)

· **Additional information:** *The lists that were valid during the compilation were used as basis.*

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

*Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.*

· **Breathing equipment:**

Filter AX.

· **Protection of hands:**

Protective gloves.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

Nitrile rubber, NBR

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Safety glasses

Tightly sealed safety glasses.

· **Body protection:**

Protective work clothing.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Powder

Colour: Whitish

· **Smell:** Odourless

· **pH-value:** Not applicable.

(Contd. on page 5)



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.12.2022

Version number 12

Revision: 25.12.2022

Trade name Reparoxyd Primer - Komponente B

(Contd. of page 4)

· Change in condition	
Melting point/freezing point	Not determined
Initial boiling point and boiling range	Not determined
· Flash point:	Not applicable
· Flammability (solid, gas)	Kann Brand verursachen
· Ignition temperature:	380 °C
· Auto-ignition temperature	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Density	Not determined
· Solubility in / Miscibility with Water:	Unsoluble
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity	No further relevant information available.
· Chemical stability	
· Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
· Possibility of hazardous reactions	No dangerous reactions known
· Conditions to avoid	No further relevant information available.
· Incompatible materials:	No further relevant information available.
· Hazardous decomposition products:	No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

7778-18-9 calcium sulphate, natural

Oral	LD50	>1581 mg/kg (rat)
Dermal	NOAEL	790 mg/kg (rat)
Inhalative	LC50/4 h	>2.61 mg/l (rat)

- **Primary irritant effect:**
- **Serious eye damage or eye irritation** Irritant effect.
- **Respiratory / skin sensitization** Sensitization possible by skin contact.

(Contd. on page 6)



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.12.2022

Version number 12

Revision: 25.12.2022

Trade name Reparoxyd Primer - Komponente B

(Contd. of page 5)

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
Irritant

12 Ecological information

Toxicity

Aquatic toxicity:

7778-18-9 calcium sulphate, natural

EC50/72h >79 mg/l (Selenastrum capricornutum)

LC50/96h >79 mg/l (fish)

EC50 >790 mg/l (BEL)

EC50/48h >79 mg/l (Daphnia magna)

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal information

Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Achtung!! Das Produkt enthält ca. 40% Peroxide.

Uncleaned packagings:

Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

14 Transportation information

UN-Number

ADR, IMDG, IATA

UN3077

(Contd. on page 7)

MY



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.12.2022

Version number 12

Revision: 25.12.2022

Trade name Reparoxyd Primer - Komponente B

(Contd. of page 6)

<ul style="list-style-type: none"> · UN proper shipping name · ADR, IATA · IMDG 	<p>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)</p> <p>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), MARINE POLLUTANT</p>
<ul style="list-style-type: none"> · Transport hazard class(es) · ADR · Class · Label 	<p>9 (M7) Miscellaneous dangerous substances and articles.</p> <p>9</p>
<ul style="list-style-type: none"> · IMDG, IATA · Class · Label 	<p>9 Miscellaneous dangerous substances and articles.</p> <p>9</p>
<ul style="list-style-type: none"> · Packing group · ADR, IMDG, IATA 	<p>III</p>
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: · Special marking (ADR): · Special marking (IATA): 	<p>Yes</p> <p>Symbol (fish and tree)</p> <p>Symbol (fish and tree)</p> <p>Symbol (fish and tree)</p>
<ul style="list-style-type: none"> · Special precautions for user · Kemler Number: · EMS Number: · Stowage Category · Stowage Code 	<p>Warning: Miscellaneous dangerous substances and articles.</p> <p>90</p> <p>F-A,S-F</p> <p>A</p> <p>SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.</p>
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of Marpol and the IBC Code 	<p>Not applicable.</p>
<ul style="list-style-type: none"> · Transport/Additional information: 	
<ul style="list-style-type: none"> · ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code 	<p>5 kg</p> <p>Code: E1</p> <p>Maximum net quantity per inner packaging: 30 g</p> <p>Maximum net quantity per outer packaging: 1000 g</p> <p>3</p> <p>(-)</p>
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) 	<p>5 kg</p>

(Contd. on page 8)

MY



BE SURE. BUILD SURE.

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 25.12.2022

Version number 12

Revision: 25.12.2022

Trade name Reparoxyd Primer - Komponente B

(Contd. of page 7)

· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIBENZOYL PEROXIDE), 9, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **EHS reference list**

94-36-0 dibenzoyl peroxide

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I**

None of the ingredients is listed.

· **Seveso category**

E1 Hazardous to the Aquatic Environment

· **Qualifying quantity (tonnes) for the application of lower-tier requirements**

100 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements**

200 t

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing data specification sheet:**

Environment protection department.

· **Contact:**

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

(Contd. on page 9)



BE SURE. BUILD SURE.

Page 9/9

Safety Data Sheet
according to P.U.(A) 310/2013

Printing date 25.12.2022

Version number 12

Revision: 25.12.2022

Trade name Reparoxyd Primer - Komponente B

(Contd. of page 8)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Org. Perox. B: Organic peroxides – Type B

Acute Tox. 4: Acute toxicity - oral – Category 4

Eye Irrit. 2: Serious eye damage or eye irritation – Category 2

Skin Sens. 1: Skin sensitization – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - chronic hazard – Category 1

*** Data compared to the
previous version altered.**

MY