



BE SURE. BUILD SURE.

Page 1/8

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.01.2022



Version number 7

Revision: 12.01.2022

### 1 Identification of the hazardous chemical and of the supplier

- **Product identifier**
- **Trade name** ombran FG rapid
- **Recommended use of the chemical and restrictions on use** No further relevant information available.
- **Application of the substance / the mixture** Filling mortar
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de  
  
MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533
- **Informing department:** msds@mc-bauchemie.de
- **Emergency telephone number:** Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +48612864565

### 2 Hazard identification

- **Classification of the substance or mixture**  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Dam. 1 H318 Causes serious eye damage.  
STOT SE 3 H335 May cause respiratory irritation.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**  
  
GHS05 GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:** Cement, portland, chemicals  
Cr(VI)<2ppm  
Flue dust, portland cement  
calcium oxide
- **Hazard statements** Causes skin irritation.

(Contd. on page 2)

MY



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.01.2022

Version number 7

Revision: 12.01.2022

**Trade name ombran FG rapid**

(Contd. of page 1)

- **Precautionary statements**
  - Causes serious eye damage.
  - May cause respiratory irritation.
  - Avoid breathing dust/fume/ gas/mist/vapours/spray.
  - Wear protective gloves / eye protection / face protection.
  - IF IN EYES: Rinse cautiously with water for several minutes.
  - Remove contact lenses, if present and easy to do. Continue rinsing.
  - Immediately call a POISON CENTER/doctor.
  - Specific treatment (see on this label).
  - Store in a well-ventilated place. Keep container tightly closed.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition and information of the ingredients of the hazardous chemical

- **Chemical characterisation: Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

65997-15-1	Cement, portland, chemicals Cr(VI)<2ppm Eye Dam. 1, H318; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	25-50%
14808-60-7	Quartz (SiO2)	25-50%
68475-76-3	Flue dust, portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<3%
69012-64-2	amorphous silica (fume)	<3%
1305-78-8	calcium oxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<2.5%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation** Supply fresh air.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water. Seek medical treatment.
- **After swallowing** Rinse out mouth and then drink plenty of water. Seek medical treatment.

(Contd. on page 3)

MY



BE SURE. BUILD SURE.

Page 3/8

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.01.2022

Version number 7

Revision: 12.01.2022

**Trade name ombran FG rapid**

(Contd. of page 2)

- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Collect mechanically.
- **Reference to other sections** See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling** Prevent formation of dust.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.

(Contd. on page 4)

MY



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.01.2022

Version number 7

Revision: 12.01.2022

Trade name **ombran FG rapid**

· **Specific end use(s)** No further relevant information available.

(Contd. of page 3)

#### 8 Exposure controls and personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

**65997-15-1 Cement, portland, chemicals**  
**Cr(VI)<2ppm**

PEL (Malaysia) Long-term value: 10 mg/m<sup>3</sup>

**14808-60-7 Quartz (SiO<sub>2</sub>)**

PEL (Malaysia) Long-term value: 0.1\* mg/m<sup>3</sup>  
\*Pecahan ternafaskan

**69012-64-2 amorphous silica (fume)**

PEL (Malaysia) Long-term value: 2\* mg/m<sup>3</sup>  
wasap; \*Pecahan ternafaskan

**1305-78-8 calcium oxide**

PEL (Malaysia) Long-term value: 2 mg/m<sup>3</sup>

· **DNELs**

**65997-15-1 Cement, portland, chemicals**  
**Cr(VI)<2ppm**

Inhalative DNEL 1 mg/m<sup>3</sup> (ArL)

**1305-78-8 calcium oxide**

Inhalative DNEL 1 mg/m<sup>3</sup> (ArL)

· **PNECs**

**1305-78-8 calcium oxide**

PNEC 2.27 mg/l (BEL)

0.24 mg/l (Mew)

0.37 mg/l (Suw)

PNEC 817.4 mg/kg dwt (Bod)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.  
Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

(Contd. on page 5)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.01.2022

Version number 7

Revision: 12.01.2022

**Trade name ombran FG rapid**

(Contd. of page 4)

- **Protection of hands:** Protective gloves.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves** Strong gloves  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses  
Tightly sealed safety glasses.
- **Body protection:** Protective work clothing.

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

- **Form:** Powder
- **Colour:** Grey
- **Smell:** Odourless

#### · Change in condition

- **Melting point/freezing point** Not determined
- **Initial boiling point and boiling range** Not determined  
Not applicable

#### · Flash point:

 Not applicable

#### · Auto-ignition temperature

 Product is not selfigniting.

#### · Explosive properties:

 Product is not explosive.

#### · Density

 Not determined

#### · Solubility in / Miscibility with

- **Water:** Insoluble

#### · Other information

 No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.

(Contd. on page 6)

MY



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.01.2022

Version number 7

Revision: 12.01.2022

Trade name **ombran FG rapid**

(Contd. of page 5)

- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

**65997-15-1 Cement, portland, chemicals**  
**Cr(VI)<2ppm**

Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50/4 h	5 mg/l (rat)

**1305-78-8 calcium oxide**

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2500 mg/kg (rabbit)

- **Primary irritant effect:**
- **Skin corrosion or irritation** Irritant for skin and mucous membranes.
- **Serious eye damage or eye irritation** Strong irritant with the danger of severe eye injury.
- **Respiratory / skin sensitization** No sensitizing effect known.
- **Additional toxicological information:** The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:  
Irritant

## 12 Ecological information

- **Toxicity**

· **Aquatic toxicity:**

**69012-64-2 amorphous silica (fume)**

EC50/24h	>1002 mg/l (Daphnia magna)
NOEC	319 mg/l (Daphnia magna)

**1305-78-8 calcium oxide**

EC50/72h	184.57 mg/l (algae)
----------	---------------------

(Contd. on page 7)



BE SURE. BUILD SURE.

### Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.01.2022

Version number 7

Revision: 12.01.2022

**Trade name ombran FG rapid**

(Contd. of page 6)

LC50/96h	50.6 mg/l (Fis) 158 mg/l (Mew)
EC50/48h	49.1 mg/l (Suw)
NOEC	32 mg/l (Mew) 48 mg/l (algae)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

#### 13 Disposal information

- **Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

#### 14 Transportation information

· <b>UN-Number</b>	Void
· <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>UN proper shipping name</b>	Void
· <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>Transport hazard class(es)</b>	Void
· <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>Class</b>	Void
· <b>Packing group</b>	Void
· <b>ADR, IMDG, IATA</b>	Void
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.

(Contd. on page 8)

MY



BE SURE. BUILD SURE.

Page 8/8

## Safety Data Sheet according to P.U.(A) 310/2013

Printing date 12.01.2022

Version number 7

Revision: 12.01.2022

**Trade name ombran FG rapid**

(Contd. of page 7)

- |                                                                             |                 |
|-----------------------------------------------------------------------------|-----------------|
| · <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>                                             | Void            |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

- **Department issuing data specification sheet:** Environment protection department.
- **Contact:**
- **Abbreviations and acronyms:**
  - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
  - ICAO: International Civil Aviation Organisation
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - DNEL: Derived No-Effect Level (REACH)
  - PNEC: Predicted No-Effect Concentration (REACH)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - Acute Tox. 4: Acute toxicity - oral – Category 4
  - Skin Irrit. 2: Skin corrosion or irritation – Category 2
  - Eye Dam. 1: Serious eye damage or eye irritation – Category 1
  - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

MY