

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 25

Revision: 15.03.2025

Page 1/9

Product identifier	
Trade name Recommended use of the chemical and restrictions or	<u>ombran FG rapid</u>
use Application of the substanc	No further relevant information available.
/ the mixture	Filling mortar
Details of the supplier of the Manufacturer/Supplier:	Association Sector Se
Informing department:	msds@mc-bauchemie.de
Hazard identification	
Classification of the substan Skin Irrit. 2 H315 Causes sk	in irritation.
Classification of the substa	in irritation. rious eye damage.
Classification of the substa Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes se	in irritation. rious eye damage. respiratory irritation.
Classification of the substant Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes se STOT SE 3 H335 May cause Label elements	in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global
Classification of the substan Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes se STOT SE 3 H335 May cause Label elements GHS label elements	in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS).
Classification of the substan Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes se STOT SE 3 H335 May cause Label elements GHS label elements Hazard pictograms	in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS). GHS05 GHS07 Danger Portland cement (low chromate) Flue dust, portland cement
Classification of the substan Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes se STOT SE 3 H335 May cause Label elements GHS label elements Hazard pictograms Signal word Hazard-determining	in irritation. rious eye damage. respiratory irritation. The product is classified and labelled according to the Global Harmonised System (GHS). GHS05 GHS07 Danger Portland cement (low chromate)

- MY



Page 2/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 25

Revision: 15.03.2025

Trade name ombran FG rapid

		(Contd. of page 1)
· Precautionary statements	P261	Avoid breathing dust/fume/ gas/mist/vapours/
recounting statements	1 201	spray.
	P280	Wear protective gloves / eye protection / face protection.
	P305+P351+P338	B IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, in present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P403+P233	Store in a well-ventilated place. Keep contained tightly closed.
[.] Other hazards		
· Results of PBT and vPvB as	sessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

[.] Dangerous com	ponents:	
CAS: 65997-15-1	Portland cement (low chromate)	30-60%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 14808-60-7	Quartz sand	30-60%
CAS: 1317-65-3	Calcium carbonate	<10%
CAS: 68475-76-3	Flue dust, portland cement	<i>≥</i> 1-<3%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 69012-64-2	amorphous silica (fume)	<3%
CAS: 1305-78-8	calcium oxide	≥1-<2.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
· Additional inform	<i>mation</i> For the wording of the listed hazard phrases refer to	section 16.

4 First-aid measures

General information	For all first aid measures: observe self-protection and consult a doctor!
After inhalation	Remove people from the dusty area.
After skin contact	Remove heavily soiled clothing. Clean with plenty of soap and water.
After eye contact	Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist!
	(Contd. on page 3)



Page 3/9

MY

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 25

Revision: 15.03.2025

Trade name ombran FG rapid

· After swallowing

(Contd. of page 2) Do NOT induce vomiting. Rinse mouth with water. Medical attention required.

5 Fire-fighting measures

• Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from
- the substance or mixture No further relevant information available. • Advice for firefighters
- Protective equipment: No sp
 - No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and 	
emergency procedures	Not required.
Environmental precautions:	No special measures required.
Methods and material for	
containment and cleaning up:	: Collect mechanically.
Reference to other sections	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment.
	See Section 13 for information on disposal.

7 Handling and storage

· Handling

• **Precautions for safe handling** Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!

· Conditions for safe storage, including any incompatibilities

· Storage

 Requirements to be met by storerooms and containers:
 Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.
 Information about storage in one common storage facility:
 Combined storage bans apply from a total storage quantity of 200 kg. Do not store together with substances of the following LGK: 1; 6.2; 7



Page 4/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 25

Revision: 15.03.2025

Trade name ombran FG rapid

(Contd. of page 3) Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C

· Further information about storage conditions: Storage class

Store in a dry and frost-free place. 13

8 Exposure controls and personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with critical values that require monitoring at the workplace:
 - CAS: 65997-15-1 Portland cement (low chromate)

PEL (Malaysia) Long-term value: 10 mg/m³

CAS: 14808-60-7 Quartz sand

PEL (Malaysia) Long-term value: 0.1* mg/m³ *Pecahan ternafaskan

CAS: 1317-65-3 Calcium carbonate

PEL (Malaysia) Long-term value: 10 mg/m³

CAS: 69012-64-2 amorphous silica (fume)

PEL (Malaysia) Long-term value: 2* mg/m³ wasap; *Pecahan ternafaskan

CAS: 1305-78-8 calcium oxide

PEL (Malaysia) Long-term value: 2 mg/m³

· DNELs CAS: 65997-15-1 Portland cement (low chromate)

Inhalative DNEL 1 mg/m³ (ArL)

CAS: 1317-65-3 Calcium carbonate DNEL 6.1 mg/kg bw/Tag (ArL) Oral

Inhalative DNEL 10 mg/m³ (ArL)

CAS: 1305-78-8 calcium oxide Inhalative DNEL 1 mg/m³ (ArL)

· PNECs

CAS: 1317-65-3 Calcium carbonate

PNEC 100 mg/l (Sewage Treatment Plant)

CAS: 1305-78-8 calcium oxide

PNEC 2.27 mg/l (BEL)

0.24 mg/l (Mew)

0.37 mg/l (Freshwater)

PNEC 817.4 mg/kg dwt (Bod)

(Contd. on page 5)



Page 5/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 25

Revision: 15.03.2025

Trade name ombran FG rapid

· Additional information:	(Contd. of page 4) The lists that were valid during the compilation were used as basis.
· Exposure controls	ont
 Personal protective equipm General protective and 	ent
hygienic measures	Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin!
	Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing!
	Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after every break.
 Breathing equipment: 	For work with higher dust loads particle filter class P2
 Protection of hands: Material of gloves Penetration time of glove 	Check protective gloves prior to each use for their proper condition. Nitrile impregnated cotton gloves.
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
 Eye protection: Body protection: 	Safety glasses Protective work clothing.

9 Physical and chemical properties

Appearance:		
Form:	Powder	
Colour: Smell:	Grey Odourless	
pH-value:	Not applicable.	
Change in condition Melting point/freezing point Initial boiling point and boiling r	Not determined range 2230 °C	
Flash point:	Not applicable	
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Steam pressure at 1732 °C:	13.5 hPa	
Density	Not determined	
Solubility in / Miscibility with Water:	Unsoluble	
Viscosity: dynamic:	Not applicable.	

MY



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 25

Revision: 15.03.2025

(Contd. of page 5)

Trade name ombran FG rapid

kinematic:

Not applicable.

· Other information

No further relevant information available.

	and rea			
Reactivity		No further relevant information available.		
Chemical	stability decompos	aition (
	s to be av		tions	
	y of hazar	1 5 1		
reactions		No dangerous reactions known		
	ns to avoid			
	ible mater			
nazardou products:	s decomp	<i>position</i> No dangerous decomposition products known		
Toxicol	ogical in	nformation		
Informatio	on on toxi	ricological effects		
Acute tox				
LD/LC50	values tha	at are relevant for classification:		
CAS: 659	97-15-1 Po	ortland cement (low chromate)		
Dermal	LD50	2000 mg/kg (rabbit)		
Inhalative	LC50/4 h	5 mg/l (rat)		
CAS: 131	7-65-3 Cal	lcium carbonate		
Oral	LD50	>2000 mg/kg (rat)		
Dermal	LD50	>2000 mg/kg (rat)		
CAS: 130	5-78-8 cal	lcium oxide		
<u> </u>	LD50	>2000 mg/kg (rat)		
Oral	LD50	>2500 mg/kg (rabbit)		
Oral Dermal	<u> </u>			
Dermal Primary i l		<i>irritation</i> Irritant for skin and mucous membranes.		
Dermal Primary il Skin corre	osion or iı			
Dermal Primary ii Skin corr Serious e			101	
Dermal Primary in Skin corro Serious e irritation	osion or ii ye damag	ge or eye Strong irritant with the danger of severe eye inju	ıry.	
Dermal Primary in Skin corre Serious e irritation Respirato	osion or ii ye damag ory / skin	Strong irritant with the danger of severe eye inju	ıry.	
Dermal Primary in Skin corre Serious e irritation Respirato sensitizat	osion or ii ye damag ory / skin	Strong irritant with the danger of severe eye inju No sensitizing effect known. ogical		
Dermal Primary in Skin corre Serious e irritation Respirato sensitizat	osion or ii ye damag yry / skin tion Il toxicolo	Strong irritant with the danger of severe eye inju No sensitizing effect known.	according to th	

Page 6/9



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 25

Revision: 15.03.2025

Trade name ombran FG rapid

12 Ecological information · Toxicity · Aquatic toxicity: CAS: 1317-65-3 Calcium carbonate EC50/72h >14 mg/l (Desmodesmus subspicatus) LC50/96h >10000 mg/l (Oncorhynchus mykiss) LC50/48h >1000 mg/l (Daphnia magna) EC50/48h >1000 mg/l (Daphnia magna) CAS: 69012-64-2 amorphous silica (fume) EC50/24h >1002 mg/l (Daphnia magna) NOEC 319 mg/l (Daphnia magna) CAS: 1305-78-8 calcium oxide EC50/72h 184.57 mg/l (algae) LC50/96h 50.6 mg/l (Fis) 158 mg/l (Mew) EC50/48h 49.1 mg/l (Freshwater) NOEC 32 mg/l (Mew) 48 mg/l (algae) · Persistence and degradability No further relevant information available. · Behaviour in environmental systems: · Bioaccumulative potential No further relevant information available. · Mobility in soil No further relevant information available. · Additional ecological information: · General notes: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. · Other adverse effects No further relevant information available.

13 Disposal information

Waste treatment methods

[.] Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

(Contd. of page 6)

Page 7/9

Irritant



Page 8/9

(Contd. of page 7)

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 25

Revision: 15.03.2025

Trade name ombran FG rapid

Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

Named dangerous

substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information • Department issuing data specification sheet: • Contact: • Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

MY



Safety Data Sheet according to P.U.(A) 310/2013

Printing date 15.03.2025

Version number 25

Revision: 15.03.2025

Page 9/9

Trade name ombran FG rapid

	(Contd. of page
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (REACH)
	PNEC: Predicted No-Effect Concentration (REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Skin Irrit. 2: Skin corrosion or irritation – Category 2
	Eye Dam. 1: Serious eye damage or eye irritation – Category 1
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
• * Data compared to the	
previous version altered.	